

Correction

# Correction: Elduque, A., et al. Electricity Consumption Estimation of the Polymer Material Injection-Molding Manufacturing Process: Empirical Model and Application

Ana Elduque <sup>1</sup>, Daniel Elduque <sup>2,\*</sup> , Carmelo Pina <sup>1</sup> , Isabel Clavería <sup>2</sup> and Carlos Javierre <sup>2</sup>

<sup>1</sup> BSH Electrodomésticos España S. A., Avda. de la Industria, 49, 50016 Zaragoza, Spain; anaelduque@gmail.com (A.E.); carmelopina@bshg.com (C.P.)

<sup>2</sup> i+, Department of Mechanical Engineering, EINA, University of Zaragoza, C/María de Luna, 3, 50018 Zaragoza, Spain; iclaver@unizar.es (I.C.); carlos.javierre@unizar.es (C.J.)

\* Correspondence: delduque@unizar.es; Tel.: +34-87-655-5211

Received: 20 April 2020; Accepted: 1 June 2020; Published: 3 June 2020



During the formatting phase of this article [1], the authors did not detect a typographical error in the equations to calculate the SEC value; they would therefore like to make the following correction in both Equations (1) and (7). There was a minus symbol missing in the super index of the  $\eta$  value (percentage of utilization of the injection-molding machine).

Equation (1) was wrongly formatted as:

$$\text{SEC (KWh/kg)} = (7.5 - 5 \times E/100) \times (\eta)^{0.5} \quad (1)$$

Moreover, it must be corrected as the following:

$$\text{SEC (KWh/kg)} = (7.5 - 5 \times E/100) \times (\eta)^{-0.5} \quad (1)$$

Equation (7) was wrongly formatted as:

$$\text{SEC} = (7.5 - (5 \times (E/100) \times (((w \times 3.6/t_c)/(0.0052 \times F_c))^{0.15}/(c_e \times (T_i - T_a)/350.255)^{0.1}))) \times (w \times 100/(\rho \times V_{\max}))^{0.5} \quad (7)$$

It must be corrected as the following:

$$\text{SEC} = (7.5 - (5 \times (E/100) \times (((w \times 3.6/t_c)/(0.0052 \times F_c))^{0.15}/(c_e \times (T_i - T_a)/350.255)^{0.1}))) \times (w \times 100/(\rho \times V_{\max}))^{-0.5} \quad (7)$$

The authors would also like to take the opportunity to apologize for any inconvenience that this typographical error may have caused in the calculations done by the readers. All the data, calculations and results are correct, but both equations were missing, in the final version, the minus symbol in the superscript, due to a formatting error.

## Reference

1. Elduque, A.; Elduque, D.; Pina, C.; Clavería, I.; Javierre, C. Electricity Consumption Estimation of the Polymer Material Injection-Molding Manufacturing Process: Empirical Model and Application. *Materials* **2018**, *11*, 1740.



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).