

Protecting olympic participants from COVID-19: the trialled and tested process

Fabio Pigozzi ^{1,2}, Bernd Wolfarth ³, Ana Cintron Rodriguez, ⁴
 Juergen Michael Steinacker, ⁵ Victoriya Badtieva ^{6,7},
 James Lee John Bilzon ⁸, Christian Schneider ⁹,
 William O Roberts ¹⁰, Jeroen Swart ¹¹,
 Demitri Constantinou ¹², Michiko Dohi ¹³,
 Theodora Papadopoulou ¹⁴, Mark Hutchinson, ¹⁵ Luigi Di Luigi, ¹⁶
 Maher Zahar, ¹⁷ Raymond So, ¹⁸ Fergus M Guppy ^{19,20},
 Jean-François Kaux ²¹, Upul Madhapola, ²²
 Sandra Rozenstoka ²³, Pedro Manonelles Marqueta, ²⁴
 Jose Antonio Casajús ²⁵, Sebastien Racinais ²⁶,
 Konstantinos Natsis ²⁷, Irina Zelenkova ²⁸,
 Bulent Ulkar ²⁹, Elif Ozdemir, ³⁰ Francisco Arroyo ³¹,
 André Pedrinelli, ³² Mike Miller, ³³ Norbert Bachl, ³⁴
 Michael Geistlinger, ³⁵ Yannis P Pitsiladis

¹Department of Movement, Human and Health Sciences, University of Rome "Foro Italico", Rome, Italy

²International Federation of Sports Medicine, Lausanne, Switzerland

³Department of Sports Medicine, Humboldt University and Charité University School of Medicine, Berlin, Germany

⁴Puerto Rico Sports Medicine Federation, San Juan, Puerto Rico

⁵Division of Sports and Rehabilitation Medicine, Ulm University Hospital, Ulm, Germany

⁶Sport Medicine, I M Sechenov First Moscow State Medical University, Moscow, Russian Federation

⁷Sport Medicine, Moscow Scientific and Practical Center of Medical Rehabilitation and Sports Medicine, Moscow, Russian Federation

⁸Department for Health, University of Bath, Bath, UK

⁹Orthopaedic Center Theresie, Munich, Germany

¹⁰Department of Family Medicine and Community Health, University of Minnesota, St Paul, Minnesota, USA

¹¹UCT/MRC Research Unit for Exercise Science, an, University of Cape Town, Cape Town, South Africa

¹²Centre for Exercise Science and Sports Medicine, University of Witwatersrand, Johannesburg, South Africa

¹³Sport Medical Center, Japan Institute of Sports Sciences, Tokyo, Japan

¹⁴Defence Medical Rehabilitation Centre, Stanford Hall, Loughborough, UK

¹⁵Department of Medicine, University of Illinois at Chicago, Chicago, Illinois, USA

¹⁶Unit of Endocrinology, Department of Movement, Human and Health Sciences, University of Rome Foro Italico, Rome, Italy

¹⁷Medical and Informatical Research and Education, Tunis, Tunisia

¹⁸Hong Kong Sports Institute, Hong Kong, China

¹⁹School of Pharmacy and Biomolecular Sciences, University of Brighton, Brighton, UK

²⁰Centre for Stress and Age Related Disease, University of Brighton, Brighton, UK

²¹SportS2, Liège University and University Hospital of Liège, Liège, Belgium

The COVID-19 pandemic has created many challenges to ensure a safe environment for competitive sport. While modern medicine has already developed effective protocols for the treatment and prevention of the disease, there are serious

²²Sports Laboratory - Physical Health, Sports Medicine and Sports Traumatology Centre, Riga, Latvia

²³Department of Sports Medicine, San Antonio Catholic University of Murcia, Murcia, Spain

²⁴GENUD "Growth, Exercise, Nutrition and Development" Research Group, University of Zaragoza, Zaragoza, Spain

²⁵Research and Scientific Support Department, Aspetar Orthopaedic and Sports Medicine Hospital, Doha, Qatar

²⁶Laboratory of Anatomy, School of Medicine, Faculty of Health Sciences, Aristotle University of Thessaloniki, Thessaloniki, Greece

²⁷Sports Medicine Department, Faculty of Medicine, Ankara University, Ankara, Turkey

²⁸FIMS Collaborating Center of Sports Medicine, Antalya, Turkey

²⁹FIMS Collaborating Center of Sports Medicine, Guadalajara, Mexico

³⁰Department of Orthopaedics, University of São Paulo Medical School, São Paulo, Brazil

³¹World Olympians Association (WOA), Lausanne, Switzerland

³²Institute of Sports Science, University of Vienna, Vienna, Austria

³³Austrian Institute of Sports Medicine, Vienna, Austria

³⁴Unit of International Law, Department of Constitutional, International and European Law, University of Salzburg, Salzburg, Austria

³⁵Centre for Exercise Sciences and Sports Medicine, FIMS Collaborating Centre of Sports Medicine, Rome, Italy, Rome, Italy

Correspondence to Professor Yannis P Pitsiladis, Professor of Sport and Exercise Science, University of Brighton, Welkin House, 30 Carlisle Road, Eastbourne BN20 7SN, UK; Y.Pitsiladis@Brighton.ac.uk

concerns about hosting a sporting event of the scale of the Olympic Games, where more than 11 000 athletes from over 200 nations are expected to participate. Accordingly, there have been many calls to cancel the Tokyo Olympic Games, also known as Tokyo 2020, in both the international press and the scientific literature. A recent perspective published in the *New England Journal of Medicine* (NEJM)¹ highlights the complexity and risks of convening the Tokyo Olympic Games during the COVID-19 pandemic. Despite the many uncertainties,¹ much has been learnt over the past 18 months and many policies trialled and tested to protect athletes during sports participation.

A SPORT AND EXERCISE MEDICINE PERSPECTIVE

To develop a rapid understanding of the perspectives from the international sports and exercise medicine community, an informal survey of the International Federation of Sports Medicine (FIMS) Executive Committee, Commissions, and Collaborating Centres of Sports Medicine agreed that the Tokyo Olympic Games could go ahead safely based on the plans addressing the pandemic developed by the IOC (figure 1). This international network of 26 research laboratories and clinics has a mission to promote best practice principles in sport and exercise medicine, for athletes and active living.² This contradiction between experts in epidemiology and sport and exercise medicine is understandable as the concerns of the authors¹ seemed to be based primarily on the Tokyo 2020 playbooks.³ The playbooks focus on operational procedures and cannot convey the extensive risk assessment and risk management procedures grounded in rigorous scientific evidence developed by the IOC in cooperation with the WHO and International Sports Federations (IFs).⁴ Over 81% of our surveyed experts disagreed with the assertion that the IOC's playbooks are 'not built on scientifically rigorous risk assessment, and they fail to consider the ways in which exposure occurs, the factors that contribute to exposure, and which participants may be at highest risk'. The playbooks are constantly updated 'living documents' (the third edition was released after the NEJM perspective was published) and developed solely to facilitate a safe environment for all participants (eg, athletes, IFs, Olympic Family) at the Olympic and Paralympic Games and the local population in Japan. The playbooks were never intended to represent the scientific evidence that




Figure 1 Survey results from the International Federation of Sports Medicine Executive Committee, Commissions, and Collaborating Centres of Sports Medicine (n=33 respondents).

underpins the guidelines or to justify the Olympic Games proceeding or being cancelled.

A NETWORK OF PLANNING

The measures being implemented in Japan are built on the IOC's ever evolving health and safety best practices, the work of the National Olympic Committees' Chief Medical Officers, and the work, experience and guidelines of the Japanese government and health authorities. Strict processes are in place to protect the athletes and associated entourage, and the citizens of Japan. In addition to comprehensive COVID-19 testing, athletes, support staff and others may only be in their official hotel or village, on official transport vehicles, or at an official venue, and cannot venture out into the city or even to official venues other than the one in which they compete or work. Athletes are required to depart Tokyo at the latest 2 days after their sport competition has concluded. Thus, there will be no mixing of athletes and other accredited individuals with the general population of Japan, and many strategies are in place to reduce the risk of disease spread. Similar to prior host nations, holding the Olympic Games in Japan may have a positive impact on the health of the general population in Japan as major sporting events like the Olympic Games can promote the benefits of healthy and active lifestyles, contribute to the development of infrastructure and social facilities in the host country, and popularise sport and exercise.⁵ These details should not be ignored when

considering whether the Tokyo Olympic Games should go ahead or not.

COLLABORATION BY GLOBAL EXPERTS

The authors of the NEJM perspective call for an emergency meeting with the WHO. The authors appear unaware that there has been continuous interaction between the IOC and the WHO since the start of the pandemic. The current risk reduction strategies are also based on the experience gained by the IOC and the IFs testing their own policies during their qualifying events during the COVID-19 pandemic. The IOC has established a very experienced IOC Medical and Scientific Commission Games Group whose responsibilities include overseeing the daily provision of healthcare at the Olympic Games to athletes and their entourage and implementing real time solutions to reduce risk for all. These trialled and tested processes have served athletes and local populations well during previous Olympics Games, such as the Zika outbreak during the 2016 Rio Olympics.⁶ At regular intervals prior to nearly every recent Olympic Games, there have been concerns raised that major sporting events that bring together large groups of people from all corners of the world are a major public health risk. However, data from the Atlanta (1996), Sydney (2000), Athens (2004), Beijing (2008) and London (2012) Games do not uphold these concerns.⁷

We believe the IOC has done its due diligence to protect all those involved in

Tokyo 2020, and barring drastic changes in the current pandemic situation, the Olympic Games can be held safely and without undue risk to athletes or the citizens of Japan. Recognising the many societal challenges and negative effects resulting from the COVID-19 pandemic, we should not underestimate the potential optimism and global impact of holding the Olympic Games.

Twitter James Lee John Bilzon @JBilzon, Michiko Dohi @rinsho, Fergus M Guppy @fergusguppy, Sebastien Racinais @ephysiol, Irina Zelenkova @irenazelenkova and Bulent Ulkar @ulkarb

Contributors All authors shared the same concerns, took part in the FIMS-organised discussion/email exchange (facilitated by the FIMS Executive and Commissions), participated in a questionnaire to state respective opinions, provided written concerns/comments, helped draft the editorial and approved it.

Funding The authors have not declared a specific grant for this research from any funding agency in the public, commercial or not-for-profit sectors.

Competing interests None declared.

Patient consent for publication Not required.

Provenance and peer review Not commissioned; internally peer reviewed.

This article is made freely available for use in accordance with BMJ's website terms and conditions for the duration of the covid-19 pandemic or until otherwise determined by BMJ. You may use, download and print the article for any lawful, non-commercial purpose (including text and data mining) provided that all copyright notices and trade marks are retained.

© Author(s) (or their employer(s)) 2021. No commercial re-use. See rights and permissions. Published by BMJ.



To cite Pigozzi F, Wolfarth B, Cintron Rodriguez A, et al. *Br J Sports Med* 2021;**55**:1321–1323.

Accepted 2 July 2021
Published Online First 16 July 2021

Br J Sports Med 2021;**55**:1321–1323.
doi:10.1136/bjsports-2021-104669

ORCID iDs

Fabio Pigozzi <http://orcid.org/0000-0001-5808-9405>
 Bernd Wolfarth <http://orcid.org/0000-0001-6501-3003>
 Victoriya Badtieva <http://orcid.org/0000-0003-4291-679X>
 James Lee John Bilzon <http://orcid.org/0000-0002-6701-7603>
 Christian Schneider <http://orcid.org/0000-0003-4834-4382>
 William O Roberts <http://orcid.org/0000-0003-4517-4330>
 Jeroen Swart <http://orcid.org/0000-0001-7098-0313>
 Demetri Constantinou <http://orcid.org/0000-0002-3363-7695>
 Michiko Dohi <http://orcid.org/0000-0002-1126-7849>
 Theodora Papadopoulou <http://orcid.org/0000-0002-0853-1688>
 Fergus M Guppy <http://orcid.org/0000-0002-8526-9169>
 Jean-François Kaux <http://orcid.org/0000-0003-1939-3652>
 Sandra Rozenstoka <http://orcid.org/0000-0003-1957-3493>

Jose Antonio Casajús <http://orcid.org/0000-0002-7215-6931>

Sebastien Racinais <http://orcid.org/0000-0003-0348-4744>

Konstantinos Natsis <http://orcid.org/0000-0002-8614-6339>

Irina Zelenkova <http://orcid.org/0000-0002-2166-6704>

Bulent Ulkar <http://orcid.org/0000-0002-4656-8705>

Francisco Arroyo <http://orcid.org/0000-0001-5072-1189>

Yannis P Pitsiladis <http://orcid.org/0000-0001-6210-2449>

REFERENCES

- 1 Sparrow AK, Brosseau LM, Harrison RJ, *et al.* Protecting Olympic Participants from Covid-19 - The Urgent Need for a Risk-Management Approach. *N Engl J Med* 2021;385:e2.
- 2 Collaborating centers of sports medicine worldwide. Available: www.fims.org/about/ccsm/collaborating-centers-of-sports-medicine-worldwide/
- 3 International Olympic Committee, International Paralympic Committee. The playbook: athletes and officials, 2021. Available: <https://olympics.com/tokyo-2020/en/games/tokyo-2020-playbooks/>
- 4 Adami PE, Cianca J, McCloskey B, *et al.* Infectious diseases outbreak management tool for endurance mass participation sporting events: an international effort to counteract the COVID-19 spread in the endurance sport setting. *Br J Sports Med* 2021;55:181–2.
- 5 Lee Y-H, Kim JM. Olympic health legacy; essentials for lasting development of host City. *J Lifestyle Med* 2013;3:9–18.
- 6 Attaran A. Zika virus and the 2016 Olympic Games. *Lancet Infect Dis* 2016;16:1001–3.
- 7 MacAuley D. The health legacy of hosting major sporting events. *CMAJ* 2015;187:1267.