

[Click here to view linked References](#)

Towards emotional interactive videogames for children with Autism Spectrum Disorder

AUTHORS

Sandra Baldassarri¹ • Liliana Passerino² • Silvia Ramis³ • Inma Riquelme⁴ • Francisco J. Perales³ •

e-mails: sandra@unizar.es, lpasserino@gmail.com, silvia.ramis@uib.es, inma.riquelme@uib.es,
paco.perales@uib.es,

¹ Advanced Computer Graphics Group (GIGA), Computer Science Department, Engineering Research Institute of Aragon (I3A), Universidad de Zaragoza, Ed. Ada Byron, C/María de Luna n. 1, 50015 Zaragoza, Spain

Tel.: (+34) 976762357

Fax: (+34) 976761914

² Centro de Estudos Interdisciplinares em Novas Tecnologias da Educação - Campus Centro. Av. Paulo Gama, 110 Anexo III - 3º andar, Universidade Federal do Rio Grande do Sul (UFRGS), Porto Alegre, RS, Brasil

Tel.: +55 (51) 3308-3986/3308-3966

Fax: +55 (51) 3308-3986/3308-3966

³ Computer Graphics, Vision and Artificial Intelligence Group, A. Turmeda, DMI-UIB, EPS. Crta. Valldemossa KM 7.5 S/N, 07122, Palma de Mallorca, Spain

Tel.: (+34) 971 17 2711

Fax: (+34) 971 173003

⁴ Facultat d'Infermeria i Fisioteràpia, Institut Universitari d'Investigació en Ciències de la Salut (IUNICS), UIB. Crta. Valldemossa KM 7.5 S/N, 07122, Palma de Mallorca, Spain

Tel.: (+34) 971 17 1310

Fax: (+34) 971 17 3003

ABSTRACT

Purpose

Technology and videogames have been proven as motivating tools for working attention and complex communication skills, especially in children with Autism Spectrum Disorder (ASD). In this work, we present two experiences that used interactive games for promoting communication and attention. The first game considers emotions in order to measure children's attention, concentration and satisfaction, while the second uses tangible tabletops for fostering cognitive planning. The analysis of the results obtained allows to propose a new study integrating both, in which the tangible interactive game is complemented with the emotional trainer in a way that allows identifying and classifying children's emotion with ASD when they collaborate to solve cognitively significant and contextualized challenges.

Methods

The first application proposed is an emotional trainer application in which the child can work out the seven basic emotions (happiness, sadness, fear, disgust, anger, surprise and neutral). Further, a serious videogame is proposed: a 3D maze where the emotions can be captured. The second case study was carried out in a Special Education Center, where a set of activities for working cognitive planning was proposed. In this case, a tangible interactive tabletop was used to analyze, in students with ASD, how the communication processes with these interfaces affect to the attention, memory, successive and simultaneous processing that compose cognitive planning from the PASS model.

1
2
3 **Results**

4 The results of the first study, suggest that the autistic children did not act with previous planning, but they used
5 their perception to adjust their actions a posteriori (that explains the higher number of collisions). On the second
6 case study, the successive processing was not explored. The inclusion of the mazes of case study 1 to a semantic
7 rich scenario could allow us to measure the prior planning and the emotions involved in the maze game. The new
8 physiological sensors will also help to validate the emotions felt by the children.
9

10 **Conclusions**

11 The first study has as objective the capability to imitate emotions and resolve a maze without semantic context.
12 The second study organized all the actions from a semantic context close to users. The attention results presented
13 by the second study are coherent with the first study and complement it showing that attention can be receptive or
14 selective. In the first study case, the receptive attention was the focus of analysis. In the second case both
15 contributed to explain and understand how it can be developed from a videogame.
16

17 **Keywords**

18 Videogames, emotions, tangible interaction, Serious games (SG), Autism Spectrum Disorder (ASD), Education
19 and therapy, Interactive tools, Technologies platforms, Computer graphics
20
21
22

23 **1. INTRODUCTION**

24
25
26 Autism Spectrum Disorder (ASD) is described as a serious neurodevelopmental disorder, which involves
27 delay in the development of many basic skills including the ability to socialize and communicate, as
28 well as the ability to speak. Children with ASD are characterized by having several limitations in
29 communication and social interaction [1]. Their social and communication skills, including imitation, empathy
30 and shared attention, present differentiated developments and in some cases, evident limitations [2]. Children with
31 autism have difficulty in understanding people as intentional agents. This understanding goes through the
32 development of what is known as Joint Attention, a complex of skills and social interactions necessary for
33 learning and human development [3]. Attention and communication are closely connected from early childhood.
34 In the case of children with ASD, they present serious problems of joint attention and perspectivation [4]. Various
35 researches show the potential offered by technology for such situations that require attention and complex
36 communication needs, with expressive results in subjects with ASD [5-8]. Children's brains are still under
37 development and the chances of improving their social and communication skills are greater compared to adults,
38 because they are not fully exposed to the harshness of society.
39

40
41 In particular, games and videogames have been revealed as a natural environment to stimulate different cognitive
42 processes, since they link abstract thinking with concrete experience. The children rehearse and put into practice,
43 without fear of being wrong, the skills and tasks that they will perform in other more formal contexts. In the
44 game, the child creates an imaginary situation that involves both affective and cognitive aspects. The action in an
45 imaginary field leads the child to learn to act, not only by his/her direct perception of the object or situation, but
46 rather based on the meaning of that situation [9]. The game/videogame creates a zone of proximal development,
47 with action in an imaginary field, in which intention, motivation, attention, planning, among other cognitive
48 processes, takes the child to a higher level in development [9]. A special type of computer games or videogames
49 are widely used with this educational/rehabilitation purpose. The so-called "serious games" [10] promote the
50 improvement of cognitive and motor skills transparently to the user. In particular for ASD, recent studies show
51 greater improvements in planning/organizing skills that use these types of games [47]. In [48] a review of 40
52 serious games designed for children with ASD classified the games into four categories; technology platform,
53 computer graphics, gaming aspect and user interaction. Interesting conclusions are presented in [48], although the
54 majority of Serious Games (SG) focus on visual aspects. Due to the nature of multi-sensory stimuli and
55 multimodality of digital technologies, it is possible to combine vision, auditory, and vestibular in serious games
56 for ASD or in general for sensory processing disorders (SPD).
57
58
59
60
61
62
63
64
65

1
2
3 In the past years, sundry serious games have been proposed for children with ASD. An interactive serious game in
4 order to improve communication fluency was developed in [11]. While in [12], the authors present a set of serious
5 games guided to the education of first aid to ASD people, using Android smartphones. An intercultural study has
6 been carried out involving children with ASD from United Kingdom, Israel and Sweden, directed to teach them
7 emotion recognition in a funny and enjoyable way [13]. In [14], the authors present an interactive serious game to
8 enhance intelligibility in autistic children communication. Nonetheless, more recent works, as [15], focus on
9 developing a better understanding of cognitive processes in children and teenagers with ASD for categorizing
10 their emotions.
11

12 On the other hand, several studies show the meaningful benefits of working, not only with videogames or tactile
13 interaction, but also with adding the possibility of manipulating objects by using tangible interactive tabletops,
14 particularly for very young children [16], for children with motor limitations, and specially, for the education of
15 disabled people [17]. The users' location around the table intensifies the interaction and visual contact between
16 students and educators. Furthermore, animations and digital sound are key for motivation and attention. Among
17 the features of the tangible interfaces, there are three reasons that made them ideal to be a great part of therapeutic
18 and learning applications [18] [19]: they promote collaboration through a shared media, they allow free
19 movements, and they make flexible the design of a system's physical interface. In the special education area,
20 multimodal interaction has a higher value, since it allows to incorporate different ways of communication
21 between the users and the computer, improving in that way the applications' accessibility [20]. Several research
22 studies with this kind of tools are focused in children with ASD [8], especially in regard to aspects of
23 collaboration and social skills [6] [21]. Quite a few authors show developments in multitouch tabletops [22, 23]
24 guided to children with High-Functioning Autism (HFA). Moreover, [8] shows a comparative study between
25 several works in tabletops with or without tangible interaction, mainly guided to improve collaborative learning,
26 social abilities and to develop expressive language in children with ASD. Although tabletops and videogames
27 have been widely used for improving learning in children with ASD, there are no works that focus in how the
28 communication processes with these interfaces affect the attention, memory, successive and simultaneous
29 processing that compose cognitive planning.
30
31

32 In particular, our research analyzes, through two different cases studies presented in section 2, how it is possible
33 to improve interaction and joint attention among people with ASD through the use of videogames and technology
34 as an important factor in motivation and engagement. After the presentation of the results of both experiences,
35 section 3 proposes an integration proposal that exploits the potential of both works. Finally, the conclusions
36 obtained and the lines of future work are presented.
37
38

39 **2. CASE STUDIES**

40 This section provides a complete description of two case studies in which videogames are used as motivation tool
41 to improve communication and attention, especially focused to children with ASD. These skills are essential for
42 ASD children, since communication, social interaction and behavioral flexibility have been defined as central in
43 the diagnoses of Autism (Autistic Disorder, Asperger's Disorder and Pervasive Development), and became known
44 as Triad of impairment [24].
45
46

47 The first experience is centered in measurement of children's attention, concentration and satisfaction by using of
48 serious videogames that detect their emotions. The second experience is aimed to promote cognitive planning,
49 analyzing how communication plays a central role in attention processes, and by using interactive tangible
50 technologies. In both experiences the methodology followed, session development and, finally, the obtained
51 results are detailed.
52
53

54 **2.1 Case study 1: Emotion trainer and 3D serious game**

55 The main goal of this experience is to determine attention, concentration and satisfaction grade in students with
56 ASD while using serious games. For that purpose, two applications for PCs have been developed. The first is an
57 "Emotional Trainer" for students to work with seven basic emotions and the second is a serious game that
58 provokes reactions and captures the players' facial expressions during the game ("Emotion Detector"). In order to
59
60
61
62
63
64
65

1
2
3 be aware of the different children's needs, 10 levels of difficulty were developed for the first game and 20 for the
4 second.

5 6 7 2.1.1 Methodology

8 The first application proposed is an emotional trainer application in which the child can work out the seven basic
9 emotions (happiness, sadness, fear, disgust, anger, surprise and neutral). Further, a serious videogame is proposed:
10 a 3D maze where the emotions can be captured [25].

11 The first phase of the experiment is an emotional trainer, to evaluate the different emotions of children with ASD.
12 It is an interactive application to determine which emotion is the child able to express. The proposal is to imitate
13 the seven emotions that will be shown individually on the computer's screen randomly with and without
14 mirroring.
15

16 The second phase is a 3D maze video game that provokes reactions from players depending on the stimulus that
17 they face on it. It is made by 20 levels with unique exit and several dead end points. Until level 7 positive stimuli
18 such as coins show up that increase the available time by 5 seconds and give players one extra point. From level
19 14 there negative stimuli such as bombs show up that bring the player back to the initial level starting point. In
20 order to capture emotions inside the maze, some critical points have been designed that can generate a feeling on
21 users. This version of 20 levels was at the time of writing being evaluated at an Autism Center. The results
22 presented in this paper correspond to a previous version of only 10 levels.
23

24 The emotional expressions registered and other parameters of game attention like execution time, road length,
25 collision number, etc., are analyzed to assess the attention kept while they were playing. These parameters were
26 used in papers such as [50], which also performed experiments in a maze game.
27

28 2.1.2 Participants

29 Both the first as well as the second applications are done with a control group and with an ASD group. The
30 control participants were 4 students between 5 and 10 years old (3 girls and 1 boy). The ASD participants were 5
31 students between 14 and 18 years old (1 girl and 4 boys). Both before therapy and at the end of it, applied a series
32 of instruments were applied in order to determine the knowledge level and emotional regulation of each student.
33 The ASD group presented a minimum level of speech (short phrases sometimes echolalia) and cognitive levels
34 between normal and moderated mental deficiency.
35
36
37

38 2.1.3 Instruments


39 In order to test the knowledge changes and emotional regulation, the following questionnaires were used:

- 40 ● Emotion Matching Task [26]: Tool based on children facial expression identification. Is composed by 4
41 parts that check different emotional knowledge aspects: emotional expression identification, verbal
42 emotion identification and emotional situation knowledge. This gadget uses children's photos with
43 quotidian facial expressions (fear, happiness, sadness and anger). The test was completed by the children
44 with their teachers' help;
- 45 ● Emotion Regulation Checklist (ERC) [27]. It checks the emotional and affective regulation as well as the
46 emotional expression sufficiency. This questionnaire was filled in by children's parents;
- 47 ● Child Behavior Checklist (CBCL) [28]. Considered as a multiphasic personality inventory for children, it
48 allows to set up a taxonomic system that classifies behavioral problems in two primary categories: intra-
49 directed and extra-directed. The questionnaire was filled in by children's parents.
50
51
52

53 2.1.4 Sessions

54 Each session consisted of two phases. In the first phase, the emotional trainer takes place. The emotional trainer
55 starts with a first round where the child has to imitate the photo that is shown on the screen. At the same time, the
56 student can see her/himself on the screen as if it was a mirror (see Fig. 1). Then, in a second round, the child
57 continues to imitate the expression but she/he cannot see themselves on the screen (see Fig. 1). In order to finish a
58 task and go through the next emotion the participant has to press the camera button or the spacebar to take a
59 photo. When the photos are taken, the game finishes and presents the results.
60
61
62
63
64
65

1
2
3 The results consist of a set of expressions from the computation of performing the same expression four times in a
4 random way each round. Therefore, 56 photos of each participant per session are available. These results will
5 allow us to start to discuss the coherency between the different expression that the child has realized both in the
6 first round and in the second, as well as between the first and the last session.
7
8



9
10
11
12
13
14
15
16
17
18
19
20 **Figure 1: Trainer with mirror (happiness) and Trainer without mirror (Surprise)**
21

22
23 With regards to the 3D maze, the video game created is a 20 levels maze that inducts reactions to the users
24 depending on the different stimulus they face on it (coins as positive and bomb as negatives). Indeed, in order to
25 capture emotions inside the maze, critical points have been designed that can generate emotions to the users (see
26 Fig. 2). The following critical points have been considered to generate positive, negative and neutral emotions:
27

- 28 ● Negative critical point: All the roads of the maze that lead to a dead-end. Other negative points are if the
29 time blows up before they reach the exit or if they collect the bombs which appear in the maze. These
30 bombs bring you to start point. All these points generate negative emotions, such as anger;
- 31 ● Positive critical point. All the roads of the maze that contain coins. If the participant collects them, he/she
32 obtains 5 extra seconds of play time. Another positive point is won if the participant reaches the exit of
33 the maze. All of this generates positive emotions, such as surprise or happiness;
- 34 ● Neutral critical point. All the roads that conduct to ways without any stimulus. In this case, it generates
35 neutral and concentrated faces in the participants.
36

37 Eventually, attention and concentration are tested from the results provoked by the stimulus and game parameters
38 as collision number, time wasted per level and road length done.
39
40



41
42
43
44
45
46
47
48
49
50
51
52 **Figure 2: User playing with the Maze videogame**
53

54 55 2.1.5 Results

56 Table 2 shows the results with the emotional trainer. It can be seen that children with ASD are better at imitating
57 the expressions when they can see themselves. They are, in general, quite coherent on their expressions. We
58 measure the coherence between images with and without mirror that reproduces the same expression. From this
59 outcome, it can be deduced that the expressions that can be reproduced easier by this group of ASD children are
60
61
62
63
64
65

Happiness, Fear and Surprise. However, most of the children did not understand the neutral expression and they felt it was harder to reproduce the sadness face. However, the control group achieved better results in all the emotions, especially when they could not see themselves (Table 1).

Table 1: Emotional trainer results with children in the control group

	Trainer with mirror	Trainer without mirror	Coherence
Happiness	91,6%	100,0%	90,0%
Sadness	91,6%	87,5%	80,0%
Fear	90,0%	80,0%	75,0%
Disgust	90,0%	90,0%	80,0%
Anger	91,6%	100,0%	80,0%
Surprise	91,6%	100,0%	95,0%
Neutral	75,0%	100,0%	85,0%

Table 2: Emotional trainer results with ASD children

	Trainer with mirror	Trainer without mirror	Coherence
Happiness	100,0%	90,0%	96,0%
Sadness	61,5%	50,0%	76,0%
Fear	100,0%	92,3%	96,0%
Disgust	73,3%	40,0%	76,0%
Anger	93,3%	70,0%	76,0%
Surprise	100,0%	100,0%	100,0%
Neutral	46,6%	40,0%	84,0%

In relation to game attention, all the participants showed a high concentration level while they were playing. The ASD children showed some great skills in video games, overcoming in speed the control group kids, finishing at approximately half the time (see Tables 3 and 4). Alternatively, they did not take into account the collisions. In general, the control group tried to precise the ball position to avoid collisions, a fact that increased the time they needed to finish the game. In relation to trajectory, both groups followed similar ways, except at levels 3, 6, 8 and 9, where the travel difference was higher for ASD children as they did not plan their travel before starting the maze. They just adjusted the route while they were playing.

As an outcome of the study, we can uphold that the high interest and motivation of the users to take part into the game has been verified, fulfilling with satisfaction the required tasks. Most of the users with ASD reproduce correctly happiness, fear, anger and surprise, while the most difficult emotions to reproduce were identified as disgust, sadness and neutral. The fact of using or not a mirror influences the expression execution, with using no mirror being less successful. With regards to the 3D maze, the positive expressions show up in all levels with control children. Contrary, in children with ASD this positive expression is shown in every level except 3, 7 and 9 where they showed more concentration. Summarizing, the neutral expressions are visible in all levels, both for the ASD group and the control group. To conclude, negative expressions are only evident in levels 7, 8 and 9 therefore are the most difficult said the users have indicated.

Table 3: 3D Maze results with children in the control group

	Time (seconds)	Way (blocks)	Collisions
Level 1	9.5	8	0.75
Level 2	19.25	14.5	1.5
Level 3	23.75	20.5	2
Level 4	19.5	23	1
Level 5	22.75	24.75	1.5
Level 6	59.25	56.5	3.5
Level 7	53.5	48.5	3
Level 8	33.75	32	2
Level 9	66.75	47.5	3.75
Level 10	27.6	28.6	2.3

Table 4: 3D Maze results with ASD children

	Time (seconds)	Way (blocks)	Collisions
Level 1	6.4	8.4	1.6
Level 2	8.6	13.6	3
Level 3	13.8	28.4	3.4
Level 4	8.8	22	1.8
Level 5	9	24.2	2.2
Level 6	21.6	49.4	5.4
Level 7	20.4	47.6	3.2
Level 8	19	46.2	4.2
Level 9	38	62.4	6.4
Level 10	10.75	31.75	1.5

2.2 Case study 2: Tangible Interactive Tabletop

The second case study was carried out in a Special Education Center, where a set of activities for working cognitive planning was proposed. In this case, a tangible interactive tabletop was used to analyze, for students with ASD, how the communication processes with these interfaces affect the attention, memory, successive and simultaneous processing that compose cognitive planning from the PASS model [29]. In this section, we discuss the results related to attention and communication.

2.2.1 Methodology

This research has a qualitative nature, using case study techniques with intervention. To implement the cognitive planning proposal using a tangible interactive tabletop, a program called "Hugh and the Can" was developed for the tabletop NIKVision [30]. The NIKVision is a tabletop in which the interaction is carried out by the physical manipulation of conventional objects and toys over the table surface, as can be seen in Figure 3. Tangible interaction roots on visual recognition hardware and algorithms. An infrared USB camera captures video from underneath the table and streams it to the computer workstation. ReacTIVision software [32] is used to detect and analyse the incoming images allowing to track the position and orientation of toys placed on the surface thanks to the printed markers (fiducials) attached on their base. Through retroprojection the tabletop gives image feedback on the table surface supported with a mirror inside the table (see Figure 3).

In this work, real objects and small toys are used to interact with the game. The objects fulfill a double function: their manipulation allows generating events and actions in the program "Hugh and the Can" and, at the same time, enables the students to experiment in 3D the representation of these objects through their different senses.




Figure 3: NikVision Tabletop

The process of developing the program begins with the generation of a storyboard (see Figure 4), followed by a typical software engineering process.

The pedagogical proposal begins with a male character (Hugh) of the same age as the participating children, who collects objects from the places he visits. These objects are stored in a can, which is the second character in the story and offers flexibility to implement the cognitive tasks of the PASS model.




Figure 4: Fragment of the storyboard of “Hugh and the Can”

The program is structured in three difficulty levels and with a greater number of cognitive tasks in each level executed. The tasks have been developed based on the needs of the participants. The program proposes the

1
2
3 students to discover what is contained in the can, what an object is for, what it can represent and what kind of
4 things can be done in the places that Hugh visits.

5 Each screen (see Figure 5) is divided into levels with different degrees of difficulty and gives feedback in audio,
6 pictograms and text to address the cognitive diversity of the participating students.
7
8



34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57

Figure 5: Hugh and the Can” screenshots



Figure 6: Objects with fiducials

¹ “<http://www.arasaac.org/>”

² “<https://edutea.wordpress.com/>”

1
2
3 The objects used for interacting with the tabletop attend the variability of representations in the comprehension
4 that the ASD students with abstraction limitation have. Therefore, children can use pictograms, drawings, real
5 objects, and reference objects (parts of real objects or elements that indicate an object) (see Figure 6).
6

7 8 2.2.2 Participants

9 The study involved 13 students between 10 to 16 years old, of whom 7 have an ASD diagnosis, while the rest
10 have specific communication needs. The ASD group is formed by 3 girls and 4 boys, aged from 10 to 16 years
11 old. The initial profile of the students was collaboratively built with the pedagogical team of the school by using
12 interviews and two instruments: Communication Matrix and adapted ND-CAS.
13

14 In this case study, 4 of the students did not have functional oral communication while 3 of them used an
15 alternative and augmentative communication system.
16

17 18 2.2.3 Instruments

19 During the development of this study, the following instruments have been used:

- 20 ● Communication Matrix: is a tool that allows identifying the intentionality level in communication and
21 oral skills. This matrix was collaboratively developed with the speech therapist and from participant
22 observation [30];
- 23 ● Adapted ND-CAS test [29] for children with intellectual disabilities and communication problems with
24 the inclusion of pictograms. The test is organized in cognitive tasks classified in global and bridge. Global
25 tasks emphasize activities in which there is no need to use reading, while bridge tasks require literacy
26 skills (replaced by pictogram tasks, since most students did not have literacy skills). To determine a
27 ground truth for the cases, the tasks were initially developed on paper as a pre-test and, subsequently, in
28 the tangible interactive program called "Hugh and the Can" for facilitating processes of mediation and
29 interaction in children with ASD. This test was applied in the classroom with the help of the tutor;
- 30 ● Participant observation: used as a research technique in all stages of the study. In the first stage, it was
31 used to define the initial profile of the students. In the second stage, it contributed with the elements for
32 the design and development of the application and finally, in the intervention oriented the registry of the
33 mediation and the attention evidenced in each session. The observation was accompanied by video
34 records for later comparison;
- 35 ● Observation Protocol: a registration model filled in by the tutors and researchers in a collaborative
36 process was defined, in order to document the intervention and evaluate the process of mediation and the
37 expected attention.
38
39
40
41

42 43 2.2.4 Sessions

44 The research was divided in 3 stages. The first stage was aimed to identify the profile of the students, the second
45 was devoted to preparing the cognitive tasks to program the tabletop, and the third was the intervention itself,
46 with the records of the participant observation that allow to make the necessary changes in the application. In this
47 way, the second and third stages provided continuously feedback each other throughout the research:

- 48 ● The **first stage** was aimed to identify the communication and interaction profile of the students. The
49 observations were made twice a week during one month with sessions recorded on specific forms,
50 photographed and / or filmed;
- 51 ● The **second stage** was focused in preparing the cognitive tasks scheduled on the interactive tabletop. The
52 challenge was to design a method that allows to detect evidence for the Cognitive Planning considering
53 the mediation possibilities of the tabletop. Instead of measuring planning abilities, we sought to identify
54 intention and memory for the action, the comprehension of the communication and of the interaction,
55 based on the mediation proposed in the project. The methodological design consisted of programming a
56 set of 10 cognitive tasks, from which 6 were aimed to improve the successive processing and 4 the
57 simultaneous processing. The tasks were divided in global tasks and bridge tasks. The global tasks
58 focused in activities for which there was no need to read, while the bridge tasks require literacy skills. In
59
60
61
62
63
64
65

1
2
3 this research, the bridge tasks were replaced by tasks with pictograms, since most of the children did not
4 have reading-writing skills. In order to draw a baseline for the cases, the tasks were initially done
5 manually in paper, as a pre-test and in the computer program “Hugh and the Can”, for the educational
6 intervention with the tangible tabletop, for promoting mediation and interaction process in ASD children.
7 For the development of the program, a deep study of the PASS model [29] was necessary and also the
8 participant observation to identify the profile of the students and the pre-test carried out in the first stage.
9 Therefore, the first and the second stages were developed independently;

- 10 ● Finally, the **third stage** was the actual intervention with the children using the application on the
11 interactive tabletop (see Figure 7). Students participate for 4 months, twice a week, in sessions of
12 approximately 30 minutes, either individually or in groups. In each intervention, all students performed
13 the tasks, which correspond to a level of the game, while a researcher and the speech therapist observed
14 them. Each one of the levels seeks to develop tasks that apply to one or more cognitive processes. After
15 each intervention, we proceeded to register the observation in a specific protocol in addition to register in
16 video the interaction, as reported in the instruments. The final stage of qualitative analysis of the
17 interventions with the support of the audiovisual record allowed to identify the situation in each one of the
18 desired cognitive processes, as discussed in the results sub-section.
19
20
21



22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42 **Figure 7: ASD children playing with “Hugh and the Can” program**
43

44 2.2.5 Results

45 This study presents results in different areas, however we will focus here in reporting those results related to the
46 methodology applied and those concerning with the attention and interaction processes.
47

48 Table 5 shows a synthesis of the attention processes of each student in the different sessions (S0, S1, S2,...). The
49 pre-test (S0) and the post-test (S16) have been highlighted in the table and the numbers 0, 1 and 2 indicate Not-
50 used, Attention Emerging, and Surpassed, respectively. Analyzing the data presented in the table, it is possible to
51 verify that, in most cases, there was an increase in attention capacity. Only two students did not present
52 modifications. Regarding the type of attention, our study showed that selective attention was less developed than
53 sustained attention, given that selective attention requires that students focuses in just one or two stimuli. As
54 expected in the case of children with ASD, in many situations, the excess stimulation caused little support of
55 selective attention. In these situations, the sustained attention in the global activity allowed the student to continue
56 in the activity and recover their guided participation with the help of an adult.
57
58
59
60
61
62
63
64
65

Table 5: Results of Attention Process

Student	Sessions																
	S ₀	S ₁	S ₂	S ₃	S ₄	S ₅	S ₆	S ₇	S ₈	S ₉	S ₁₀	S ₁₁	S ₁₂	S ₁₃	S ₁₄	S ₁₅	S ₁₆
E1	0	0	1	---	1	2	1	1	---	---	2	---	1	1	1	1	1
E2	1	2	2	---	0	1	1	1	1	---	1	---	---	1	1	1	1
I	1	2	1	2	2	2	2	1	1	---	1	1	2	2	2	2	2
J	0	1	1	---	0	1	1	1	---	---	1	---	1	1	1	---	2
L1	1	1	1	2	1	2	1	1	1	---	2	---	2	0	2	2	2
L2	1	2	1	1	2	2	2	2	2	---	1	1	2	2	2	2	1
M	1	0	---	---	0	---	0	1	---	---	2	---	1	2	0	1	2

Table 6 shows a synthesis of the interaction processes of each student in the different sessions (S₀, S₁, S₂,...). The pre-test (S₀) and the post-test (S₁₆) have been highlighted in the table and the numbers 0, 1 and 2 indicate No-interaction, Interaction Emerging, and Surpassed Interaction, respectively.

Table 6: Results of Interaction Process

Student	Sessions																
	S ₀	S ₁	S ₂	S ₃	S ₄	S ₅	S ₆	S ₇	S ₈	S ₉	S ₁₀	S ₁₁	S ₁₂	S ₁₃	S ₁₄	S ₁₅	S ₁₆
E1	0	0	0	---	0	0	1	1	---	---	2	---	0	2	1	1	1
E2	0	0	1	---	0	1	1	1	1	---	1	0	---	2	1	1	0
I	0	1	1	2	1	1	2	2	2	---	2	2	2	1	2	2	2
J	0	---	---	---	---	---	---	---	---	---	1	---	1	1	1	1	1
L1	0	1	1	2	1	2	2	2	1	---	1	---	2	2	1	1	2
L2	0	0	1	0	0	1	1	1	1	---	1	---	2	2	2	1	1
M	0	0	---	---	0	0	0	0	2	---	2	---	1	2	1	1	1

Analyzing the data presented at Table 6, it is possible to verify that, in most cases, there was an increase in interaction process similar to that in the attention process. Only two students present few modifications, i.e. M and J. Analyzing both process (see Figure 8), it can be noticed that J fell behind to begin the interactions but then he/she maintained them after S₉, while the opposite happened with M, who had some interactions but few sustained throughout the sessions. In the case of M, the process was affected by changes in medication that made him/her to be drowsier until his/her adaptation. In the case of M, low performance could be related with for lack of an alternative and augmentative communication system (AACs) to mediate the interactions. The usual AACs

of M had been broken and we needed to wait for the technician to return the equipment to reinsert it in the classrooms.




Figure 8: J Interactions (Up) and M Interactions (down)

In spite of the significant improvement of attention, it did not directly impact on the simultaneous processing (improvement in only 57% of the students), because (a) it is not the only cognitive process involved in such processing (memory, for example, is another), (b) communication problems impact on this type of processing and (c) the understanding of the semantic relationships between objects, classification relations, ordering relations and belonging relations, that impact on signification and planning.

While attention and simultaneous processing presented improvements in the group of students with ASD, it is evident that the successive processing did not have the same type of development (only 42% of students had some type of improvement). Successive processing is a type of analytical reasoning in which the stimuli are presented in an orderly and sequential way. This type of processing seems to have a close relationship with memory, which showed the same performance (42%). An explanation for this performance may be related to the choice of activities that focus more on attention than memory. A second explanation might be the lack of semantic understanding for poor vocabulary. Although the information offered by the application prioritized auditory orders and pictograms, some students knew few concepts and showed difficulties of comprehension. Even so, the planning showed a slight improvement that indicates that it is possible to develop the planning in children with delays in language development. Also, it can be noticed in both tables that no students could achieve the goals in S9, since this session was conceived for simultaneous and successive processing; it required a high level of attention and was proportionally more complex than the others.

The second result of the study refers to its methodology. Considering that intentionality is one of the affected areas in autism, we decided to give greater emphasis in programming the application of the tabletop for a known and significant context for the students. For this reason, the application was developed only with the results of the pre-test stage and the participant observation. The methodological problem that arises in this type of research is to map the attention of the student with ASD in solving problems in a family environment (natural), but without forcing them to change their routines. In the PASS model [29] the semantic context of the tasks seems to have low importance, rating decontextualized tasks that measure the attention processes, successive and simultaneous processing and planning. In the adaptation that we made, the significant context was valued from the metaphor "Hugh and the Can", and for being extremely versatile, it was possible to define places and tasks, and also extend them. The planning of the young children is based on the action, and in this way it was thought for the students with ASD: planning for action, where attention was the initial trigger. It was not an individual action, but in groups, since in the investigations conducted by Das et al (1994) social interaction was important for planning performance [29].

Our initial results point to an increase in participation, interaction and selective and expressive attention as well as a greater number of joint and shared attention scenes between subjects and their mediators. This increase is shown in a situation where both, successive and simultaneous processing, become emergent in most tasks. Despite the indicators, it is still early to draw conclusions, especially because there are limitations of the study that need to be better analyzed, such as the environment, the difficulties of methodological design, the diversity of student levels, and working in a natural environment in which there are few variables that can be controlled empirically.

It is important to remember that in their early childhood, children obtain knowledge from the world, especially from games [36]. The manipulative and interactive activity proposed by the games, the use of specific social rules for each game, are the basis for the cognitive, affective and social development of the child, since the game is located in the Zone of Proximal Development (ZPD). However, the relationship between playing and development is not a direct relation, rather one mediated by the actions and the attention, cognition and affective processes. These facts must be taken into account when learning activities of playful type are planned, since the potentialities of the cognitive development of concepts depends on the child's capacity of communication and language understanding. In that respect, it is necessary to realize that the generalization and internalization that results from the well done mediation process in the ZPD will be only possible from the language perspective (pictographic, textual, gestural, oral, written, etc.) [9]. For this reason, it is important to present activities that create a qualified interaction space for the communication, exploration, participation and the development of imagination with different levels of complexity.




Figure 9: Quantitative representation of the interactions evidenced

In the graph of Figure 9 one can observe the interaction process of each participant in a quantitative way. The graphic shows visually the participants who could not perform a task (gray), as well as those with No-Interaction (red), Interaction emerging (blue) and Surpassed Interaction (green).

3. NEW PROPOSAL: Tangible Interactive Tabletop with contextualized emotional tools

Notwithstanding the differences between the two case studies, both in methodology and in goals, the purpose of this article is to analyze the possibilities to take advantages of the studies' strengths and overcome their boundaries.

The emotion study shows that it is possible to work with emotional learning with a videogame. However, its fragility is bounded in the fact that the activities are decontextualized, enhancing the imitation (with or without mirror). Alternatively, in "Hugh and the Can", the emotions are always positive since Hugh is always happy encouraging the student's participation.

In order to develop an application that works with emotions from a contextualized videogame but at the same time permits users to identify different emotions from a unique and coherent narrative will offer results that can be used with confidence. The proposal of unifying a semantically contextualized game with the character's emotions that permits to swap the roles and functions between users and characters will force the user to imagine the character's feelings in order to continue playing in the game. This will probably show more secure results regarding emotion learning, in other words, to train not only the comprehension of the objects with their meanings (as in "Hugh and the Can"), but also the character's understanding and their emotions. In this way, it is possible to join the emotional trainer's results to measure emotions with the tangible interactive tabletop and to incorporate in the trainer not only faces, but also many situations than can generate different feelings. Therefore, an emotion recognition database can be created in order to adapt the game based on the child's emotions. Moreover, smartwatches, brain sensing headbands, heart rate and electrodermal activity sensors (EDA), and other physiological activity sensors, can be used in the videogame in order to detect the emotions felt by the children [33] [34]. These emotions can be used for the evaluation of the application, but also for improving the interaction or for changing different contextual parameters of the game [35].

The maze game used in case study 1 is easily adaptable to the interactive tabletop to integrate it in "Hugh and the Can". In this way, not only emotions will be identified, but also measurements of the attention level, memory and successive and simultaneous processes will be done in order to understand the cognitive planning.

The results of the first study, suggest that ASD children did not act according to previous planning, but they used their perception to adjust their actions a posteriori (that explains the higher number of collisions). On the second case study, successive processing was not explored. The inclusion of the mazes of case study 1 to a semantic rich scenario could allow us to measure the prior planning and, also, the emotions involved in the maze game. The new physiological sensors will also help to validate the emotions felt by the children.

- The complete process planned to carry out for developing our new proposal is presented in Figure 10, and consist of the following stages: Analysis, to select the theme and structure of the application. This stage has already begun. "Hugh and the Can" is the metaphoric theme selected since it proved to be very motivating and easily understandable for the children. The different tasks (including the Maze3D) and levels and also the structure of the application are now in the process of definition;
- Design and development, to generate the prototypes. This stage is aimed to organize the challenges and the different tasks to be included in the application, to determine the hardware and software tools necessary for the final implementation, and to generate the iterative prototypes to test with the students. Also, the specific tasks that the character will carry out, including the emotional feedback in each case, must be determined in this stage;
- Preliminary Tests, to verify the prototype and protocols, either with children with and without ASD. This stage is focused in testing the different prototypes generated, collecting results with automatic tools and through observation, in order to improve the design and to establish the suitable protocols for carrying out a systematic evaluation later;
- Case Study, to carry out the experiment and collect the data. Different experiments are planned to be carried out, with children with different degrees of ASD, and also with other developmental disorders. The experiment will be assessed to verify skills improvements in attention and interaction, but also to evaluate the emotions of the students during the use of the game.




Figure 10: Development process of the new proposal

In parallel with this process, better ways to include the emotional aspects are also being studied. As a first approach, four categorial emotions [49] were considered to be expressed by our character, Hugh: happy, sad, angry and neutral (Figure 11), plus the neutral emotion.



Figure 11: Emotions expressed by Hugh: happy, sad, angry, neutral

The expression of these emotions will be used to give feedback to the students during the interaction with the game, but also, to detect the reactions and feelings that the game generates on them. For this purpose, children's emotions could be captured through different devices:

- Webcams will be used for recognizing emotions by analysing facial expressions [25], [46];
- Robust commercial smartwatches will allow to capture information about their heart rate in order to detect discomfort or stress [40];

- Specially developed physiological devices that capture electrodermal activity (EDA) or skin conductance (SK) in order to perceive changes in the level of arousal [42];
- Neurofeedback information about children attention, concentration, distraction or boredom can be detected by Electroencephalogram (EEG) headband devices [41].

All these devices must be carefully studied in order to determine those which are less invasive and that do not obstruct the interaction with the game, with the other players or with the teacher. For example, although there are several commercial EEG headbands devices, most of them are not adequate for very young children. Also, the specific place to put them must be analysed, i.e. how the camera will capture the required expressions or where the EDA sensor can capture the best signal accuracy [43] with less inconvenience. During that iterative process, the results of each stage must be exhaustively analyzed in order to determine the impact for the students and to detect lacks and improvements, and also to detect the emotions produced in this kind of children during the use of the game [39] [45].

4. CONCLUSIONS

The first study presented in this paper has as objective the capability to imitate emotions and resolve a maze without semantic context. The second study organized all the actions from a semantic context close to users. The attention results presented by study two are coherent with the first study and complement it showing up that the attention can be receptive or selective. In the first case study, the receptive attention was its analysis focus. In the second case, both contributed to explain and understand how it can be developed from a videogame.

The first case study focused on each student's performance and his/her emotions, meanwhile the second proposed individual and group intervention without taking into account the emotions. In that respect, the second study reveals that it is possible to work on social interaction from a tangible tabletop, although it has not taken into account the basic emotions of the first studio. Results, not definitive, show that the children with ASD do not regulate their behavior to work cooperatively, but execute individual tasks coordinated by the teacher related to turn swap. Therefore, being able to detect emotions in the cooperative game would help in the mediation. Moreover, being able to detect emotions in the cooperative game, not only for empathy with the character of the game but also with the playmate could help in the technological mediation proposed by the game to guarantee the shift change, interaction and collaborative learning.

The results presented in this paper show that it would be important to develop a new study complementing the "Hugh and the Can" with emotional trainer and the mazes in a way that allows identifying and classifying the emotions of children with ASD when they collaborate to solve cognitively significant and contextualized challenges. We plan to extend the previous cases 1 & 2 to a new proposal that integrates both perspectives in a contextualized environment as well as promote the use of new multimodal sensors in order to increase the sensory stimuli as tactile, olfactory and oral inputs. Finally, brain computer interaction and biosignal sensors are promising channels to recover objective information regarding the arousal of children with ASD.

ACKNOWLEDGEMENTS

The authors would like to thank the management and pedagogical team of the "Jean Piaget Special Education School" for supporting and helping us in this research. This work was partially supported by the Government of Spain through contracts TIN2015-67149-C3-1R and TIN2015-67149-C3-2R, the Aragonese Government and the UE through the FEDER 2014-2020 "Construyendo Europa desde Aragón" action (Group T25_17D) and the support of Capes/Cnpq from Brazil. Also, the third author is benefited by fellowship FPI/1828/2015 of the Conselleria d'Educació, Cultura i Universitats of Govern de les Illes Balears under an operational program co-financed by the European Social Fund.

REFERENCES

1. Rivière, A. El desarrollo y la educación del niño autista. In: C. Coll, J. Palacios, A. Marchesi (orgs.) Desarrollo Psicológico y Educación: necesidades educativas especiales y aprendizaje escolar, III. Alianza Editorial, (1993).

2. Friedrich, E. V. C., Suttie, N., Sivanathan, A., Lim, T., Louchart, S. and Pineda, J. A. “Brain–computer interface game applications for combined neurofeedback and biofeedback treatment for children on the autism spectrum”, *Interaction of BCI with the underlying neurological conditions in patients: pros and cons*, (2014), pp. 15-21. *Frontiers in Neuroengineering*. doi: 10.3389/fneng.2014.00021
3. Tomasello M. *The Cultural Origins of Human Cognition*. Harvard University Press, Harvard, (1999).
4. Baron-Cohen, S. From attention-goal psychology to belief-desire psychology: The development of a theory of mind and this dysfunction. In S. Baron-Cohen, H. Tager-Flusberg and D. J. Cohen, eds. *Understanding other minds: perspectives from Autism*. New York: Oxford University Press (1993).
5. Piper, A., O'Brien, E., Morris, M., and Winograd T. SIDES: a cooperative tabletop computer game for social skills development. *20th Conference on Computer Supported Cooperative Work*, pp 1-10 (2006).
6. Battocchi, A., Ben-Sasson, A., Esposito, G., Gal, E., Pianesi, F., Tomasini, D., Venuti, P., Weiss, P. and Zancanaro M., *Collaborative Puzzle Game: a Tabletop Interface for Fostering Collaborative Skills in Children with Autism Spectrum Disorders*. *Journal of Assistive Technologies*. 4(1): pp. 4-14 (2010).
7. Passerino, L. M. & Santarosa, L. M. C. Autism and digital environments: processes of interaction and mediation. *Computers & Education*. Volume 51, Issue 1, Pages 385-402 (2008).
8. Chen, W. “Multitouch Tabletop Technology for People with Autism Spectrum Disorder: A Review of the Literature”; *Procedia Computer Science*, 14, 198-207 (2012).
9. Vygotsky, L., *Mind in Society: The development of Higher Psychological Processes*. Ed. M. Cole. Cambridge, MA.: Harvard University Press. (1978).
10. Abt, C. “*Serious Games*”, New York: The Viking Press, (1970).
11. Anwar, Md. M Rahman, S. M. Ferdous, S. A. Anik, S. I. Ahmed, “A computer game based approach for increasing fluency in the speech of the autistic children,” in *Conf. Rec., 11th IEEE Int. Conf. on Advanced Learning Technologies*, pp. 17-18. (2011).
12. Z. Sáenz de Urturi, A. Méndez Zorrilla, B. García Zapirain, “Serious game based on first aid education for individuals with autism spectrum disorder (ASD) using android mobile devices,” in *Conf. Rec., 16th International Conference on Computer Games*, pp. 223-227. (2011).
13. S. Fridenson-Hayo, S. Berggren, A. Lassalle, S. Tal, D. Pigat, N. Meir-Goren, H. O'Reilly, S. BenZur, S. Bölte, S. Baron-Cohen and O. Golan, “‘Emotiplay’: a serious game for learning about emotions in children with autism: results of a cross-cultural evaluation”, *Eur Child Adolesc Psychiatry*, (2017). doi:10.1007/s00787-017-0968-0
14. Md. M. Rahman, S. M. Ferdous, S. I. Ahmed, “Increasing intelligibility in the speech of the autistic children by an interactive computer game,” in *Conf. Rec. IEEE Int. Symposium on Multimedia*, pp. 383-387. (2010).
15. D. Arellano, R. Rauh, B. Krautheim, M. Spicker, U. M. Schaller, V. Helzle, O. Deussen, “Interactive testbed for research in autism—the SARA project”, *Univ Access Inf Soc*, pp 1–16, (2017). doi:10.1007/s10209-016-0521-9
16. Cerezo, E., Marco, J., & Baldassarri, S. Hybrid games: designing tangible interfaces for very young children and children with special needs. In *More Playful User Interfaces*, pp. 17-48. (2015), Springer, Singapore.
17. Marshall, P., Price, S., and Rogers Y.: Conceptualising tangibles to support learning. *Conference on interaction Design and Children. IDC '03*, (2003).
18. Schneider, B., Jermann, P., Zufferey, G., & Dillenbourg, P., Benefits of a tangible interface for collaborative learning and interaction. *IEEE Transactions on Learning Technologies*, 4(3), 222-232. (2011).
19. Hamidi, F. *Digital Tangible Games for Speech Intervention*. Technical Report, York University, (2012) (Technical Report CSE-2012-02).
20. Tartaro A., J. Cassell, *Playing with virtual peers: bootstrapping contingent discourse in children with autism*. 8th International conference for the learning sciences. Vol. 2, (2008).
21. Gal, E., Lamash, L., Bauminger-Zviely, N., Zancanaro, M., Weiss, P. L, “Using Multitouch Collaboration Technology to Enhance Social Interaction of Children with High-Functioning Autism”; *Physical & occupational therapy in pediatrics*, 36, 1, 46-58 (2016).

22. Silva, G. F. M., Raposo, A., Suplino, M., “Exploring collaboration patterns in a multitouch game to encourage social interaction and collaboration among users with autism spectrum disorder”. *Computer Supported Cooperative Work*, 24, 2-3, p. 149-175 (2015).
23. Zancanaro, M., Giusti, L., Bauminger-Zviely, N., Eden, S., Gal, E. and Weiss P.L. “NoProblem! A Collaborative Interface for Teaching Conversation Skills to Children with High Functioning Autism Spectrum Disorder”; In A. Nijholt (Ed.), *Playful User Interfaces: Interfaces that Invite Social and Physical Interaction*, Singapore, 209-224 (2014).
24. Wing, L. & Gould, J. J *Autism Dev Disord*, Kluwer Academic Publishers-Plenum Publishers, Print ISSN: 0162-3257, (1979) 9: 11. <https://doi.org/10.1007/BF01531288>
25. S. Ramis, F. J. Perales, M. Campins, I. Riquelme, “Un videojuego serio para el estudio de expresiones faciales en personas con Autismo”, *Cognitive Area Networks*, 9º Simposio CEA de Bioingeniería, Interfaces Cerebro-Máquina. *Neurotecnologías para la Asistencia y la Rehabilitación*. 6 y 7 de Julio 2017. Institut Guttmann, Barcelona. ISSN 2341-4243. (España): 2017. (*in Spanish*)
26. Izard, C.E., Haskins, F.W., Schultz, D., Trentacosta, C.J., King, K.A. *Emotion Matching Task*. University of Delaware; Newark, DE: (2003).
27. Shield, A. Cicchetti, D., *Emotion regulation among school-age children: the development and validation of a new criterion Q-sort scale*. Mt. Hope Family Center, University of Rochester, New York 14608, (1997).
28. Achenbach, T.M., Edelbrock, C. S., “Child Behavior Checklist (CBC)” Burlington (Vt)
29. Das, J. P., Naglieri, J. A. & Kirby, J. R. *Assessment of Cognitive Processes: the P.A.S.S. theory of intelligence*. Toronto: Allyn and Bacon. (1994).
30. Marco, J., Baldassarri, S., Cerezo, E., NIKVision: Developing a Tangible Application for and with Children; *Journal of Universal Computer Science*, 19, 15, 2266-2291 (2013).
31. *Communication Matrix*, Available online at: <https://communicationmatrix.org>
32. Kaltenbrunner M, Bencina R., *ReacTIVision: a computer-vision framework for table-based tangible interaction*. In *Proceedings of the first international conference on Tangible and embedded interaction (TEI’07)*, Baton Rouge, Louisiana, pp. 69–74. (2007).
33. Arroyo, I., Cooper, D. G., Burleson, W., Woolf, B. P., Muldner, K., & Christopherson, R., *Emotion sensors go to school*. In *AIED*, Vol. 200, pp. 17-24. (2009).
34. Cabibihan, J. J., Javed, H., Aldosari, M., Frazier, T. W., & Elbashir, H., *Sensing Technologies for Autism Spectrum Disorder Screening and Intervention*. *Sensors*, 17(1), 46. (2016).
35. Chen, J., Wang, G., Zhang, K., Wang, G., & Liu, L., *A pilot study on evaluating children with autism spectrum disorder using computer games*. *Computers in Human Behavior*, 90, 204-214. (2019).
36. Marco, J., Baldassarri, S., Cerezo, E., Xu, Y., & Read, J. C., *Let the experts talk: An experience of tangible game design with children*. *ACM Interactions*, vol 17 (1), pp. 58-61. ISSN: 1072-5520. (2010).
37. Ekman, P., *An argument for basic emotions*. *Cognition & emotion*, 6(3-4), 169-200. (1992).
38. Bahreini, K., Nadolski, R., & Westera, W., *Towards multimodal emotion recognition in e-learning environments*. *Interactive Learning Environments*, 24(3), 590-605. (2016).
39. Mazefsky, C. A., Herrington, J., Siegel, M., Scarpa, A., Maddox, B. B., Scahill, L., & White, S. W., *The role of emotion regulation in autism spectrum disorder*. *Journal of the American Academy of Child & Adolescent Psychiatry*, 52(7), 679-688. (2013).
40. Richards, J. E., & Casey, B. J., *Heart rate variability during attention phases in young infants*. *Psychophysiology*, 28(1), 43-53. (1991).
41. Hamada, M., Zaidan, B. B., & Zaidan, A. A., *A Systematic Review for Human EEG Brain Signals Based Emotion Classification, Feature Extraction, Brain Condition, Group Comparison*. *Journal of medical systems*, 42(9), 162. (2018).
42. Jerritta, S., Murugappan, M., Nagarajan, R., & Wan, K., *Physiological signals based human emotion recognition: a review*. In *Signal Processing and its Applications (CSPA)*, pp. 410-415 (2011).
43. Van Dooren, M., & Janssen, J. H., *Emotional sweating across the body: Comparing 16 different skin conductance measurement locations*. *Physiology & behavior*, 106(2), 298-304. (2012).
44. Yaomanee, K., Pan-ngum, S., & Ayuthaya, P. I. N., *Brain signal detection methodology for attention training using minimal EEG channels*. In *ICT and Knowledge Engineering (ICT & Knowledge Engineering)*, pp. 84-89 (2012).

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65

45. Mercado, J., Espinosa-Curiel, I., Escobedo, L., & Tentori, M., Developing and evaluating a BCI video game for neurofeedback training: the case of autism. *Multimedia Tools and Applications*, 1-38. (2018).

46. Ramis S., Perales F. J., Campins M., Riquelme I., “Un videojuego serio para el estudio de expresiones faciales en personas con Autismo”, in CEA Bioingeniería’17 Conference. Barcelona. Cognitive Area Networks, vol. 4, no. 1, pp. 85-92, (2017).

47. Bul, K.C.M., Doove, L.L., Franken, I.H.A., Oord, S.Vd., Kato, P.M., Maras, A., A serious game for children with Attention Deficit Hyperactivity Disorder: Who benefits the most? PLoS ONE (2018), 13(3): e0193681. <https://doi.org/10.1371/journal.pone.0193681>.

48. Zakari H. M., Ma M., & Simmons D. A Review of Serious Games for Children with Autism Spectrum Disorders (ASD). Conference: 5th International Conference, SGDA (2014) At: Berlin, Germany. DOI: 10.1007/978-3-319-11623-5_9.

49. Ekman, P., Facial expressions of emotion: An old controversy and new findings. In Bruce, V., Cowey, A., Ellis, A. W., & Perrett, D. I. (Eds.) (1992).

50. Gardner, M.R., Cerebral Palsy Assessment using Rehabilitative Gaming: Normalizing Scoring Inaccuracy Due to Distraction. *Computer Science Undergraduate Research Journal*, 1. (2013).

Towards emotional interactive videogames for children with Autism Spectrum Disorder

AUTHORS

Sandra Baldassarri¹ • Liliana Passerino² • Silvia Ramis³ • Inma Riquelme⁴ • Francisco J. Perales³ •

e-mails: sandra@unizar.es, lpasserino@gmail.com, silvia.ramis@uib.es, inma.riquelme@uib.es, paco.perales@uib.es.

¹ Advanced Computer Graphics Group (GIGA), Computer Science Department, Engineering Research Institute of Aragon (I3A), Universidad de Zaragoza, Ed. Ada Byron, C/María de Luna n. 1, 50015 Zaragoza, Spain
Tel.: (+34) 976762357
Fax: (+34) 976761914

² Centro de Estudos Interdisciplinares em Novas Tecnologias da Educação - Campus Centro. Av. Paulo Gama, 110 Anexo III - 3º andar, Universidade Federal do Rio Grande do Sul (UFRGS), Porto Alegre, RS, Brasil
Tel.: +55 (51) 3308-3986/3308-3966
Fax: +55 (51) 3308-3986/3308-3966

³ Computer Graphics, Vision and Artificial Intelligence Group, A. Turmeda, DMI-UIB, EPS. Crta. Valldemossa KM 7.5 S/N, 07122, Palma de Mallorca, Spain
Tel.: (+34) 971 17 2711
Fax: (+34) 971 173003

⁴ Facultat d'Infermeria i Fisioteràpia, Institut Universitari d'Investigació en Ciències de la Salut (IUNICS), UIB. Crta. Valldemossa KM 7.5 S/N, 07122, Palma de Mallorca, Spain
Tel.: (+34) 971 17 1310
Fax: (+34) 971 17 3003

ABSTRACT

Purpose

Technology and videogames have been proven as motivating tools for working attention and complex communication skills, especially in children with Autism Spectrum Disorder (ASD). In this work, we present two experiences that used interactive games for promoting communication and attention. The first game considers emotions in order to measure children's attention, concentration and satisfaction, while the second uses tangible tabletops for fostering cognitive planning. The analysis of the results obtained allows to propose a new study integrating both, in which the tangible interactive game is complemented with the emotional trainer in a way that allows identifying and classifying children's emotion with ASD when they collaborate to solve cognitively significant and contextualized challenges.

Methods

The first application proposed is an emotional trainer application in which the child can work out the seven basic emotions (happiness, sadness, fear, disgust, anger, surprise and neutral). Further, a serious videogame is proposed: a 3D maze where the emotions can be captured. The second case study was carried out in a Special Education Center, where a set of activities for working cognitive planning was proposed. In this case, a tangible interactive tabletop was used to analyze, in students with ASD, how the communication processes with these interfaces affect to the attention, memory, successive and simultaneous processing that compose cognitive planning from the PASS model.

Results

The results of the first study, suggest that the autistic children did not act with previous planning, but they used their perception to adjust their actions a posteriori (that explains the higher number of collisions). On the second case study, the successive processing was not explored. The inclusion of the mazes of case study 1 to a semantic rich scenario could allow us to measure the prior planning and the emotions involved in the maze game. The new physiological sensors will also help to validate the emotions felt by the children.

Conclusions

The first study has as objective the capability to imitate emotions and resolve a maze without semantic context. The second study organized all the actions from a semantic context close to users. The attention results presented by the second study are coherent with the first study and complement it showing that attention can be receptive or selective. In the first study case, the receptive attention was the focus of analysis. In the second case both contributed to explain and understand how it can be developed from a videogame.

Keywords

Videogames, emotions, tangible interaction, Serious games (SG), Autism Spectrum Disorder (ASD), Education and therapy, Interactive tools, Technologies platforms, Computer graphics

1. INTRODUCTION

Autism Spectrum Disorder (ASD) is described as a serious neurodevelopmental disorder, which involves delay in the development of many basic skills including the ability to socialize and communicate, as well as the ability to speak. Children with ASD are characterized by having several limitations in communication and social interaction [1]. Their social and communication skills, including imitation, empathy and shared attention, present differentiated developments and in some cases, evident limitations [2]. Children with autism have difficulty in understanding people as intentional agents. This understanding goes through the development of what is known as Joint Attention, a complex of skills and social interactions necessary for learning and human development [3]. Attention and communication are closely connected from early childhood. In the case of children with ASD, they present serious problems of joint attention and perspectivation [4]. Various researches show the potential offered by technology for such situations that require attention and complex communication needs, with expressive results in subjects with ASD [5-8]. Children's brains are still under development and the chances of improving their social and communication skills are greater compared to adults, because they are not fully exposed to the harshness of society.

In particular, games and videogames have been revealed as a natural environment to stimulate different cognitive processes, since they link abstract thinking with concrete experience. The children rehearse and put into practice, without fear of being wrong, the skills and tasks that they will perform in other more formal contexts. In the game, the child creates an imaginary situation that involves both affective and cognitive aspects. The action in an imaginary field leads the child to learn to act, not only by his/her direct perception of the object or situation, but rather based on the meaning of that situation [9]. The game/videogame creates a zone of proximal development, with action in an imaginary field, in which intention, motivation, attention, planning, among other cognitive processes, takes the child to a higher level in development [9]. A special type of computer games or videogames are widely used with this educational/rehabilitation purpose. The so-called "serious games" [10] promote the improvement of cognitive and motor skills transparently to the user. In particular for ASD, recent studies show greater improvements in planning/organizing skills that use these types of games [47]. In [48] a review of 40 serious games designed for children with ASD classified the games into four categories; technology platform, computer graphics, gaming aspect and user interaction. Interesting conclusions are presented in [48], although the majority of Serious Games (SG) focus on visual aspects. Due to the nature of multi-sensory stimuli and multimodality of digital technologies, it is possible to combine vision, auditory, and vestibular in serious games for ASD or in general for sensory processing disorders (SPD).

In the past years, sundry serious games have been proposed for children with ASD. An interactive serious game in order to improve communication fluency was developed in [11]. While in [12], the authors present a set of serious games guided to the education of first aid to ASD people, using Android smartphones. An intercultural study has been carried out involving children with ASD from United Kingdom, Israel and Sweden, directed to teach them emotion recognition in a funny and enjoyable way [13]. In [14], the authors present an interactive serious game to enhance intelligibility in autistic children communication. Nonetheless, more recent works, as [15], focus on developing a better understanding of cognitive processes in children and teenagers with ASD for categorizing their emotions.

On the other hand, several studies show the meaningful benefits of working, not only with videogames or tactile interaction, but also with adding the possibility of manipulating objects by using tangible interactive tabletops, particularly for very young children [16], for children with motor limitations, and specially, for the education of disabled people [17]. The users' location around the table intensifies the interaction and visual contact between students and educators. Furthermore, animations and digital sound are key for motivation and attention. Among the features of the tangible interfaces, there are three reasons that made them ideal to be a great part of therapeutic and learning applications [18] [19]: they promote collaboration through a shared media, they allow free movements, and they make flexible the design of a system's physical interface. In the special education area, multimodal interaction has a higher value, since it allows to incorporate different ways of communication between the users and the computer, improving in that way the applications' accessibility [20]. Several research studies with this kind of tools are focused in children with ASD [8], especially in regard to aspects of collaboration and social skills [6] [21]. Quite a few authors show developments in multitouch tabletops [22, 23] guided to children with High-Functioning Autism (HFA). Moreover, [8] shows a comparative study between several works in tabletops with or without tangible interaction, mainly guided to improve collaborative learning, social abilities and to develop expressive language in children with ASD. Although tabletops and videogames have been widely used for improving learning in children with ASD, there are no works that focus in how the communication processes with these interfaces affect the attention, memory, successive and simultaneous processing that compose cognitive planning.

In particular, our research analyzes, through two different cases studies presented in section 2, how it is possible to improve interaction and joint attention among people with ASD through the use of videogames and technology as an important factor in motivation and engagement. After the presentation of the results of both experiences, section 3 proposes an integration proposal that exploits the potential of both works. Finally, the conclusions obtained and the lines of future work are presented.

2. CASE STUDIES

This section provides a complete description of two case studies in which videogames are used as motivation tool to improve communication and attention, especially focused to children with ASD. These skills are essential for ASD children, since communication, social interaction and behavioral flexibility have been defined as central in the diagnoses of Autism (Autistic Disorder, Asperger's Disorder and Pervasive Development), and became known as Triad of impairment [24].

The first experience is centered in measurement of children's attention, concentration and satisfaction by using of serious videogames that detect their emotions. The second experience is aimed to promote cognitive planning, analyzing how communication plays a central role in attention processes, and by using interactive tangible technologies. In both experiences the methodology followed, session development and, finally, the obtained results are detailed.

2.1 Case study 1: Emotion trainer and 3D serious game

The main goal of this experience is to determine attention, concentration and satisfaction grade in students with ASD while using serious games. For that purpose, two applications for PCs have been developed. The first is an "Emotional Trainer" for students to work with seven basic emotions and the second is a serious game that provokes reactions and captures the players' facial expressions during the game ("Emotion Detector"). In order to

be aware of the different children's needs, 10 levels of difficulty were developed for the first game and 20 for the second.

2.1.1 Methodology

The first application proposed is an emotional trainer application in which the child can work out the seven basic emotions (happiness, sadness, fear, disgust, anger, surprise and neutral). Further, a serious videogame is proposed: a 3D maze where the emotions can be captured [25].

The first phase of the experiment is an emotional trainer, to evaluate the different emotions of children with ASD. It is an interactive application to determine which emotion is the child able to express. The proposal is to imitate the seven emotions that will be shown individually on the computer's screen randomly with and without mirroring.

The second phase is a 3D maze video game that provokes reactions from players depending on the stimulus that they face on it. It is made by 20 levels with unique exit and several dead end points. Until level 7 positive stimuli such as coins show up that increase the available time by 5 seconds and give players one extra point. From level 14 there negative stimuli such as bombs show up that bring the player back to the initial level starting point. In order to capture emotions inside the maze, some critical points have been designed that can generate a feeling on users. This version of 20 levels was at the time of writing being evaluated at an Autism Center. The results presented in this paper correspond to a previous version of only 10 levels.

The emotional expressions registered and other parameters of game attention like execution time, road length, collision number, etc., are analyzed to assess the attention kept while they were playing. These parameters were used in papers such as [50], which also performed experiments in a maze game.

2.1.2 Participants

Both the first as well as the second applications are done with a control group and with an ASD group. The control participants were 4 students between 5 and 10 years old (3 girls and 1 boy). The ASD participants were 5 students between 14 and 18 years old (1 girl and 4 boys). Both before therapy and at the end of it, applied a series of instruments were applied in order to determine the knowledge level and emotional regulation of each student. The ASD group presented a minimum level of speech (short phrases sometimes echolalia) and cognitive levels between normal and moderated mental deficiency.

2.1.3 Instruments

In order to test the knowledge changes and emotional regulation, the following questionnaires were used:

- Emotion Matching Task [26]: Tool based on children facial expression identification. Is composed by 4 parts that check different emotional knowledge aspects: emotional expression identification, verbal emotion identification and emotional situation knowledge. This gadget uses children's photos with quotidian facial expressions (fear, happiness, sadness and anger). The test was completed by the children with their teachers' help;
- Emotion Regulation Checklist (ERC) [27]. It checks the emotional and affective regulation as well as the emotional expression sufficiency. This questionnaire was filled in by children's parents;
- Child Behavior Checklist (CBCL) [28]. Considered as a multiphasic personality inventory for children, it allows to set up a taxonomic system that classifies behavioral problems in two primary categories: intra-directed and extra-directed. The questionnaire was filled in by children's parents.

2.1.4 Sessions

Each session consisted of two phases. In the first phase, the emotional trainer takes place. The emotional trainer starts with a first round where the child has to imitate the photo that is shown on the screen. At the same time, the student can see her/himself on the screen as if it was a mirror (see Fig. 1). Then, in a second round, the child continues to imitate the expression but she/he cannot see themselves on the screen (see Fig. 1). In order to finish a task and go through the next emotion the participant has to press the camera button or the spacebar to take a photo. When the photos are taken, the game finishes and presents the results.

The results consist of a set of expressions from the computation of performing the same expression four times in a random way each round. Therefore, 56 photos of each participant per session are available. These results will allow us to start to discuss the coherency between the different expression that the child has realized both in the first round and in the second, as well as between the first and the last session.




Figure 1: Trainer with mirror (happiness) and Trainer without mirror (Surprise)

With regards to the 3D maze, the video game created is a 20 levels maze that inducts reactions to the users depending on the different stimulus they face on it (coins as positive and bomb as negatives). Indeed, in order to capture emotions inside the maze, critical points have been designed that can generate emotions to the users (see Fig. 2). The following critical points have been considered to generate positive, negative and neutral emotions:

- Negative critical point: All the roads of the maze that lead to a dead-end. Other negative points are if the time blows up before they reach the exit or if they collect the bombs which appear in the maze. These bombs bring you to start point. All these points generate negative emotions, such as anger;
- Positive critical point. All the roads of the maze that contain coins. If the participant collects them, he/she obtains 5 extra seconds of play time. Another positive point is won if the participant reaches the exit of the maze. All of this generates positive emotions, such as surprise or happiness;
- Neutral critical point. All the roads that conduct to ways without any stimulus. In this case, it generates neutral and concentrated faces in the participants.

Eventually, attention and concentration are tested from the results provoked by the stimulus and game parameters as collision number, time wasted per level and road length done.



Figure 2: User playing with the Maze videogame

2.1.5 Results

Table 2 shows the results with the emotional trainer. It can be seen that children with ASD are better at imitating the expressions when they can see themselves. They are, in general, quite coherent on their expressions. We measure the coherence between images with and without mirror that reproduces the same expression. From this outcome, it can be deduced that the expressions that can be reproduced easier by this group of ASD children are

Happiness, Fear and Surprise. However, most of the children did not understand the neutral expression and they felt it was harder to reproduce the sadness face. However, the control group achieved better results in all the emotions, especially when they could not see themselves (Table 1).

Table 1: Emotional trainer results with children in the control group

	Trainer with mirror	Trainer without mirror	Coherence
Happiness	91,6%	100,0%	90,0%
Sadness	91,6%	87,5%	80,0%
Fear	90,0%	80,0%	75,0%
Disgust	90,0%	90,0%	80,0%
Anger	91,6%	100,0%	80,0%
Surprise	91,6%	100,0%	95,0%
Neutral	75,0%	100,0%	85,0%

Table 2: Emotional trainer results with ASD children

	Trainer with mirror	Trainer without mirror	Coherence
Happiness	100,0%	90,0%	96,0%
Sadness	61,5%	50,0%	76,0%
Fear	100,0%	92,3%	96,0%
Disgust	73,3%	40,0%	76,0%
Anger	93,3%	70,0%	76,0%
Surprise	100,0%	100,0%	100,0%
Neutral	46,6%	40,0%	84,0%

In relation to game attention, all the participants showed a high concentration level while they were playing. The ASD children showed some great skills in video games, overcoming in speed the control group kids, finishing at approximately half the time (see Tables 3 and 4). Alternatively, they did not take into account the collisions. In general, the control group tried to precise the ball position to avoid collisions, a fact that increased the time they needed to finish the game. In relation to trajectory, both groups followed similar ways, except at levels 3, 6, 8 and 9, where the travel difference was higher for ASD children as they did not plan their travel before starting the maze. They just adjusted the route while they were playing.

As an outcome of the study, we can uphold that the high interest and motivation of the users to take part into the game has been verified, fulfilling with satisfaction the required tasks. Most of the users with ASD reproduce correctly happiness, fear, anger and surprise, while the most difficult emotions to reproduce were identified as disgust, sadness and neutral. The fact of using or not a mirror influences the expression execution, with using no mirror being less successful. With regards to the 3D maze, the positive expressions show up in all levels with control children. Contrary, in children with ASD this positive expression is shown in every level except 3, 7 and 9 where they showed more concentration. Summarizing, the neutral expressions are visible in all levels, both for the ASD group and the control group. To conclude, negative expressions are only evident in levels 7, 8 and 9 therefore are the most difficult said the users have indicated.

Table 3: 3D Maze results with children in the control group

	Time (seconds)	Way (blocks)	Collisions
Level 1	9.5	8	0.75
Level 2	19.25	14.5	1.5
Level 3	23.75	20.5	2
Level 4	19.5	23	1
Level 5	22.75	24.75	1.5
Level 6	59.25	56.5	3.5
Level 7	53.5	48.5	3
Level 8	33.75	32	2
Level 9	66.75	47.5	3.75
Level 10	27.6	28.6	2.3

Table 4: 3D Maze results with ASD children

	Time (seconds)	Way (blocks)	Collisions
Level 1	6.4	8.4	1.6
Level 2	8.6	13.6	3
Level 3	13.8	28.4	3.4
Level 4	8.8	22	1.8
Level 5	9	24.2	2.2
Level 6	21.6	49.4	5.4
Level 7	20.4	47.6	3.2
Level 8	19	46.2	4.2
Level 9	38	62.4	6.4
Level 10	10.75	31.75	1.5

2.2 Case study 2: Tangible Interactive Tabletop

The second case study was carried out in a Special Education Center, where a set of activities for working cognitive planning was proposed. In this case, a tangible interactive tabletop was used to analyze, for students with ASD, how the communication processes with these interfaces affect the attention, memory, successive and simultaneous processing that compose cognitive planning from the PASS model [29]. In this section, we discuss the results related to attention and communication.

2.2.1 Methodology

This research has a qualitative nature, using case study techniques with intervention. To implement the cognitive planning proposal using a tangible interactive tabletop, a program called "Hugh and the Can" was developed for the tabletop NIKVision [30]. The NIKVision is a tabletop in which the interaction is carried out by the physical manipulation of conventional objects and toys over the table surface, as can be seen in Figure 3. Tangible interaction roots on visual recognition hardware and algorithms. An infrared USB camera captures video from underneath the table and streams it to the computer workstation. ReactIVision software [32] is used to detect and analyse the incoming images allowing to track the position and orientation of toys placed on the surface thanks to the printed markers (fiducials) attached on their base. Through retroprojection the tabletop gives image feedback on the table surface supported with a mirror inside the table (see Figure 3).

In this work, real objects and small toys are used to interact with the game. The objects fulfill a double function: their manipulation allows generating events and actions in the program "Hugh and the Can" and, at the same time, enables the students to experiment in 3D the representation of these objects through their different senses.




Figure 3: NikVision Tabletop

The process of developing the program begins with the generation of a storyboard (see Figure 4), followed by a typical software engineering process.

The pedagogical proposal begins with a male character (Hugh) of the same age as the participating children, who collects objects from the places he visits. These objects are stored in a can, which is the second character in the story and offers flexibility to implement the cognitive tasks of the PASS model.




Figure 4: Fragment of the storyboard of “Hugh and the Can”

The program is structured in three difficulty levels and with a greater number of cognitive tasks in each level executed. The tasks have been developed based on the needs of the participants. The program proposes the

students to discover what is contained in the can, what an object is for, what it can represent and what kind of things can be done in the places that Hugh visits.

Each screen (see Figure 5) is divided into levels with different degrees of difficulty and gives feedback in audio, pictograms and text to address the cognitive diversity of the participating students.



Figure 5: Hugh and the Can” screenshots




Figure 6: Objects with fiducials

¹ <http://www.arasaac.org/>

² <https://edutea.wordpress.com/>

The objects used for interacting with the tabletop attend the variability of representations in the comprehension that the ASD students with abstraction limitation have. Therefore, children can use pictograms, drawings, real objects, and reference objects (parts of real objects or elements that indicate an object) (see Figure 6).

2.2.2 Participants

The study involved 13 students between 10 to 16 years old, of whom 7 have an ASD diagnosis, while the rest have specific communication needs. The ASD group is formed by 3 girls and 4 boys, aged from 10 to 16 years old. The initial profile of the students was collaboratively built with the pedagogical team of the school by using interviews and two instruments: Communication Matrix and adapted ND-CAS.

In this case study, 4 of the students did not have functional oral communication while 3 of them used an alternative and augmentative communication system.

2.2.3 Instruments

During the development of this study, the following instruments have been used:

- **Communication Matrix:** is a tool that allows identifying the intentionality level in communication and oral skills. This matrix was collaboratively developed with the speech therapist and from participant observation [30];
- **Adapted ND-CAS test [29]** for children with intellectual disabilities and communication problems with the inclusion of pictograms. The test is organized in cognitive tasks classified in global and bridge. Global tasks emphasize activities in which there is no need to use reading, while bridge tasks require literacy skills (replaced by pictogram tasks, since most students did not have literacy skills). To determine a ground truth for the cases, the tasks were initially developed on paper as a pre-test and, subsequently, in the tangible interactive program called "Hugh and the Can" for facilitating processes of mediation and interaction in children with ASD. This test was applied in the classroom with the help of the tutor;
- **Participant observation:** used as a research technique in all stages of the study. In the first stage, it was used to define the initial profile of the students. In the second stage, it contributed with the elements for the design and development of the application and finally, in the intervention oriented the registry of the mediation and the attention evidenced in each session. The observation was accompanied by video records for later comparison;
- **Observation Protocol:** a registration model filled in by the tutors and researchers in a collaborative process was defined, in order to document the intervention and evaluate the process of mediation and the expected attention.

2.2.4 Sessions

The research was divided in 3 stages. The first stage was aimed to identify the profile of the students, the second was devoted to preparing the cognitive tasks to program the tabletop, and the third was the intervention itself, with the records of the participant observation that allow to make the necessary changes in the application. In this way, the second and third stages provided continuously feedback each other throughout the research:

- The **first stage** was aimed to identify the communication and interaction profile of the students. The observations were made twice a week during one month with sessions recorded on specific forms, photographed and / or filmed;
- The **second stage** was focused in preparing the cognitive tasks scheduled on the interactive tabletop. The challenge was to design a method that allows to detect evidence for the Cognitive Planning considering the mediation possibilities of the tabletop. Instead of measuring planning abilities, we sought to identify intention and memory for the action, the comprehension of the communication and of the interaction, based on the mediation proposed in the project. The methodological design consisted of programming a set of 10 cognitive tasks, from which 6 were aimed to improve the successive processing and 4 the simultaneous processing. The tasks were divided in global tasks and bridge tasks. The global tasks focused in activities for which there was no need to read, while the bridge tasks require literacy skills. In

this research, the bridge tasks were replaced by tasks with pictograms, since most of the children did not have reading-writing skills. In order to draw a baseline for the cases, the tasks were initially done manually in paper, as a pre-test and in the computer program “Hugh and the Can”, for the educational intervention with the tangible tabletop, for promoting mediation and interaction process in ASD children. For the development of the program, a deep study of the PASS model [29] was necessary and also the participant observation to identify the profile of the students and the pre-test carried out in the first stage. Therefore, the first and the second stages were developed independently;

- Finally, the **third stage** was the actual intervention with the children using the application on the interactive tabletop (see Figure 7). Students participate for 4 months, twice a week, in sessions of approximately 30 minutes, either individually or in groups. In each intervention, all students performed the tasks, which correspond to a level of the game, while a researcher and the speech therapist observed them. Each one of the levels seeks to develop tasks that apply to one or more cognitive processes. After each intervention, we proceeded to register the observation in a specific protocol in addition to register in video the interaction, as reported in the instruments. The final stage of qualitative analysis of the interventions with the support of the audiovisual record allowed to identify the situation in each one of the desired cognitive processes, as discussed in the results sub-section.



Figure 7: ASD children playing with “Hugh and the Can” program

2.2.5 Results

This study presents results in different areas, however we will focus here in reporting those results related to the methodology applied and those concerning with the attention and interaction processes.

Table 5 shows a synthesis of the attention processes of each student in the different sessions (S0, S1, S2,...). The pre-test (S0) and the post-test (S16) have been highlighted in the table and the numbers 0, 1 and 2 indicate Not-used, Attention Emerging, and Surpassed, respectively. Analyzing the data presented in the table, it is possible to verify that, in most cases, there was an increase in attention capacity. Only two students did not present modifications. Regarding the type of attention, our study showed that selective attention was less developed than sustained attention, given that selective attention requires that students focuses in just one or two stimuli. As expected in the case of children with ASD, in many situations, the excess stimulation caused little support of selective attention. In these situations, the sustained attention in the global activity allowed the student to continue in the activity and recover their guided participation with the help of an adult.

Table 5: Results of Attention Process

Student	Sessions																
	S ₀	S ₁	S ₂	S ₃	S ₄	S ₅	S ₆	S ₇	S ₈	S ₉	S ₁₀	S ₁₁	S ₁₂	S ₁₃	S ₁₄	S ₁₅	S ₁₆
E1	0	0	1	---	1	2	1	1	---	---	2	---	1	1	1	1	1
E2	1	2	2	---	0	1	1	1	1	---	1	---	---	1	1	1	1
I	1	2	1	2	2	2	2	1	1	---	1	1	2	2	2	2	2
J	0	1	1	---	0	1	1	1	---	---	1	---	1	1	1	---	2
L1	1	1	1	2	1	2	1	1	1	---	2	---	2	0	2	2	2
L2	1	2	1	1	2	2	2	2	2	---	1	1	2	2	2	2	1
M	1	0	---	---	0	---	0	1	---	---	2	---	1	2	0	1	2

Table 6 shows a synthesis of the interaction processes of each student in the different sessions (S₀, S₁, S₂,...). The pre-test (S₀) and the post-test (S₁₆) have been highlighted in the table and the numbers 0, 1 and 2 indicate No-interaction, Interaction Emerging, and Surpassed Interaction, respectively.

Table 6: Results of Interaction Process

Student	Sessions																
	S ₀	S ₁	S ₂	S ₃	S ₄	S ₅	S ₆	S ₇	S ₈	S ₉	S ₁₀	S ₁₁	S ₁₂	S ₁₃	S ₁₄	S ₁₅	S ₁₆
E1	0	0	0	---	0	0	1	1	---	---	2	---	0	2	1	1	1
E2	0	0	1	---	0	1	1	1	1	---	1	0	---	2	1	1	0
I	0	1	1	2	1	1	2	2	2	---	2	2	2	1	2	2	2
J	0	---	---	---	---	---	---	---	---	---	1	---	1	1	1	1	1
L1	0	1	1	2	1	2	2	2	1	---	1	---	2	2	1	1	2
L2	0	0	1	0	0	1	1	1	1	---	1	---	2	2	2	1	1
M	0	0	---	---	0	0	0	0	2	---	2	---	1	2	1	1	1

Analyzing the data presented at Table 6, it is possible to verify that, in most cases, there was an increase in interaction process similar to that in the attention process. Only two students present few modifications, i.e. M and J. Analyzing both process (see Figure 8), it can be noticed that J fell behind to begin the interactions but then he/she maintained them after S₉, while the opposite happened with M, who had some interactions but few sustained throughout the sessions. In the case of M, the process was affected by changes in medication that made him/her to be drowsier until his/her adaptation. In the case of M, low performance could be related with for lack of an alternative and augmentative communication system (AACS) to mediate the interactions. The usual AACS

of M had been broken and we needed to wait for the technician to return the equipment to reinsert it in the classrooms.




Figure 8: J Interactions (Up) and M Interactions (down)

In spite of the significant improvement of attention, it did not directly impact on the simultaneous processing (improvement in only 57% of the students), because (a) it is not the only cognitive process involved in such processing (memory, for example, is another), (b) communication problems impact on this type of processing and (c) the understanding of the semantic relationships between objects, classification relations, ordering relations and belonging relations, that impact on signification and planning.

While attention and simultaneous processing presented improvements in the group of students with ASD, it is evident that the successive processing did not have the same type of development (only 42% of students had some type of improvement). Successive processing is a type of analytical reasoning in which the stimuli are presented in an orderly and sequential way. This type of processing seems to have a close relationship with memory, which showed the same performance (42%). An explanation for this performance may be related to the choice of activities that focus more on attention than memory. A second explanation might be the lack of semantic understanding for poor vocabulary. Although the information offered by the application prioritized auditory orders and pictograms, some students knew few concepts and showed difficulties of comprehension. Even so, the planning showed a slight improvement that indicates that it is possible to develop the planning in children with delays in language development. Also, it can be noticed in both tables that no students could achieve the goals in S9, since this session was conceived for simultaneous and successive processing; it required a high level of attention and was proportionally more complex than the others.

The second result of the study refers to its methodology. Considering that intentionality is one of the affected areas in autism, we decided to give greater emphasis in programming the application of the tabletop for a known and significant context for the students. For this reason, the application was developed only with the results of the pre-test stage and the participant observation. The methodological problem that arises in this type of research is to map the attention of the student with ASD in solving problems in a family environment (natural), but without forcing them to change their routines. In the PASS model [29] the semantic context of the tasks seems to have low importance, rating decontextualized tasks that measure the attention processes, successive and simultaneous processing and planning. In the adaptation that we made, the significant context was valued from the metaphor "Hugh and the Can", and for being extremely versatile, it was possible to define places and tasks, and also extend them. The planning of the young children is based on the action, and in this way it was thought for the students with ASD: planning for action, where attention was the initial trigger. It was not an individual action, but in groups, since in the investigations conducted by Das et al (1994) social interaction was important for planning performance [29].

Our initial results point to an increase in participation, interaction and selective and expressive attention as well as a greater number of joint and shared attention scenes between subjects and their mediators. This increase is shown in a situation where both, successive and simultaneous processing, become emergent in most tasks. Despite the indicators, it is still early to draw conclusions, especially because there are limitations of the study that need to be better analyzed, such as the environment, the difficulties of methodological design, the diversity of student levels, and working in a natural environment in which there are few variables that can be controlled empirically.

It is important to remember that in their early childhood, children obtain knowledge from the world, especially from games [36]. The manipulative and interactive activity proposed by the games, the use of specific social rules for each game, are the basis for the cognitive, affective and social development of the child, since the game is located in the Zone of Proximal Development (ZPD). However, the relationship between playing and development is not a direct relation, rather one mediated by the actions and the attention, cognition and affective processes. These facts must be taken into account when learning activities of playful type are planned, since the potentialities of the cognitive development of concepts depends on the child's capacity of communication and language understanding. In that respect, it is necessary to realize that the generalization and internalization that results from the well done mediation process in the ZPD will be only possible from the language perspective (pictographic, textual, gestural, oral, written, etc.) [9]. For this reason, it is important to present activities that create a qualified interaction space for the communication, exploration, participation and the development of imagination with different levels of complexity.




Figure 9: Quantitative representation of the interactions evidenced

In the graph of Figure 9 one can observe the interaction process of each participant in a quantitative way. The graphic shows visually the participants who could not perform a task (gray), as well as those with No-interaction (red), Interaction emerging (blue) and Surpassed Interaction (green).

3. NEW PROPOSAL: Tangible Interactive Tabletop with contextualized emotional tools

Notwithstanding the differences between the two case studies, both in methodology and in goals, the purpose of this article is to analyze the possibilities to take advantages of the studies' strengths and overcome their boundaries.

The emotion study shows that it is possible to work with emotional learning with a videogame. However, its fragility is bounded in the fact that the activities are decontextualized, enhancing the imitation (with or without mirror). Alternatively, in "Hugh and the Can", the emotions are always positive since Hugh is always happy encouraging the student's participation.

In order to develop an application that works with emotions from a contextualized videogame but at the same time permits users to identify different emotions from a unique and coherent narrative will offer results that can be used with confidence. The proposal of unifying a semantically contextualized game with the character's emotions that permits to swap the roles and functions between users and characters will force the user to imagine the character's feelings in order to continue playing in the game. This will probably show more secure results regarding emotion learning, in other words, to train not only the comprehension of the objects with their meanings (as in "Hugh and the Can"), but also the character's understanding and their emotions. In this way, it is possible to join the emotional trainer's results to measure emotions with the tangible interactive tabletop and to incorporate in the trainer not only faces, but also many situations than can generate different feelings. Therefore, an emotion recognition database can be created in order to adapt the game based on the child's emotions. Moreover, smartwatches, brain sensing headbands, heart rate and electrodermal activity sensors (EDA), and other physiological activity sensors, can be used in the videogame in order to detect the emotions felt by the children [33] [34]. These emotions can be used for the evaluation of the application, but also for improving the interaction or for changing different contextual parameters of the game [35].

The maze game used in case study 1 is easily adaptable to the interactive tabletop to integrate it in "Hugh and the Can". In this way, not only emotions will be identified, but also measurements of the attention level, memory and successive and simultaneous processes will be done in order to understand the cognitive planning.

The results of the first study, suggest that ASD children did not act according to previous planning, but they used their perception to adjust their actions a posteriori (that explains the higher number of collisions). On the second case study, successive processing was not explored. The inclusion of the mazes of case study 1 to a semantic rich scenario could allow us to measure the prior planning and, also, the emotions involved in the maze game. The new physiological sensors will also help to validate the emotions felt by the children.

- The complete process planned to carry out for developing our new proposal is presented in Figure 10, and consist of the following stages: Analysis, to select the theme and structure of the application. This stage has already begun. "Hugh and the Can" is the metaphoric theme selected since it proved to be very motivating and easily understandable for the children. The different tasks (including the Maze3D) and levels and also the structure of the application are now in the process of definition;
- Design and development, to generate the prototypes. This stage is aimed to organize the challenges and the different tasks to be included in the application, to determine the hardware and software tools necessary for the final implementation, and to generate the iterative prototypes to test with the students. Also, the specific tasks that the character will carry out, including the emotional feedback in each case, must be determined in this stage;
- Preliminary Tests, to verify the prototype and protocols, either with children with and without ASD. This stage is focused in testing the different prototypes generated, collecting results with automatic tools and through observation, in order to improve the design and to establish the suitable protocols for carrying out a systematic evaluation later;
- Case Study, to carry out the experiment and collect the data. Different experiments are planned to be carried out, with children with different degrees of ASD, and also with other developmental disorders. The experiment will be assessed to verify skills improvements in attention and interaction, but also to evaluate the emotions of the students during the use of the game.




Figure 10: Development process of the new proposal

In parallel with this process, better ways to include the emotional aspects are also being studied. As a first approach, four categorical emotions [49] were considered to be expressed by our character, Hugh: happy, sad, angry and neutral (Figure 11), plus the neutral emotion.



Figure 11: Emotions expressed by Hugh: happy, sad, angry, neutral

The expression of these emotions will be used to give feedback to the students during the interaction with the game, but also, to detect the reactions and feelings that the game generates on them. For this purpose, children's emotions could be captured through different devices:

- Webcams will be used for recognizing emotions by analysing facial expressions [25], [46];
- Robust commercial smartwatches will allow to capture information about their heart rate in order to detect discomfort or stress [40];

- Specially developed physiological devices that capture electrodermal activity (EDA) or skin conductance (SK) in order to perceive changes in the level of arousal [42];
- Neurofeedback information about children attention, concentration, distraction or boredom can be detected by Electroencephalogram (EEG) headband devices [41].

All these devices must be carefully studied in order to determine those which are less invasive and that do not obstruct the interaction with the game, with the other players or with the teacher. For example, although there are several commercial EEG headbands devices, most of them are not adequate for very young children. Also, the specific place to put them must be analysed, i.e. how the camera will capture the required expressions or where the EDA sensor can capture the best signal accuracy [43] with less inconvenience. During that iterative process, the results of each stage must be exhaustively analyzed in order to determine the impact for the students and to detect lacks and improvements, and also to detect the emotions produced in this kind of children during the use of the game [39] [45].

4. CONCLUSIONS

The first study presented in this paper has as objective the capability to imitate emotions and resolve a maze without semantic context. The second study organized all the actions from a semantic context close to users. The attention results presented by study two are coherent with the first study and complement it showing up that the attention can be receptive or selective. In the first case study, the receptive attention was its analysis focus. In the second case, both contributed to explain and understand how it can be developed from a videogame.

The first case study focused on each student's performance and his/her emotions, meanwhile the second proposed individual and group intervention without taking into account the emotions. In that respect, the second study reveals that it is possible to work on social interaction from a tangible tabletop, although it has not taken into account the basic emotions of the first studio. Results, not definitive, show that the children with ASD do not regulate their behavior to work cooperatively, but execute individual tasks coordinated by the teacher related to turn swap. Therefore, being able to detect emotions in the cooperative game would help in the mediation. Moreover, being able to detect emotions in the cooperative game, not only for empathy with the character of the game but also with the playmate could help in the technological mediation proposed by the game to guarantee the shift change, interaction and collaborative learning.

The results presented in this paper show that it would be important to develop a new study complementing the "Hugh and the Can" with emotional trainer and the mazes in a way that allows identifying and classifying the emotions of children with ASD when they collaborate to solve cognitively significant and contextualized challenges. We plan to extend the previous cases 1 & 2 to a new proposal that integrates both perspectives in a contextualized environment as well as promote the use of new multimodal sensors in order to increase the sensory stimuli as tactile, olfactory and oral inputs. Finally, brain computer interaction and biosignal sensors are promising channels to recover objective information regarding the arousal of children with ASD.

ACKNOWLEDGEMENTS

The authors would like to thank the management and pedagogical team of the "Jean Piaget Special Education School" for supporting and helping us in this research. This work was partially supported by the Government of Spain through contracts TIN2015-67149-C3-1R and TIN2015-67149-C3-2R, the Aragonese Government and the UE through the FEDER 2014-2020 "Construyendo Europa desde Aragón" action (Group T25_17D) and the support of Capes/Cnpq from Brazil. Also, the third author is benefited by fellowship FPI/1828/2015 of the Conselleria d'Educació, Cultura i Universitats of Govern de les Illes Balears under an operational program co-financed by the European Social Fund.

REFERENCES

1. Rivièrre, A. El desarrollo y la educación del niño autista. In: C. Coll, J. Palacios, A. Marchesi (orgs.) *Desarrollo Psicológico y Educación: necesidades educativas especiales y aprendizaje escolar*, III. Alianza Editorial, (1993).

2. Friedrich, E. V. C., Suttie, N., Sivanathan, A., Lim, T., Louchart, S. and Pineda, J. A. “Brain–computer interface game applications for combined neurofeedback and biofeedback treatment for children on the autism spectrum”, *Interaction of BCI with the underlying neurological conditions in patients: pros and cons*, (2014), pp. 15-21. *Frontiers in Neuroengineering*. doi: 10.3389/fneng.2014.00021
3. Tomasello M. *The Cultural Origins of Human Cognition*. Harvard University Press, Harvard, (1999).
4. Baron-Cohen, S. From attention-goal psychology to belief-desire psychology: The development of a theory of mind and this dysfunction. In S. Baron-Cohen, H. Tager-Flusberg and D. J. Cohen, eds. *Understanding other minds: perspectives from Autism*. New York: Oxford University Press (1993).
5. Piper, A., O'Brien, E., Morris, M., and Winograd T. SIDES: a cooperative tabletop computer game for social skills development. *20th Conference on Computer Supported Cooperative Work*, pp 1-10 (2006).
6. Battocchi, A., Ben-Sasson, A., Esposito, G., Gal, E., Pianesi, F., Tomasini, D., Venuti, P., Weiss, P. and Zancanaro M., *Collaborative Puzzle Game: a Tabletop Interface for Fostering Collaborative Skills in Children with Autism Spectrum Disorders*. *Journal of Assistive Technologies*. 4(1): pp. 4-14 (2010).
7. Passerino, L. M. & Santarosa, L. M. C. Autism and digital environments: processes of interaction and mediation. *Computers & Education*. Volume 51, Issue 1, Pages 385-402 (2008).
8. Chen, W. “Multitouch Tabletop Technology for People with Autism Spectrum Disorder: A Review of the Literature”; *Procedia Computer Science*, 14, 198-207 (2012).
9. Vygotsky, L., *Mind in Society: The development of Higher Psychological Processes*. Ed. M. Cole. Cambridge, MA.: Harvard University Press. (1978).
10. Abt, C. “*Serious Games*”, New York: The Viking Press, (1970).
11. Anwar, Md. M Rahman, S. M. Ferdous, S. A. Anik, S. I. Ahmed, “A computer game based approach for increasing fluency in the speech of the autistic children,” in *Conf. Rec., 11th IEEE Int. Conf. on Advanced Learning Technologies*, pp. 17-18. (2011).
12. Z. Sáenz de Urturi, A. Méndez Zorrilla, B. García Zapirain, “Serious game based on first aid education for individuals with autism spectrum disorder (ASD) using android mobile devices,” in *Conf. Rec., 16th International Conference on Computer Games*, pp. 223-227. (2011).
13. S. Fridenson-Hayo, S. Berggren, A. Lassalle, S. Tal, D. Pigat, N. Meir-Goren, H. O'Reilly, S. BenZur, S. Bölte, S. Baron-Cohen and O. Golan, “‘Emotiplay’: a serious game for learning about emotions in children with autism: results of a cross-cultural evaluation”, *Eur Child Adolesc Psychiatry*, (2017). doi:10.1007/s00787-017-0968-0
14. Md. M. Rahman, S. M. Ferdous, S. I. Ahmed, “Increasing intelligibility in the speech of the autistic children by an interactive computer game,” in *Conf. Rec. IEEE Int. Symposium on Multimedia*, pp. 383-387. (2010).
15. D. Arellano, R. Rauh, B. Krautheim, M. Spicker, U. M. Schaller, V. Helzle, O. Deussen, “Interactive testbed for research in autism—the SARA project”, *Univ Access Inf Soc*, pp 1–16, (2017). doi:10.1007/s10209-016-0521-9
16. Cerezo, E., Marco, J., & Baldassarri, S. Hybrid games: designing tangible interfaces for very young children and children with special needs. In *More Playful User Interfaces*, pp. 17-48. (2015), Springer, Singapore.
17. Marshall, P., Price, S., and Rogers Y.: Conceptualising tangibles to support learning. *Conference on interaction Design and Children. IDC '03*, (2003).
18. Schneider, B., Jermann, P., Zufferey, G., & Dillenbourg, P., Benefits of a tangible interface for collaborative learning and interaction. *IEEE Transactions on Learning Technologies*, 4(3), 222-232. (2011).
19. Hamidi, F. *Digital Tangible Games for Speech Intervention*. Technical Report, York University, (2012) (Technical Report CSE-2012-02).
20. Tartaro A., J. Cassell, *Playing with virtual peers: bootstrapping contingent discourse in children with autism*. 8th International conference for the learning sciences. Vol. 2, (2008).
21. Gal, E., Lamash, L., Bauminger-Zviely, N., Zancanaro, M., Weiss, P. L, “Using Multitouch Collaboration Technology to Enhance Social Interaction of Children with High-Functioning Autism”; *Physical & occupational therapy in pediatrics*, 36, 1, 46-58 (2016).

22. Silva, G. F. M., Raposo, A., Suplino, M., “Exploring collaboration patterns in a multitouch game to encourage social interaction and collaboration among users with autism spectrum disorder”. *Computer Supported Cooperative Work*, 24, 2-3, p. 149-175 (2015).
23. Zancanaro, M., Giusti, L., Bauminger-Zviely, N., Eden, S., Gal, E. and Weiss P.L. “NoProblem! A Collaborative Interface for Teaching Conversation Skills to Children with High Functioning Autism Spectrum Disorder”; In A. Nijholt (Ed.), *Playful User Interfaces: Interfaces that Invite Social and Physical Interaction*, Singapore, 209-224 (2014).
24. Wing, L. & Gould, J. J *Autism Dev Disord*, Kluwer Academic Publishers-Plenum Publishers, Print ISSN: 0162-3257, (1979) 9: 11. <https://doi.org/10.1007/BF01531288>
25. S. Ramis, F. J. Perales, M. Campins, I. Riquelme, “Un videojuego serio para el estudio de expresiones faciales en personas con Autismo”, *Cognitive Area Networks, 9º Simposio CEA de Bioingeniería, Interfaces Cerebro-Máquina. Neurotecnologías para la Asistencia y la Rehabilitación. 6 y 7 de Julio 2017.* Institut Guttmann, Barcelona. ISSN 2341-4243. (España): 2017. (*in Spanish*)
26. Izard, C.E., Haskins, F.W., Schultz, D., Trentacosta, C.J., King, K.A. *Emotion Matching Task*. University of Delaware; Newark, DE: (2003).
27. Shield, A. Cicchetti, D., *Emotion regulation among school-age children: the development and validation of a new criterion Q-sort scale*. Mt. Hope Family Center, University of Rochester, New York 14608, (1997).
28. Achenbach, T.M., Edelbrock, C. S., “Child Behavior Checklist (CBC)” Burlington (Vt)
29. Das, J. P., Naglieri, J. A. & Kirby, J. R. *Assessment of Cognitive Processes: the P.A.S.S. theory of intelligence*. Toronto: Allyn and Bacon. (1994).
30. Marco, J., Baldassarri, S., Cerezo, E., NIKVision: Developing a Tangible Application for and with Children; *Journal of Universal Computer Science*, 19, 15, 2266-2291 (2013).
31. Communication Matrix, Available online at: <https://communicationmatrix.org>
32. Kaltenbrunner M, Bencina R., *ReacTIVision: a computer-vision framework for table-based tangible interaction*. In *Proceedings of the first international conference on Tangible and embedded interaction (TEI'07)*, Baton Rouge, Louisiana, pp. 69–74. (2007).
33. Arroyo, I., Cooper, D. G., Burleson, W., Woolf, B. P., Muldner, K., & Christopherson, R., *Emotion sensors go to school*. In *AIED*, Vol. 200, pp. 17-24. (2009).
34. Cabibihan, J. J., Javed, H., Aldosari, M., Frazier, T. W., & Elbashir, H., *Sensing Technologies for Autism Spectrum Disorder Screening and Intervention*. *Sensors*, 17(1), 46. (2016).
35. Chen, J., Wang, G., Zhang, K., Wang, G., & Liu, L., *A pilot study on evaluating children with autism spectrum disorder using computer games*. *Computers in Human Behavior*, 90, 204-214. (2019).
36. Marco, J., Baldassarri, S., Cerezo, E., Xu, Y., & Read, J. C., *Let the experts talk: An experience of tangible game design with children*. *ACM Interactions*, vol 17 (1), pp. 58-61. ISSN: 1072-5520. (2010).
37. Ekman, P., *An argument for basic emotions*. *Cognition & emotion*, 6(3-4), 169-200. (1992).
38. Bahreini, K., Nadolski, R., & Westera, W., *Towards multimodal emotion recognition in e-learning environments*. *Interactive Learning Environments*, 24(3), 590-605. (2016).
39. Mazefsky, C. A., Herrington, J., Siegel, M., Scarpa, A., Maddox, B. B., Scahill, L., & White, S. W., *The role of emotion regulation in autism spectrum disorder*. *Journal of the American Academy of Child & Adolescent Psychiatry*, 52(7), 679-688. (2013).
40. Richards, J. E., & Casey, B. J., *Heart rate variability during attention phases in young infants*. *Psychophysiology*, 28(1), 43-53. (1991).
41. Hamada, M., Zaidan, B. B., & Zaidan, A. A., *A Systematic Review for Human EEG Brain Signals Based Emotion Classification, Feature Extraction, Brain Condition, Group Comparison*. *Journal of medical systems*, 42(9), 162. (2018).
42. Jerritta, S., Murugappan, M., Nagarajan, R., & Wan, K., *Physiological signals based human emotion recognition: a review*. In *Signal Processing and its Applications (CSPA)*, pp. 410-415 (2011).
43. Van Dooren, M., & Janssen, J. H., *Emotional sweating across the body: Comparing 16 different skin conductance measurement locations*. *Physiology & behavior*, 106(2), 298-304. (2012).
44. Yaomanee, K., Pan-ngum, S., & Ayuthaya, P. I. N., *Brain signal detection methodology for attention training using minimal EEG channels*. In *ICT and Knowledge Engineering (ICT & Knowledge Engineering)*, pp. 84-89 (2012).

45. Mercado, J., Espinosa-Curiel, I., Escobedo, L., & Tentori, M., Developing and evaluating a BCI video game for neurofeedback training: the case of autism. *Multimedia Tools and Applications*, 1-38. (2018).
46. Ramis S., Perales F. J., Campins M., Riquelme I., “Un videojuego serio para el estudio de expresiones faciales en personas con Autismo”, in CEA Bioingeniería’17 Conference. Barcelona. Cognitive Area Networks, vol. 4, no. 1, pp. 85-92, (2017).
47. Bul, K.C.M., Doove, L.L., Franken, I.H.A., Oord, S.Vd., Kato, P.M., Maras, A., A serious game for children with Attention Deficit Hyperactivity Disorder: Who benefits the most? PLoS ONE (2018), 13(3): e0193681. <https://doi.org/10.1371/journal.pone.0193681>.
48. Zakari H. M., Ma M., & Simmons D. A Review of Serious Games for Children with Autism Spectrum Disorders (ASD). Conference: 5th International Conference, SGDA (2014) At: Berlin, Germany. DOI: 10.1007/978-3-319-11623-5_9.
49. Ekman, P., Facial expressions of emotion: An old controversy and new findings. In Bruce, V., Cowey, A., Ellis, A. W., & Perrett, D. I. (Eds.) (1992).
50. Gardner, M.R., Cerebral Palsy Assessment using Rehabilitative Gaming: Normalizing Scoring Inaccuracy Due to Distraction. *Computer Science Undergraduate Research Journal*, 1. (2013).