

# From Fuzzy to Annotated Semantic Web Languages

Umberto Straccia<sup>1</sup> and Fernando Bobillo<sup>2</sup>

<sup>1</sup>ISTI - CNR, ITALY; <sup>2</sup>Universidad de Zaragoza, Spain

**Abstract.** The aim of this talk is to present a detailed, self-contained and comprehensive account of the state of the art in representing and reasoning with fuzzy knowledge in Semantic Web Languages such as triple languages RDF/RDFS, conceptual languages of the OWL 2 family and rule languages. We further show how one may generalise them to so-called annotation domains, that cover also e.g. temporal and provenance extensions.

## 1 Introduction

Managing uncertainty and fuzziness is growing in importance in Semantic Web research as recognised by a large number of research efforts in this direction [264, 270]. *Semantic Web Languages* (SWL) are the languages used to provide a formal description of concepts, terms, and relationships within a given domain, among which the *OWL 2 family* of languages [207], *triple languages* RDF & RDFS [50] and *rule languages* (such as RuleML [124], Datalog<sup>±</sup> [54] and RIF [223]) are major players.

While their syntactic specification is based on XML [295], their semantics is based on logical formalisms: briefly,

- RDFS is a logic having intensional semantics and the logical counterpart is *ρdf* [205];
- OWL 2 is a family of languages that relate to *Description Logics* (DLs) [4];
- rule languages relate roughly to the *Logic Programming* (LP) paradigm [163];
- both OWL 2 and rule languages have an extensional semantics.

**Uncertainty versus Fuzziness.** One of the major difficulties, for those unfamiliar on the topic, is to understand the conceptual differences between uncertainty and fuzziness. Specifically, we recall that there has been a long-lasting misunderstanding in the literature of artificial intelligence and uncertainty modelling, regarding the role of probability/possibility theory and vague/fuzzy theory. A clarifying paper is [95]. We recall here the salient concepts.

*Uncertainty.* Under *uncertainty theory* fall all those approaches in which statements rather than being either true or false, are true or false to some *probability* or *possibility* (for example, “it will rain tomorrow”). That is, a statement is true

or false in any world/interpretation, but we are “uncertain” about which world to consider as the right one, and thus we speak about e.g. a probability distribution or a possibility distribution over the worlds. For example, we cannot exactly establish whether it will rain tomorrow or not, due to our *incomplete* knowledge about our world, but we can estimate to which degree this is probable, possible, or necessary.

To be somewhat more formal, consider a propositional statement (formula)  $\phi$  (“tomorrow it will rain”) and a propositional interpretation (world)  $\mathcal{I}$ . We may see  $\mathcal{I}$  as a function mapping propositional formulae into  $\{0, 1\}$ , i.e.  $\mathcal{I}(\phi) \in \{0, 1\}$ . If  $\mathcal{I}(\phi) = 1$ , denoted also as  $\mathcal{I} \models \phi$ , then we say that the statement  $\phi$  under  $\mathcal{I}$  is true, false otherwise. Now, each interpretation  $\mathcal{I}$  depicts some concrete world and, given  $n$  propositional letters, there are  $2^n$  possible interpretations. In uncertainty theory, we do not know which interpretation  $\mathcal{I}$  is the actual one and we say that we are *uncertain* about which world is the real one that will occur.

To deal with such a situation, one may construct a *probability distribution over the worlds*, that is a function  $Pr$  mapping interpretations in  $[0, 1]$ , i.e.  $Pr(\mathcal{I}) \in [0, 1]$ , with  $\sum_{\mathcal{I}} Pr(\mathcal{I}) = 1$ , where  $Pr(\mathcal{I})$  indicates the probability that  $\mathcal{I}$  is the actual world under which to interpret the propositional statement at hand. Then, the *probability* of a statement  $\phi$  in  $Pr$ , denoted  $Pr(\phi)$ , is the sum of all  $Pr(\mathcal{I})$  such that  $\mathcal{I} \models \phi$ , i.e.

$$Pr(\phi) = \sum_{\mathcal{I} \models \phi} Pr(\mathcal{I}) .$$

*Fuzziness.* On the other hand, under *fuzzy theory* fall all those approaches in which statements (for example, “heavy rain”) are true to some *degree*, which is taken from a truth space (usually  $[0, 1]$ ). That is, the convention prescribing that a proposition is either true or false is changed towards graded propositions. For instance, the compatibility of “heavy” in the phrase “heavy rain” is graded and the degree depends on the amount of rain is falling.<sup>1</sup> Often we may find rough definitions about rain types, such as:<sup>2</sup>

**Rain.** Falling drops of water larger than 0.5 mm in diameter. In forecasts, “rain” usually implies that the rain will fall steadily over a period of time;

**Light rain.** Rain falls at the rate of 2.6 mm or less an hour;

**Moderate rain.** Rain falls at the rate of 2.7 mm to 7.6 mm an hour;

**Heavy rain.** Rain falls at the rate of 7.7 mm an hour or more.


It is evident that such definitions are quite harsh and resemble a bivalent (two-valued) logic: e.g. a precipitation rate of  $7.7\text{mm}/h$  is a heavy rain, while a precipitation rate of  $7.6\text{mm}/h$  is just a moderate rain. This is clearly unsatisfactory, as quite naturally the more rain is falling, the more the sentence “heavy rain” is true and, vice-versa, the less rain is falling the less the sentence is true.

<sup>1</sup> More concretely, the intensity of precipitation is expressed in terms of a precipitation rate  $R$ : volume flux of precipitation through a horizontal surface, i.e.  $m^3/m^2s = ms^{-1}$ . It is usually expressed in  $mm/h$ .

<sup>2</sup> <http://usatoday30.usatoday.com/weather/wds8.htm>

In other words, this means essentially, that the sentence “heavy rain” is no longer either true or false as in the definition above, but is intrinsically graded.

A more fine grained way to define the various types of rains is illustrated in Figure 1.



**Fig. 1.** Light, Moderate and Heavy Rain.

Light rain, moderate rain and heavy rain are called *Fuzzy Sets* in the literature [300] and are characterised by the fact that membership is a matter of degree. Of course, the definition of fuzzy sets is frequently context dependent and subjective: e.g. the definition of heavy rain is quite different from heavy person and the latter may be defined differently among human beings.

From a logical point of view, a propositional interpretation maps a statement  $\phi$  to a truth degree in  $[0, 1]$ , i.e.  $\mathcal{I}(\phi) \in [0, 1]$ . Essentially, we are unable to establish whether a statement is entirely true or false due to the involvement of *vague/fuzzy* concepts, such as “heavy”.

Note that all fuzzy statements are truth-functional, that is, the degree of truth of every statement can be calculated from the degrees of truth of its constituents, while uncertain statements cannot always be a function of the uncertainties of their constituents [94]. For the sake of illustrative purpose, an example of truth functional interpretation of propositional statements is as follows:

$$\begin{aligned}\mathcal{I}(\phi \wedge \psi) &= \min(\mathcal{I}(\phi), \mathcal{I}(\psi)) \\ \mathcal{I}(\phi \vee \psi) &= \max(\mathcal{I}(\phi), \mathcal{I}(\psi)) \\ \mathcal{I}(\neg\phi) &= 1 - \mathcal{I}(\phi) .\end{aligned}$$

In such a setting one may be interested in the so-called notions of *minimal (resp. maximal) degree of satisfaction* of a statement, i.e.  $\min_{\mathcal{I}} \mathcal{I}(\phi)$  (resp.  $\max_{\mathcal{I}} \mathcal{I}(\phi)$ ).

*Uncertain fuzzy sentences.* Let us recap: in a probabilistic setting each statement is either true or false, but there is e.g. a probability distribution telling us how

probable each interpretation is, i.e.  $\mathcal{I}(\phi) \in \{0, 1\}$  and  $Pr(\mathcal{I}) \in [0, 1]$ . In fuzzy theory instead, sentences are graded, i.e. we have  $\mathcal{I}(\phi) \in [0, 1]$ .

A natural question is: can we have sentences combining the two orthogonal concepts? Yes, for instance, “there will be heavy rain tomorrow” is an uncertain fuzzy sentence. Essentially, there is uncertainty about the world we will have tomorrow, and there is fuzziness about the various types of rain we may have tomorrow.

From a logical point of view, we may model uncertain fuzzy sentences in the following way:

- we have a probability distribution over the worlds, i.e. a function  $Pr$  mapping interpretations in  $[0, 1]$ , i.e.  $Pr(\mathcal{I}) \in [0, 1]$ , with  $\sum_{\mathcal{I}} Pr(\mathcal{I}) = 1$ ;
- sentences are graded. Specifically, each interpretation is truth functional and maps sentences into  $[0, 1]$ , i.e.  $\mathcal{I}(\phi) \in [0, 1]$ ;
- for a sentence  $\phi$ , we are interested in the so-called *expected truth* of  $\phi$ , denoted  $ET(\phi)$ , namely

$$ET(\phi) = \sum_{\mathcal{I}} Pr(\mathcal{I}) \cdot \mathcal{I}(\phi) .$$

Note that if  $\mathcal{I}$  is bivalent (that is,  $\mathcal{I}(\phi) \in \{0, 1\}$ ) then  $ET(\phi) = Pr(\phi)$ .

*Talk Overview.* We present here some salient aspects in representing and reasoning with fuzzy knowledge in Semantic Web Languages (SWLs) such as *triple languages* [50] (see, e.g. [265, 274]), *conceptual languages* [207] (see, e.g. [181, 245, 253]) and *rule languages* (see, e.g. [72, 217, 250, 251, 255, 257, 264]). We refer the reader to [270] for an extensive presentation concerning fuzziness and semantic web languages. We then further show how one may generalise them to so-called annotation domains, that cover also e.g. temporal and provenance extensions (see, e.g. [165, 164, 303]).

## 2 Basics: From Fuzzy Sets to Mathematical Fuzzy Logic and Annotation Domains

### 2.1 Fuzzy Sets Basics

The aim of this section is to introduce the basic concepts of fuzzy set theory. To distinguish between fuzzy sets and classical (non fuzzy) sets, we refer to the latter as *crisp sets*. For an in-depth treatment we refer the reader to, e.g. [93, 142].

*From Crisp Sets to Fuzzy Sets.* To better highlight the conceptual shift from classical sets to fuzzy sets, we start with some basic definitions and well-known properties of classical sets. Let  $X$  be a *universal set* containing all possible elements of concern in each particular context. The *power set*, denoted  $2^A$ , of a set  $A \subset X$ , is the set of subsets of  $A$ , i.e.,  $2^A = \{B \mid B \subseteq A\}$ . Often sets are defined by specifying a property satisfied by its members, in the form  $A = \{x \mid P(x)\}$ ,

where  $P(x)$  is a statement of the form “ $x$  has property  $P$ ” that is either true or false for any  $x \in X$ . Examples of universe  $X$  and subsets  $A, B \in 2^X$  may be

$$\begin{aligned} X &= \{x \mid x \text{ is a day}\} \\ A &= \{x \mid x \text{ is a rainy day}\} \\ B &= \{x \mid x \text{ is a day with precipitation rate } R \geq 7.5 \text{mm/h}\} . \end{aligned}$$

In the above case we have  $B \subseteq A \subseteq X$ .

The *membership function* of a set  $A \subseteq X$ , denoted  $\chi_A$ , is a function mapping elements of  $X$  into  $\{0, 1\}$ , i.e.  $\chi_A: X \rightarrow \{0, 1\}$ , where  $\chi_A(x) = 1$  iff  $x \in A$ . Note that for any sets  $A, B \in 2^X$ , we have that

$$A \subseteq B \text{ iff } \forall x \in X. \chi_A(x) \leq \chi_B(x) . \quad (1)$$

The *complement* of a set  $A$  is denoted  $\bar{A}$ , i.e.  $\bar{A} = X \setminus A$ . Of course,  $\forall x \in X. \chi_{\bar{A}}(x) = 1 - \chi_A(x)$ . In a similar way, we may express set operations of intersection and union via the membership function as follows:

$$\forall x \in X. \chi_{A \cap B}(x) = \min(\chi_A(x), \chi_B(x)) \quad (2)$$

$$\forall x \in X. \chi_{A \cup B}(x) = \max(\chi_A(x), \chi_B(x)) . \quad (3)$$

The *Cartesian product*,  $A \times B$ , of two sets  $A, B \in 2^X$  is defined as  $A \times B = \{\langle a, b \rangle \mid a \in A, b \in B\}$ . A relation  $R \subseteq X \times X$  is *reflexive* if for all  $x \in X$   $\chi_R(x, x) = 1$ , is *symmetric* if for all  $x, y \in X$   $\chi_R(x, y) = \chi_R(y, x)$ . The *inverse* of  $R$  is defined as function  $\chi_{R^{-1}}: X \times X \rightarrow \{0, 1\}$  with membership function  $\chi_{R^{-1}}(y, x) = \chi_R(x, y)$ .

As defined so far, the membership function of a crisp set  $A$  assigns a value of either 1 or 0 to each individual of the universe set and, thus, discriminates between being a member or not being a member of  $A$ .


A *fuzzy set* [300] is characterised instead by a membership function  $\chi_A: X \rightarrow [0, 1]$ , or denoted simply  $A: X \rightarrow [0, 1]$ . With  $\tilde{2}^X$  we denote the *fuzzy power set* over  $X$ , i.e. the set of all fuzzy sets over  $X$ . For instance, by referring to Figure 1, the fuzzy set

$$C = \{x \mid x \text{ is a day with heavy precipitation rate } R\}$$

is defined via the membership function


$$\chi_C(x) = \begin{cases} 1 & \text{if } R \geq 7.5 \\ (x - 5)/2.5 & \text{if } R \in [5, 7.5) \\ 0 & \text{otherwise} . \end{cases}$$

As pointed out previously, the definition of the membership function may depend on the context and may be subjective. Moreover, also the *shape* of such functions may be quite different. Luckily, the trapezoidal (Fig. 2 (a)), the triangular (Figure 2 (b)), the  $L$ -function (left-shoulder function, Figure 2 (c)), and the  $R$ -function (right-shoulder function, Figure 2 (d)) are simple, but most frequently used to specify membership degrees.




**Fig. 2.** (a) Trapezoidal function  $trz(a, b, c, d)$ ; (b) Triangular function  $tri(a, b, c)$ ; (c)  $L$ -function  $ls(a, b)$ ; and (d)  $R$ -function  $rs(a, b)$ .

The usefulness of fuzzy sets depends critically on our capability to construct appropriate membership functions. The problem of constructing meaningful membership functions is a difficult one and we refer the interested reader to, e.g. [142, Chapter 10]. However, one easy and typically satisfactory method to define the membership functions (for a numerical domain) is to uniformly partition the range of, e.g. precipitation rates values (bounded by a minimum and maximum value), into 5 or 7 fuzzy sets using either trapezoidal functions (e.g. as illustrated in Figure 3), or using triangular functions (as illustrated in Figure 4). The latter one is the more used one, as it has less parameters.



**Fig. 3.** Fuzzy sets construction using trapezoidal functions.



**Fig. 4.** Fuzzy sets construction using triangular functions.

The standard fuzzy set operations are defined for any  $x \in X$  as in Equation (2) and Equation (3). Note also that the set inclusion defined as in Equation (1) is indeed crisp in the sense that either  $A \subseteq B$  or  $A \not\subseteq B$ .

*Norm-Based Fuzzy Set Operations.* Standard fuzzy set operations are not the only ones that can be conceived to be suitable to generalise the classical Boolean operations. For each of the three types of operations there is a wide class of plausible fuzzy version. The most notable ones are characterised by the so-called class of *t-norms*  $\otimes$  (called *triangular norms*), *t-conorms*  $\oplus$  (also called *s-norm*), and *negation*  $\ominus$  (see, e.g. [141]). An additional operator is used to define set inclusion (called *implication*  $\Rightarrow$ ). Indeed, the *degree of subsumption* between two fuzzy sets  $A$  and  $B$ , denoted  $A \sqsubseteq B$ , is defined as  $\inf_{x \in X} A(x) \Rightarrow B(x)$ , where  $\Rightarrow$  is an implication function.

An important aspect of such functions is that they satisfy some properties that one expects to hold (see Tables 1 and 2). Usually, the implication function  $\Rightarrow$  is defined as *r-implication*, that is,

$$a \Rightarrow b = \sup \{c \mid a \otimes c \leq b\} .$$

**Table 1.** Properties for t-norms and s-norms.

Axiom Name	T-norm	S-norm
Tautology / Contradiction	$a \otimes 0 = 0$	$a \oplus 1 = 1$
Identity	$a \otimes 1 = a$	$a \oplus 0 = a$
Commutativity	$a \otimes b = b \otimes a$	$a \oplus b = b \oplus a$
Associativity	$(a \otimes b) \otimes c = a \otimes (b \otimes c)$	$(a \oplus b) \oplus c = a \oplus (b \oplus c)$
Monotonicity	if $b \leq c$ , then $a \otimes b \leq a \otimes c$	if $b \leq c$ , then $a \oplus b \leq a \oplus c$

Of course, due to commutativity,  $\otimes$  and  $\oplus$  are monotone also in the first argument. We say that  $\otimes$  is *idempotent* if  $a \otimes a = a$ , for any  $a \in [0, 1]$ . For any

**Table 2.** Properties for implication and negation functions.

Axiom Name	Implication Function	Negation Function
Tautology / Contradiction	$0 \Rightarrow b = 1, a \Rightarrow 1 = 1, 1 \Rightarrow 0 = 0$	$\ominus 0 = 1, \ominus 1 = 0$
Antitonicity	if $a \leq b$ , then $a \Rightarrow c \geq b \Rightarrow c$	if $a \leq b$ , then $\ominus a \geq \ominus b$
Monotonicity	if $b \leq c$ , then $a \Rightarrow b \leq a \Rightarrow c$	

$a \in [0, 1]$ , we say that a negation function  $\ominus$  is *involution* iff  $\ominus \ominus a = a$ . Salient negation functions are:

**Standard or Lukasiewicz negation:**  $\ominus_l a = 1 - a$ ;

**Gödel negation:**  $\ominus_g a$  is 1 if  $a = 0$ , else is 0.

Of course, Lukasiewicz negation is involutive, while Gödel negation is not.

Salient t-norm functions are:

**Gödel t-norm:**  $a \otimes_g b = \min(a, b)$ ;

**Bounded difference or Lukasiewicz t-norm:**  $a \otimes_l b = \max(0, a + b - 1)$ ;

**Algebraic product or product t-norm:**  $a \otimes_p b = a \cdot b$ ;

**Drastic product:**  $a \otimes_d b = \begin{cases} 0 & \text{when } (a, b) \in [0, 1[ \times [0, 1[ \\ \min(a, b) & \text{otherwise} \end{cases}$

Salient s-norm functions are:

**Gödel s-norm:**  $a \oplus_g b = \max(a, b)$ ;

**Bounded sum or Lukasiewicz s-norm:**  $a \oplus_l b = \min(1, a + b)$ ;

**Algebraic sum or product s-norm:**  $a \oplus_p b = a + b - ab$ ;

**Drastic sum:**  $a \oplus_d b = \begin{cases} 1 & \text{when } (a, b) \in ]0, 1] \times ]0, 1] \\ \max(a, b) & \text{otherwise} \end{cases}$

We recall that the following important properties can be shown about t-norms and s-norms.

1. There is the following ordering among t-norms ( $\otimes$  is any t-norm):

$$\begin{aligned} \otimes_d &\leq \otimes \leq \otimes_g \\ \otimes_d &\leq \otimes_l \leq \otimes_p \leq \otimes_g . \end{aligned}$$

2. The only idempotent t-norm is  $\otimes_g$ .
3. The only t-norm satisfying  $a \otimes a = 0$  for all  $a \in [0, 1[$  is  $\otimes_d$ .
4. There is the following ordering among s-norms ( $\oplus$  is any s-norm):

$$\begin{aligned} \oplus_g &\leq \oplus \leq \oplus_d \\ \oplus_g &\leq \oplus_p \leq \oplus_l \leq \oplus_d . \end{aligned}$$

5. The only idempotent s-norm is  $\oplus_g$ .
6. The only s-norm satisfying  $a \oplus a = 1$  for all  $a \in ]0, 1]$  is  $\oplus_d$ .



The *dual s-norm* of  $\otimes$  is defined as

$$a \oplus b = 1 - (1 - a) \otimes (1 - b) . \quad (4)$$

Some t-norms, s-norms, implication functions, and negation functions are shown in Table 3. One usually distinguishes three different sets of fuzzy set operations (called fuzzy logics), namely, Lukasiewicz, Gödel, and Product logic; the popular Standard Fuzzy Logic (SFL) is a sublogic of Lukasiewicz logic as  $\min(a, b) = a \otimes_l (a \Rightarrow_l b)$  and  $\max(a, b) = 1 - \min(1 - a, 1 - b)$ . The importance of these three logics is due to the Mostert–Shields theorem [202] that states that any continuous t-norm can be obtained as an ordinal sum of these three (see also [115]).


**Table 3.** Combination functions of various fuzzy logics.

	Lukasiewicz Logic	Gödel Logic	Product Logic	SFL
$a \otimes b$	$\max(a + b - 1, 0)$	$\min(a, b)$	$a \cdot b$	$\min(a, b)$
$a \oplus b$	$\min(a + b, 1)$	$\max(a, b)$	$a + b - a \cdot b$	$\max(a, b)$
$a \Rightarrow b$	$\min(1 - a + b, 1)$	$\begin{cases} 1 & \text{if } a \leq b \\ b & \text{otherwise} \end{cases}$	$\min(1, b/a)$	$\max(1 - a, b)$
$\ominus a$	$1 - a$	$\begin{cases} 1 & \text{if } a = 0 \\ 0 & \text{otherwise} \end{cases}$	$\begin{cases} 1 & \text{if } a = 0 \\ 0 & \text{otherwise} \end{cases}$	$1 - a$

**Table 4.** Some additional properties of combination functions of various fuzzy logics.

Property	Lukasiewicz Logic	Gödel Logic	Product Logic	SFL
$x \otimes \ominus x = 0$	+	–	–	–
$x \oplus \ominus x = 1$	+	–	–	–
$x \otimes x = x$	–	+	–	+
$x \oplus x = x$	–	+	–	+
$\ominus \ominus x = x$	+	–	–	+
$x \Rightarrow y = \ominus x \oplus y$	+	–	–	+
$\ominus (x \Rightarrow y) = x \otimes \ominus y$	+	–	–	+
$\ominus (x \otimes y) = \ominus x \oplus \ominus y$	+	+	+	+
$\ominus (x \oplus y) = \ominus x \otimes \ominus y$	+	+	+	+

The implication  $x \Rightarrow y = \max(1 - x, y)$  is called *Kleene-Dienes implication* in the fuzzy logic literature. Note that we have the following inferences: let  $a \geq n$  and  $a \Rightarrow b \geq m$ . Then, under Kleene-Dienes implication, we infer that if



**Fig. 5.** Linear modifier  $lm(a, b)$ .

$n > 1 - m$  then  $b \geq m$ . Under r-implication relative to a t-norm  $\otimes$ , we infer that  $b \geq n \otimes m$ .

The *composition* of two fuzzy relations  $R_1: X \times X \rightarrow [0, 1]$  and  $R_2: X \times X \rightarrow [0, 1]$  is defined as  $(R_1 \circ R_2)(x, z) = \sup_{y \in X} R_1(x, y) \otimes R_2(y, z)$ . A fuzzy relation  $R$  is *transitive* iff  $R(x, z) \geq (R \circ R)(x, z)$ .

*Fuzzy Modifiers.* *Fuzzy modifiers* are an interesting feature of fuzzy set theory. Essentially, a fuzzy modifier, such as **very**, **more\_or\_less**, and **slightly**, apply to fuzzy sets to change their membership function.

Formally, a *fuzzy modifier*  $m$  represents a function

$$f_m: [0, 1] \rightarrow [0, 1] .$$

For example, we may define  $f_{\text{very}}(x) = x^2$  and  $f_{\text{slightly}}(x) = \sqrt{x}$ . In this way, we may express the fuzzy set of very heavy rain by applying the modifier *very* to the fuzzy membership function of “heavy rain” i.e.

$$\chi_{\text{very heavyrain}}(x) = f_{\text{very}}(\chi_{\text{heavyrain}}(x)) = (\chi_{\text{heavyrain}}(x))^2 = (rs(5, 7.5)(x))^2 .$$

A typical shape of modifiers is the so-called *linear modifiers*, as illustrated in Figure 5. Note that such a modifier can be parameterized by means of one parameter  $c$  only, i.e.  $lm(a, b) = lm(c)$ , where  $a = c/(c + 1)$  ,  $b = 1/(c + 1)$ .

## 2.2 Mathematical Fuzzy Logic Basics

We recap here briefly that in *Mathematical Fuzzy Logic* [115], the convention prescribing that a statement is either true or false is changed and is a matter of degree measured on an ordered scale that is no longer  $\{0, 1\}$ , but  $[0, 1]$ . This degree is called *degree of truth* of the logical statement  $\phi$  in the interpretation  $\mathcal{I}$ . *Fuzzy statements* have the form  $\langle \phi, r \rangle$ , where  $r \in [0, 1]$  (see, e.g. [114, 115]) and  $\phi$  is a statement, which encodes that the degree of truth of  $\phi$  is *greater or equal*  $r$ . A *fuzzy interpretation*  $\mathcal{I}$  maps each basic statement  $p_i$  into  $[0, 1]$  and is then

extended inductively to all statements:

$$\begin{aligned}
\mathcal{I}(\phi \wedge \psi) &= \mathcal{I}(\phi) \otimes \mathcal{I}(\psi) \\
\mathcal{I}(\phi \vee \psi) &= \mathcal{I}(\phi) \oplus \mathcal{I}(\psi) \\
\mathcal{I}(\phi \rightarrow \psi) &= \mathcal{I}(\phi) \Rightarrow \mathcal{I}(\psi) \\
\mathcal{I}(\phi \leftrightarrow \psi) &= \mathcal{I}(\phi \rightarrow \psi) \otimes \mathcal{I}(\psi \rightarrow \phi) \\
\mathcal{I}(\neg\phi) &= \ominus \mathcal{I}(\phi) \\
\mathcal{I}(\exists x.\phi) &= \sup_{a \in \Delta^x} \mathcal{I}_x^a(\phi) \\
\mathcal{I}(\forall x.\phi) &= \inf_{a \in \Delta^x} \mathcal{I}_x^a(\phi) ,
\end{aligned} \tag{5}$$

where  $\Delta^x$  is the domain of  $\mathcal{I}$ , and  $\otimes$ ,  $\oplus$ ,  $\Rightarrow$ , and  $\ominus$  are the *t-norms*, *t-conorms*, *implication functions*, a *negation functions* we have seen in the previous section.<sup>3</sup>

One may also consider the following abbreviations:

$$\phi \wedge_g \psi \stackrel{\text{def}}{=} \phi \wedge (\phi \rightarrow \psi) \tag{6}$$

$$\phi \vee_g \psi \stackrel{\text{def}}{=} (\phi \rightarrow \psi) \rightarrow \phi \wedge_g (\psi \rightarrow \phi) \rightarrow \psi \tag{7}$$

$$\neg_{\otimes} \phi \stackrel{\text{def}}{=} \phi \rightarrow 0 . \tag{8}$$

$$\tag{9}$$

In case  $\Rightarrow$  is the r-implication based on  $\otimes$ , then  $\wedge_g$  (resp.  $\vee_g$ ) is interpreted as Gödel t-norm (resp. s-norm), while  $\neg_{\otimes}$  is interpreted as the negation function related to  $\otimes$ .

A fuzzy interpretation  $\mathcal{I}$  *satisfies* a fuzzy statement  $\langle \phi, r \rangle$ , or  $\mathcal{I}$  is a *model* of  $\langle \phi, r \rangle$ , denoted  $\mathcal{I} \models \langle \phi, r \rangle$ , iff  $\mathcal{I}(\phi) \geq r$ . We say that  $\mathcal{I}$  is a *model* of  $\phi$  if  $\mathcal{I}(\phi) = 1$ . A *fuzzy knowledge base* (or simply knowledge base, if clear from context) is a set of fuzzy statements and an interpretation  $\mathcal{I}$  *satisfies* (is a *model* of) a knowledge base, denoted  $\mathcal{I} \models \mathcal{K}$ , iff it satisfies each element in it.

We say  $\langle \phi, n \rangle$  is a *tight logical consequence* of a set of fuzzy statements  $\mathcal{K}$  iff  $n$  is the infimum of  $\mathcal{I}(\phi)$  subject to all models  $\mathcal{I}$  of  $\mathcal{K}$ . Notice that the latter is equivalent to  $n = \sup \{r \mid \mathcal{K} \models \langle \phi, r \rangle\}$ .  $n$  is called the *best entailment degree* of  $\phi$  w.r.t.  $\mathcal{K}$  (denoted  $bed(\mathcal{K}, \phi)$ ), i.e.

$$bed(\mathcal{K}, \phi) = \sup \{r \mid \mathcal{K} \models \langle \phi, r \rangle\} . \tag{10}$$

On the other hand, the *best satisfiability degree* of  $\phi$  w.r.t.  $\mathcal{K}$  (denoted  $bsd(\mathcal{K}, \phi)$ ) is

$$bsd(\mathcal{K}, \phi) = \sup_{\mathcal{I}} \{\mathcal{I}(\phi) \mid \mathcal{I} \models \mathcal{K}\} . \tag{11}$$

Of course, the properties of Table 4 immediately translate into equivalence among formulae. For instance, the following equivalences hold (in brackets we indicate the logic for which the equivalences holds)

$$\begin{aligned}
\neg\neg\phi &\equiv \phi \quad (\mathbf{L}) \\
\phi \wedge \phi &\equiv \phi \quad (\mathbf{G}) \\
\neg(\phi \wedge \neg\phi) &\equiv 1 \quad (\mathbf{L}, \mathbf{G}, \mathbf{II}) \\
\phi \vee \neg\phi &\equiv 1 \quad (\mathbf{L}) .
\end{aligned}$$

<sup>3</sup> The function  $\mathcal{I}_x^a$  is as  $\mathcal{I}$  except that  $x$  is interpreted as  $a$ .

*Remark 1.* Unlike the classical case, in general, we do not have that  $\forall x.\phi$  and  $\neg\exists x.\neg\phi$  are equivalent. They are equivalent for Łukasiewicz logic and SFL, but are neither equivalent for Gödel nor for Product logic. For instance, under Gödel negation, just consider an interpretation  $\mathcal{I}$  with domain  $\{a\}$  and  $\mathcal{I}(p(a)) = u$ , with  $0 < u < 1$ . Then  $\mathcal{I}(\forall x.p(x)) = u$ , while  $\mathcal{I}(\neg\exists x.\neg p(x)) = 1$  and, thus,  $\forall x.p(x) \neq \neg\exists x.\neg p(x)$ .

We refer the reader to [270] for an overview of reasoning algorithms for fuzzy propositional and First-Order Logics.

### 2.3 Conjunctive Queries

*The classical case.* In case a KB is a classical knowledge base, a *conjunctive query* is a rule-like expression of the form

$$q(\mathbf{x}) \leftarrow \exists \mathbf{y}.\varphi(\mathbf{x}, \mathbf{y}) \quad (12)$$

where the rule body  $\varphi(\mathbf{x}, \mathbf{y})$  is a conjunction<sup>4</sup> of predicates  $P_i(\mathbf{z}_i)$  ( $1 \leq i \leq n$ ) and  $\mathbf{z}_i$  is a vector of distinguished or non-distinguished variables.

For instance,

$$q(x, y) \leftarrow \text{AdultPerson}(x), \text{Age}(x, y)$$

is a conjunctive query, whose intended meaning is to retrieve all adult people and their age.

Given a vector  $\mathbf{x} = \langle x_1, \dots, x_k \rangle$  of variables, a *substitution* over  $\mathbf{x}$  is a vector of individuals  $\mathbf{t}$  replacing variables in  $\mathbf{x}$  with individuals. Then, given a query  $q(\mathbf{x}) \leftarrow \exists \mathbf{y}.\varphi(\mathbf{x}, \mathbf{y})$ , and two substitutions  $\mathbf{t}, \mathbf{t}'$  over  $\mathbf{x}$  and  $\mathbf{y}$ , respectively, the *query instantiation*  $\varphi(\mathbf{t}, \mathbf{t}')$  is derived from  $\varphi(\mathbf{x}, \mathbf{y})$  by replacing  $\mathbf{x}$  and  $\mathbf{y}$  with  $\mathbf{t}$  and  $\mathbf{t}'$ , respectively.

We adopt here the following notion of entailment. Given a knowledge base  $\mathcal{K}$ , a query  $q(\mathbf{x}) \leftarrow \exists \mathbf{y}.\varphi(\mathbf{x}, \mathbf{y})$ , and a vector  $\mathbf{t}$  of individuals occurring in  $\mathcal{K}$ , we say that  $q(\mathbf{t})$  is *entailed* by  $\mathcal{K}$ , denoted  $\mathcal{K} \models q(\mathbf{t})$ , if and only if there is a vector  $\mathbf{t}'$  of individuals occurring in  $\mathcal{K}$  such that in any two-valued model  $\mathcal{I}$  of  $\mathcal{K}$ ,  $\mathcal{I}$  is a model of any atom in the query instantiation  $\varphi(\mathbf{t}, \mathbf{t}')$ .

If  $\mathcal{K} \models q(\mathbf{t})$  then  $\mathbf{t}$  is called a *answer* to  $q$ . We call these kinds of answers also *certain answers*. The *answer set* of  $q$  w.r.t.  $\mathcal{K}$  is defined as

$$\text{ans}(\mathcal{K}, q) = \{\mathbf{t} \mid \mathcal{K} \models q(\mathbf{t})\} .$$

*The fuzzy case.* Consider a new alphabet of *fuzzy variables* (denoted  $\Lambda$ ). To start with, a *fuzzy query* is of the form

$$\langle q(\mathbf{x}, \Lambda) \leftarrow \exists \mathbf{y} \exists \Lambda'. \varphi(\mathbf{x}, \Lambda, \mathbf{y}, \Lambda') \quad (13)$$

in which  $\varphi(\mathbf{x}, \Lambda, \mathbf{y}, \Lambda')$  is a conjunction (as for the crisp case, we use “,” as conjunction symbol) of fuzzy predicates and built-in predicates,  $\mathbf{x}$  and  $\Lambda$  are the

<sup>4</sup> We use the symbol “,” to denote conjunction in the rule body.

distinguished variables,  $\mathbf{y}$  and  $\mathbf{A}'$  are the vectors of *non-distinguished variables* (existential quantified variables), and  $\mathbf{x}$ ,  $\Lambda$ ,  $\mathbf{y}$  and  $\mathbf{A}'$  are pairwise disjoint. Variable  $\Lambda$  and variables in  $\mathbf{A}'$  can only appear in place of degrees of truth or built-in predicates. The query head contains at least one variable.

For instance, the query

$$\langle q(x), s \rangle \leftarrow \langle SportsCar(x), s_1 \rangle, hasPrice(x, y), s := s_1 \cdot ls(10000, 15000)(y)$$

has intended meaning to retrieve all cheap sports cars. Any answer  $x$  is scored according to the product of being cheap and a sports car, were cheap is encode as the fuzzy membership function  $ls(10000, 15000)$ .

From a semantics point of view, given a fuzzy KB  $\mathcal{K}$ , a query  $\langle q(\mathbf{x}), \Lambda \rangle \leftarrow \exists \mathbf{y} \exists \mathbf{A}' . \varphi(\mathbf{x}, \Lambda, \mathbf{y}, \mathbf{A}')$ , a vector  $\mathbf{t}$  of individuals occurring in  $\mathcal{K}$  and a truth degree  $\lambda$  in  $[0, 1]$ , we say that  $\langle q(\mathbf{t}), \lambda \rangle$  is *entailed* by  $\mathcal{K}$ , denoted  $\mathcal{K} \models \langle q(\mathbf{t}), \lambda \rangle$ , if and only if there is a vector  $\mathbf{t}'$  of individuals occurring  $\mathcal{K}$  and a vector  $\boldsymbol{\lambda}'$  of truth degrees in  $[0, 1]$  such that for any model  $\mathcal{I}$  of  $\mathcal{K}$ ,  $\mathcal{I}$  is a model of all fuzzy atoms occurring in  $\varphi(\mathbf{t}, \lambda, \mathbf{t}', \boldsymbol{\lambda}')$ . If  $\mathcal{K} \models \langle q(\mathbf{t}), \lambda \rangle$  then  $\langle \mathbf{t}, \lambda \rangle$  is called an *answer* to  $q$ . The *answer set* of  $q$  w.r.t.  $\mathcal{K}$  is

$$ans(\mathcal{K}, q) = \{ \langle \mathbf{t}, \lambda \rangle \mid \mathcal{K} \models \langle q(\mathbf{t}), \lambda \rangle, \lambda \neq 0 \text{ and} \\ \text{for any } \lambda' \neq \lambda \text{ such that } \mathcal{K} \models \langle q(\mathbf{t}), \lambda' \rangle, \lambda' \leq \lambda \text{ holds} \} .$$

That is, for any tuple  $\mathbf{t}$ , the truth degree  $\lambda$  is as large as possible.

*Fuzzy queries with aggregation operators.* We may extend conjunctive queries to disjunctive queries and to queries including aggregation operators as well. Formally, let @ be an aggregate function with

$$@ \in \{ \text{SUM, AVG, MAX, MIN, COUNT, } \oplus, \otimes \}$$

then a query with aggregates is of the form

$$\begin{aligned} \langle q(\mathbf{x}), \Lambda \rangle \leftarrow \exists \mathbf{y} \exists \mathbf{A}' . \varphi(\mathbf{x}, \mathbf{y}, \mathbf{A}'), \\ \text{GroupedBy}(\mathbf{w}), \\ \Lambda := @ [f(\mathbf{z})] , \end{aligned} \tag{14}$$

where  $\mathbf{w}$  are variables in  $\mathbf{x}$  or  $\mathbf{y}$  and each variable in  $\mathbf{x}$  occurs in  $\mathbf{w}$  and any variable in  $\mathbf{z}$  occurs in  $\mathbf{y}$  or  $\mathbf{A}'$ .

From a semantics point of view, we say that  $\mathcal{I}$  is a *model of* (*satisfies*)  $\langle q(\mathbf{t}), \lambda \rangle$ , denoted  $\mathcal{I} \models \langle q(\mathbf{t}), \lambda \rangle$  if and only if

$$\begin{aligned} \lambda = @ [\lambda_1, \dots, \lambda_k] \text{ where } g = \{ \langle \mathbf{t}, \mathbf{t}'_1, \boldsymbol{\lambda}'_1 \rangle, \dots, \langle \mathbf{t}, \mathbf{t}'_k, \boldsymbol{\lambda}'_k \rangle \}, \\ \text{is a group of } k \text{ tuples with identical projection} \\ \text{on the variables in } \mathbf{w}, \varphi(\mathbf{t}, \mathbf{t}'_r, \boldsymbol{\lambda}'_r) \text{ is true in } \mathcal{I} \\ \text{and } \lambda_r = f(\mathbf{t}) \text{ where } \mathbf{t} \text{ is the projection of } \langle \mathbf{t}'_r, \boldsymbol{\lambda}'_r \rangle \\ \text{on the variables } \mathbf{z} . \end{aligned}$$

Now, the notion of  $\mathcal{K} \models \langle q(\mathbf{t}), \lambda \rangle$  is as usual: any model of  $\mathcal{K}$  is a model of  $\langle q(\mathbf{t}), \lambda \rangle$ .

The notion of answer and answer set of a disjunctive query is a straightforward extension of the ones for conjunctive queries.

*Top-k Retrieval.* As now each answer to a query has a degree of truth (i.e. *score*), a basic inference problem that is of interest is the top- $k$  retrieval problem, formulated as follows.

Given a fuzzy KB  $\mathcal{K}$ , and a query  $q$ , retrieve  $k$  answers  $\langle t, \lambda \rangle$  with maximal degree and rank them in decreasing order relative to the degree  $\lambda$ , denoted

$$ans_k(\mathcal{K}, q) = \text{Top}_k ans(\mathcal{K}, q) .$$

## 2.4 Annotation Domains

We have seen that fuzzy statements extend statements with an *annotation*  $r \in [0, 1]$ . Interestingly, we may further generalise this by allowing a statement being annotated with a value  $\lambda$  taken from a so-called *annotation domain* [52, 164, 165, 274, 303],<sup>5</sup> which allow to deal with several domains (such as, fuzzy, temporal, provenance) and their combination, in a uniform way. Formally, let us consider a non-empty set  $L$ . Elements in  $L$  are our annotation values. For example, in a fuzzy setting,  $L = [0, 1]$ , while in a typical temporal setting,  $L$  may be time points or time intervals. In the annotation framework, an interpretation will map statements to elements of the annotation domain. Now, an *annotation domain* is an idempotent, commutative semi-ring

$$D = \langle L, \oplus, \otimes, \perp, \top \rangle ,$$

where  $\oplus$  is  $\top$ -annihilating [52]. That is, for  $\lambda, \lambda_i \in L$

1.  $\oplus$  is idempotent, commutative, associative;
2.  $\otimes$  is commutative and associative;
3.  $\perp \oplus \lambda = \lambda$ ,  $\top \otimes \lambda = \lambda$ ,  $\perp \otimes \lambda = \perp$ , and  $\top \oplus \lambda = \top$ ;
4.  $\otimes$  is distributive over  $\oplus$ , i.e.  $\lambda_1 \otimes (\lambda_2 \oplus \lambda_3) = (\lambda_1 \otimes \lambda_2) \oplus (\lambda_1 \otimes \lambda_3)$ ;

It is well-known that there is a natural partial order on any idempotent semi-ring: an annotation domain  $D = \langle L, \oplus, \otimes, \perp, \top \rangle$  induces a partial order  $\preceq$  over  $L$  defined as:

$$\lambda_1 \preceq \lambda_2 \text{ if and only if } \lambda_1 \oplus \lambda_2 = \lambda_2 .$$

The order  $\preceq$  is used to express redundant/entailed/subsumed information. For instance, for temporal intervals, an annotated statement  $\langle \phi, [2000, 2006] \rangle$  entails  $\langle \phi, [2003, 2004] \rangle$ , as  $[2003, 2004] \subseteq [2000, 2006]$  (here,  $\subseteq$  plays the role of  $\preceq$ ).

*Remark 2.*  $\oplus$  is used to combine information about the same statement. For instance, in temporal logic, from  $\langle \phi, [2000, 2006] \rangle$  and  $\langle \phi, [2003, 2008] \rangle$ , we infer  $\langle \phi, [2000, 2008] \rangle$ , as  $[2000, 2008] = [2000, 2006] \cup [2003, 2008]$ ; here,  $\cup$  plays the role of  $\oplus$ . In the fuzzy context, from  $\langle \phi, 0.7 \rangle$  and  $\langle \phi, 0.6 \rangle$ , we infer  $\langle \phi, 0.7 \rangle$ , as  $0.7 = \max(0.7, 0.6)$  (here,  $\max$  plays the role of  $\oplus$ ).

<sup>5</sup> The readers familiar with the annotated logic programming framework [139], will notice the similarity of the approaches.

*Remark 3.*  $\otimes$  is used to model the “conjunction” of information. In fact, a  $\otimes$  is a generalisation of boolean conjunction to the many-valued case. In fact,  $\otimes$  satisfies also that

1.  $\otimes$  is bounded: i.e.  $\lambda_1 \otimes \lambda_2 \preceq \lambda_1$ .
2.  $\otimes$  is  $\preceq$ -monotone, i.e. for  $\lambda_1 \preceq \lambda_2$ ,  $\lambda \otimes \lambda_1 \preceq \lambda \otimes \lambda_2$

For instance, on interval-valued temporal logic, from  $\langle \phi, [2000, 2006] \rangle$  and  $\langle \phi \rightarrow \psi, [2003, 2008] \rangle$ , we may infer  $\langle \psi, [2003, 2006] \rangle$ , as  $[2003, 2006] = [2000, 2006] \cap [2003, 2008]$ ; here,  $\cap$  plays the role of  $\otimes$ . In the fuzzy context, one may chose any t-norm [115, 141], e.g. product, and, thus, from  $\langle \phi, 0.7 \rangle$  and  $\langle \phi \rightarrow \psi, 0.6 \rangle$ , we will infer  $\langle \psi, 0.42 \rangle$ , as  $0.42 = 0.7 \cdot 0.6$  (here,  $\cdot$  plays the role of  $\otimes$ ).

*Remark 4.* Observe that the distributivity condition is used to guarantee that e.g. we obtain the same annotation  $\lambda \otimes (\lambda_2 \oplus \lambda_3) = (\lambda_1 \otimes \lambda_2) \oplus (\lambda_1 \otimes \lambda_3)$  of  $\psi$  that can be inferred from  $\langle \phi, \lambda_1 \rangle$ ,  $\langle \phi \rightarrow \psi, \lambda_2 \rangle$  and  $\langle \phi \rightarrow \psi, \lambda_3 \rangle$ .

Note that, conceptually, in order to build an annotation domain, one has to:

1. determine the set of annotation values  $L$  (typically a countable set<sup>6</sup>), identify the top and bottom elements;
2. define a suitable operations  $\otimes$  and  $\oplus$  that acts as “conjunction” and “disjunction” function, to support the intended inferences.

Eventually, *annotated queries* are as fuzzy queries in which annotation variables and terms are used in place of fuzzy variables and values  $r \in [0, 1]$  instead. We refer the reader to [303] for more details about annotation domains.

### 3 Fuzzy Logic and Semantic Web Languages

We have seen in the previous section how to “fuzzyfy” a classical language such as propositional logic and FOL, namely fuzzy statements are of the form  $\langle \phi, r \rangle$ , where  $\phi$  is a statement and  $r \in [0, 1]$ .

The natural extension to SWLs consists then in replacing  $\phi$  with appropriate expressions belonging to the logical counterparts of SWLs, namely  $\rho$ df, DLs and LPs, as we will illustrate next.

#### 3.1 Fuzzy RDFS

The basic ingredients of *RDF* are *triples* of the form  $(s, p, o)$ , such as  $(umberto, likes, tomato)$ , stating that *subject*  $s$  has *property*  $p$  with *value*  $o$ . In *RDF Schema* (RDFS), which is an extension of RDF, additionally some special keywords may be used as properties to further improve the expressivity of the language. For instance we may also express that the class of ’tomatoes are a

<sup>6</sup> Note that one may use XML decimals in  $[0, 1]$  in place of real numbers for the fuzzy domain.

subclass of the class of vegetables’, (*tomato*, *sc*, *vegetables*), while Zurich is an instance of the class of cities, (*zurich*, *type*, *city*).

Form a computational point of view, one computes the so-called *closure* (denoted  $cl(\mathcal{K})$ ) of a set of triples  $\mathcal{K}$ . That is, one infers all possible triples using inference rules [192, 205, 218], such as

$$\frac{(A, \text{sc}, B), (X, \text{type}, A)}{(X, \text{type}, B)}$$

“if  $A$  subclass of  $B$  and  $X$  instance of  $A$  then infer that  $X$  is instance of  $B$ ”,

and then store all inferred triples into a relational database to be used then for querying. We recall also that there also several ways to store the closure  $cl(\mathcal{K})$  in a database (see [1, 125]). Essentially, either we may store all the triples in table with three columns *subject*, *predicate*, *object*, or we use a table for each predicate, where each table has two columns *subject*, *object*. The latter approach seems to be better for query answering purposes.

In *Fuzzy RDFS* (see [265, 270] and references therein), triples are annotated with a degree of truth in  $[0, 1]$ . For instance, “Rome is a big city to degree 0.8” can be represented with  $\langle (Rome, \text{type}, \text{BigCity}), 0.8 \rangle$ . More formally, *fuzzy triples* are expressions of the form  $\langle \tau, r \rangle$ , where  $\tau$  is a RDFS triple (the truth value  $r$  may be omitted and, in that case, the value  $r = 1$  is assumed).

The interesting point is that from a computational point of view the inference rules parallel those for “crisp” RDFS: indeed, the rules are of the form

$$\frac{\langle \tau_1, r_1 \rangle, \dots, \langle \tau_k, r_k \rangle, \{\tau_1, \dots, \tau_k\} \vdash_{\text{RDFS}} \tau}{\langle \tau, \bigotimes_i r_i \rangle} \quad (15)$$

Essentially, this rule says that if a classical RDFS triple  $\tau$  can be inferred by applying a classical RDFS inference rule to triples  $\tau_1, \dots, \tau_k$  (denoted  $\{\tau_1, \dots, \tau_k\} \vdash_{\text{RDFS}} \tau$ ), then the truth degree of  $\tau$  will be  $\bigotimes_i r_i$ .

As a consequence, the rule system is quite easy to implement for current inference systems. Specifically, as for the crisp case, one may compute the closure  $cl(\mathcal{K})$  of a set of fuzzy triples  $\mathcal{K}$ , store them in a relational database and thereafter query the database.

Concerning conjunctive queries, they are essentially the same as in Section 2.3, where predicates are replaced with triples. For instance, the query

$$\langle q(x), s \rangle \leftarrow \langle (x, \text{type}, \text{SportsCar}), s_1 \rangle, \langle (x, \text{hasPrice}, y), s = s_1 \cdot \text{cheap}(y) \rangle \quad (16)$$

where e.g.  $\text{cheap}(y) = \text{ls}(10000, 15000)(y)$ , has intended meaning to retrieve all cheap sports car. Then, any answer is scored according to the product of being cheap and a sports car.

**Annotation domains & RDFS.** The generalisation to annotation domains is conceptual easy, as now one may replace truth degrees with annotation terms taken from an appropriate domain. For further details see [303].



### 3.2 Fuzzy DLs

*Description Logics* (DLs) [4] are the logical counterpart of the family of OWL languages. So, to illustrate the basic concepts of fuzzy OWL, it suffices to show the fuzzy DL case (see [11, 181, 270], for a survey). We recap that the basic ingredients are the descriptions of classes, properties, and their instances, such as

- $a:C$ , such as  $a:\text{Person} \sqcap \forall \text{hasChild.Femal}$ , meaning that individual  $a$  is an instance of concept/class  $C$  (here  $C$  is seen as a unary predicate);
- $\langle a, b \rangle : R$ , such as  $\langle \text{tom}, \text{mary} \rangle : \text{hasChild}$ , meaning that the pair of individuals  $\langle a, b \rangle$  is an instance of the property/role  $R$  (here  $R$  is seen as a binary predicate);
- $C \sqsubseteq D$ , such as  $\text{Person} \sqsubseteq \forall \text{hasChild.Person}$ , meaning that the class  $C$  is a subclass of class  $D$ ;

So far, several *fuzzy* variants of DLs have been proposed: they can be classified according to

- the description logic resp. ontology language that they generalize [14, 20, 22, 23, 26, 92, 175–178, 180, 182, 183, 224–226, 236, 242, 248, 249, 255, 263, 288, 299];
- the allowed fuzzy constructs [19, 27, 29–31, 33, 34, 36, 91, 119–123, 128–135, 187, 248, 267, 284];
- the underlying fuzzy logic [16, 18, 24, 116, 117, 247, 259, 254];
- their reasoning algorithms and computational complexity results [5, 6, 10, 12, 13, 15–17, 21, 32, 35, 37, 38, 40–49, 58–60, 100, 208, 237, 240, 241, 245, 246, 253, 258, 260, 272, 273, 297, 302].

In general, fuzzy DLs allow expressions of the form  $\langle a:C, r \rangle$ , stating that  $a$  is an instance of concept/class  $C$  with degree at least  $r$ , i.e. the FOL formula  $C(a)$  is true to degree at least  $r$ . Similarly,  $\langle C_1 \sqsubseteq C_2, r \rangle$  states a vague subsumption relationships. Informally,  $\langle C_1 \sqsubseteq C_2, r \rangle$  dictates that the FOL formula  $\forall x. C_1(x) \rightarrow C_2(x)$  is true to degree at least  $r$ . Essentially, *fuzzy DLs* are then obtained by interpreting the statements as fuzzy FOL formulae and attaching a weight  $n$  to DL statements, thus, defining so *fuzzy DL statements*.

*Example 1.* Consider the following background knowledge about cars:

$$\begin{aligned}
 & \text{Car} \sqsubseteq \exists \text{HasPrice.Price} \\
 & \text{Sedan} \sqsubseteq \text{Car} \\
 & \text{Van} \sqsubseteq \text{Car} \\
 & \text{CheapPrice} \sqsubseteq \text{Price} \\
 & \text{ModeratePrice} \sqsubseteq \text{Price} \\
 & \text{ExpensivePrice} \sqsubseteq \text{Price} \\
 & \langle \text{CheapPrice} \sqsubseteq \text{ModeratePrice}, 0.7 \rangle \\
 & \langle \text{ModeratePrice} \sqsubseteq \text{ExpensivePrice}, 0.4 \rangle \\
 & \text{CheapCar} = \text{Car} \sqcap \exists \text{HasPrice.CheapPrice} \\
 & \text{ModerateCar} = \text{Car} \sqcap \exists \text{HasPrice.ModeratePrice} \\
 & \text{ExpensiveCar} = \text{Car} \sqcap \exists \text{HasPrice.ExpensivePrice}
 \end{aligned}$$

Essentially, the vague concepts here are *CheapPrice*, *ModeratePrice*, and *ExpensivePrice* and the graded GCIs declare to which extent there is a relationship among them.

The facts about two specific cars  $a$  and  $b$  are encoded with:

$$\begin{aligned} &\langle a: \text{Sedan} \sqcap \exists \text{HasPrice.CheapPrice}, 0.7 \rangle \\ &\langle b: \text{Van} \sqcap \exists \text{HasPrice.ModeratePrice}, 0.8 \rangle . \end{aligned}$$

So,  $a$  is a sedan having a cheap price, while  $b$  is a van with a moderate price.

Under Gödel semantics it can be shown that

$$\begin{aligned} \mathcal{K} &\models \langle a: \text{ModerateCar}, 0.7 \rangle \\ \mathcal{K} &\models \langle b: \text{ExpensiveCar}, 0.4 \rangle . \end{aligned}$$

From a decision procedure point of view, a popular approach consists of a set of inference rules that generate a set of in-equations (that depend on the t-norm and fuzzy concept constructors) that have to be solved by an operational research solver (see, e.g. [24, 248]). An informal rule example is as follows:

“If individual  $a$  is instance of the class intersection  $C_1 \sqcap C_2$  to degree greater or equal to  $x_{a:C_1 \sqcap C_2}$ ,<sup>7</sup> then  $a$  is instance of  $C_i$  ( $i = 1, 2$ ) to degree greater or equal to  $x_{a:C_i}$ , where additionally the following in-equation holds:

$$x_{a:C_1 \sqcap C_2} \leq x_{a:C_1} \otimes x_{a:C_2} .”$$

Concerning conjunctive queries, they are essentially the same as in Section 2.3, where predicates are replaced with unary and binary predicates. For instance, the fuzzy DL analogue of the RDFS query (16) is

$$\langle q(x), s \rangle \leftarrow \langle \text{SportsCar}(x), s_1 \rangle, \text{HasPrice}(x, y), s := s_1 \cdot \text{cheap}(y) . \quad (17)$$

*Applications.* Fuzzy set theory and fuzzy logic [300] have proved to be suitable formalisms to handle fuzzy knowledge. Not surprisingly, *fuzzy ontologies* already emerge as useful in several applications, such as information retrieval [3, 53, 161, 280, 281, 293, 301], recommendation systems [57, 150, 210, 296], image interpretation [81–83, 201, 239, 243, 244], the Semantic Web and the Internet [66, 212, 227], ambient intelligence [89, 90, 160, 221], ontology merging [61, 283], match-making [2, 65, 213–217, 278, 279], decision making [266], summarization [149], robotics [97, 98], machine learning [152–159, 276] and many others [7, 80, 99, 126, 144, 151, 162, 194, 211, 220, 234, 267].

<sup>7</sup> For a fuzzy DL formula  $\phi$  we consider a variable  $x_\phi$  with intended meaning: the degree of truth of  $\phi$  is greater or equal to  $x_\phi$ .

*Representing Fuzzy OWL Ontologies in OWL.* OWL [206] and its successor OWL 2 [67, 207] are standard W3C languages for defining and instantiating Web ontologies whose logical counterpart are classical DLs. So far, several fuzzy extensions of DLs exists and some fuzzy DL reasoners have been implemented, such as FUZZYDL [19, 39], DELOREAN [14], FIRE [101, 238], SOFTFACTS [269], GURDL [111], GERDS [112], YADLR [143], FRESG [294] and DLMEDIA [268, 281]. Not surprisingly, each reasoner uses its own fuzzy DL language for representing fuzzy ontologies and, thus, there is a need for a standard way to represent such information. A first possibility would be to adopt as a standard one of the fuzzy extensions of the languages OWL and OWL 2 that have been proposed, such as [108, 235, 236]. However, as it is not expected that a fuzzy OWL extension will become a W3C proposed standard in the near future, [25, 28, 31] identifies the syntactic differences that a fuzzy ontology language has to cope with, and proposes to use OWL 2 *itself* to represent fuzzy ontologies [107].

**Annotation domains & OWL.** The generalisation to annotation domains is conceptual easy, as now one may replace truth degrees with annotation terms taken from an appropriate domain (see, e.g. [44, 46, 254]).

### 3.3 Fuzzy Rule Languages

The foundation of the core part of rule languages is *Datalog* [286], i.e. a Logic Programming Language (LP) [163]. In LP, the management of imperfect information has attracted the attention of many researchers and numerous frameworks have been proposed. Addressing all of them is almost impossible, due to both the large number of works published in this field (early works date back to early 80-ties [232]) and the different approaches proposed (see, e.g. [264]). Below a list of references.<sup>8</sup>

**Fuzzy set theory:** [8, 9, 51, 56, 62–64, 96, 109, 110, 118, 127, 140, 186, 193, 203, 204, 209, 219, 231–233, 282, 287, 289–292, 298]

**Multi-valued logic:** [55, 68–79, 84–88, 102–106, 113, 136–139, 145–148, 166–174, 177, 179, 180, 182, 184, 185, 188–191, 195–200, 213–217, 222, 228–230, 250–252, 255–257, 259, 261–263, 271, 275, 277, 285]

Basically [163], a Datalog program  $\mathcal{P}$  is made out by a set of rules and a set of facts. *Facts* are ground *atoms* of the form  $P(\mathbf{c})$ . On the other hand rules are similar as conjunctive queries and are of the form

$$A(\mathbf{x}) \leftarrow \exists \mathbf{y} . \varphi(\mathbf{x}, \mathbf{y}) ,$$

where  $\varphi(\mathbf{x}, \mathbf{y})$  is a conjunction of  $n$ -ary predicates. A *query* is a rule and the *answer set* of a query  $q$  w.r.t. a set  $\mathcal{K}$  of facts and rules is the set of tuples  $\mathbf{t}$

<sup>8</sup> The list of references is by no means intended to be all-inclusive. The author apologises both to the authors and with the readers for all the relevant works, which are not cited here.

such that there exists  $\mathbf{t}'$  such that the instantiation  $\varphi(\mathbf{t}, \mathbf{t}')$  of the query body is true in *minimal model* of  $\mathcal{K}$ , which is guaranteed to exist.

In the *fuzzy* case, rules and facts are as for the crisp case, except that now a predicate is annotated. An example of fuzzy rule defining good hotels may be the following:

$$\langle \text{GoodHotel}(x), s \rangle \leftarrow \text{Hotel}(x), \langle \text{Cheap}(x), s_1 \rangle, \langle \text{CloseToVenue}(x), s_2 \rangle, \langle \text{Comfortable}(x), s_3 \rangle, s := 0.3 \cdot s_1 + 0.5 \cdot s_2 + 0.2 \cdot s_3 \quad (18)$$

A *fuzzy query* is a fuzzy rule and, informally, the *fuzzy answer set* is the ordered set of weighted tuples  $\langle \mathbf{t}, s \rangle$  such that all the fuzzy atoms in the rule body are true in the minimal model and  $s$  is the result of the scoring function  $f$  applied to its arguments. The existence of a minimal is guaranteed if the scoring functions in the query and in the rule bodies are *monotone* [264].

We conclude by saying that most works deal with logic programs without negation and some may provide some technique to answer queries in a top-down manner, as e.g. [69, 139, 148, 251, 289]. Deciding whether a weighted tuple  $\langle \mathbf{t}, s \rangle$  is the answer set is undecidable in general, though is decidable if the truth space is finite and fixed a priori, as then the minimal model is finite.

Another rising problem is the problem to compute the top-k ranked answers to a query, without computing the score of all answers. This allows to answer queries such as “find the top-k closest hotels to the conference location”. Solutions to this problem can be found in [180, 257, 262].

**Annotation domains & Rule Languages.** The generalisation of fuzzy rule languages to the case in which an annotation  $r \in [0, 1]$  is replaced with an annotation value  $\lambda$  taken from an annotation domain is straightforward and proceeds as for the other SWLs.

## References

1. Daniel J. Abadi, Adam Marcus, Samuel Madden, and Kate Hollenbach. SW-Store: a vertically partitioned DBMS for semantic web data management. *VLDB Journal*, 18(2):385–406, 2009.
2. Sudhir Agarwal and Steffen Lamparter. Smart: A semantic matchmaking portal for electronic markets. In *CEC '05: Proceedings of the Seventh IEEE International Conference on E-Commerce Technology (CEC'05)*, pages 405–408, Washington, DC, USA, 2005. IEEE Computer Society.
3. Troels Andreasen and Henrik Bulskov. Conceptual querying through ontologies. *Fuzzy Sets Syst.*, 160(15):2159–2172, August 2009.
4. Franz Baader, Diego Calvanese, Deborah McGuinness, Daniele Nardi, and Peter F. Patel-Schneider, editors. *The Description Logic Handbook: Theory, Implementation, and Applications*. Cambridge University Press, 2003.
5. Franz Baader and Rafael Peñaloza. Are fuzzy description logics with general concept inclusion axioms decidable? In *Proceedings of 2011 IEEE International Conference on Fuzzy Systems (Fuzz-IEEE 2011)*. IEEE Press, 2011.

6. Franz Baader and Rafael Peñaloza. GCIs make reasoning in fuzzy DLs with the product t-norm undecidable. In *Proceedings of the 24th International Workshop on Description Logics (DL-11)*. CEUR Electronic Workshop Proceedings, 2011.
7. Radu Balaj and Adrian Groza. Detecting influenza epidemics based on real-time semantic analysis of Twitter streams. In *Proceedings of the 3rd International Conference on Modelling and Development of Intelligent Systems (MDIS 2013)*, pages 30–39, 2013.
8. J. F. Baldwin, T. P. Martin, and B. W. Pilsworth. *Fril - Fuzzy and Evidential Reasoning in Artificial Intelligence*. Research Studies Press Ltd, 1995.
9. J. F. Baldwin, T. P. Martin, and B. W. Pilsworth. Applications of fuzzy computation: Knowledge based systems: Knowledge representation. In E. H. Ruspini, P. Bonnissonne, and W. Pedrycz, editors, *Handbook of Fuzzy Computing*. IOP Publishing, 1998.
10. Fernando Bobillo, Félix Bou, and Umberto Straccia. On the failure of the finite model property in some fuzzy description logics. *Fuzzy Sets and Systems*, 172(1):1–12, 2011.
11. Fernando Bobillo, Marco Cerami, Francesc Esteva, Àngel García-Cerdaña, Rafael Peñaloza, and Umberto Straccia. Fuzzy description logics in the framework of mathematical fuzzy logic. In Carles Noguera Petr Cintula, Christian Fermüller, editor, *Handbook of Mathematical Fuzzy Logic, Volume 3*, volume 58 of *Studies in Logic, Mathematical Logic and Foundations*, chapter 16, pages 1105–1181. College Publications, 2015.
12. Fernando Bobillo, Miguel Delgado, and Juan Gómez-Romero. A crisp representation for fuzzy *SHOLN* with fuzzy nominals and general concept inclusions. In *Proceedings of the 2nd Workshop on Uncertainty Reasoning for the Semantic Web (URSW-06)*, November 2006.
13. Fernando Bobillo, Miguel Delgado, and Juan Gómez-Romero. A crisp representation for fuzzy *SHOLN* with fuzzy nominals and general concept inclusions. In *Uncertainty Reasoning for the Semantic Web I*, volume 5327 of *Lecture Notes in Computer Science*, pages 174–188. Springer Verlag, 2008.
14. Fernando Bobillo, Miguel Delgado, and Juan Gómez-Romero. Delorean: A reasoner for fuzzy OWL 1.1. In *Proceedings of the 4th International Workshop on Uncertainty Reasoning for the Semantic Web (URSW 2008)*, volume 423. CEUR Workshop Proceedings, 10 2008.
15. Fernando Bobillo, Miguel Delgado, and Juan Gómez-Romero. Optimizing the crisp representation of the fuzzy description logic *SROLQ*. In *Uncertainty Reasoning for the Semantic Web I*, volume 5327 of *Lecture Notes in Computer Science*, pages 189–206. Springer Verlag, 2008.
16. Fernando Bobillo, Miguel Delgado, Juan Gómez-Romero, and Umberto Straccia. Fuzzy description logics under Gödel semantics. *International Journal of Approximate Reasoning*, 50(3):494–514, 2009.
17. Fernando Bobillo, Miguel Delgado, Juan Gómez-Romero, and Umberto Straccia. Joining Gödel and Zadeh fuzzy logics in fuzzy description logics. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 20:475–508, 2012.
18. Fernando Bobillo and Umberto Straccia. A fuzzy description logic with product t-norm. In *Proceedings of the IEEE International Conference on Fuzzy Systems (Fuzz-IEEE-07)*, pages 652–657. IEEE Computer Society, 2007.
19. Fernando Bobillo and Umberto Straccia. fuzzyDL: An expressive fuzzy description logic reasoner. In *2008 International Conference on Fuzzy Systems (FUZZ-08)*, pages 923–930. IEEE Computer Society, 2008.

20. Fernando Bobillo and Umberto Straccia. On qualified cardinality restrictions in fuzzy description logics under Lukasiewicz semantics. In Luis Magdalena, Manuel Ojeda-Aciego, and José Luis Verdegay, editors, *Proceedings of the 12th International Conference of Information Processing and Management of Uncertainty in Knowledge-Based Systems (IPMU 2008)*, pages 1008–1015, June 2008.
21. Fernando Bobillo and Umberto Straccia. Towards a crisp representation of fuzzy description logics under Lukasiewicz semantics. In Aijun An, Stan Matwin, Zbigniew W. Raś, and Dominik Ślęzak, editors, *Proceedings of the 17th International Symposium on Methodologies for Intelligent Systems (ISMIS 2008)*, volume 4994 of *Lecture Notes in Computer Science*, pages 309–318. Springer Verlag, May 2008.
22. Fernando Bobillo and Umberto Straccia. Extending datatype restrictions in fuzzy description logics. In *Proceedings of the 9th International Conference on Intelligent Systems Design and Applications (ISDA-09)*, pages 785–790. IEEE Computer Society, 2009.
23. Fernando Bobillo and Umberto Straccia. Fuzzy description logics with fuzzy truth values. In João P. B. Carvalho, Didier Dubois, Uzay Kaymak, and João M. C. Sousa, editors, *Proceedings of the 13th World Congress of the International Fuzzy Systems Association and 6th Conference of the European Society for Fuzzy Logic and Technology (IFSA-EUSFLAT 2009)*, pages 189–194, July 2009.
24. Fernando Bobillo and Umberto Straccia. Fuzzy description logics with general t-norms and datatypes. *Fuzzy Sets and Systems*, 160(23):3382–3402, 2009.
25. Fernando Bobillo and Umberto Straccia. An OWL ontology for fuzzy OWL 2. In *Proceedings of the 18th International Symposium on Methodologies for Intelligent Systems (ISMIS-09)*, volume 5722 of *Lecture Notes in Computer Science*, pages 151–160. Springer-Verlag, September 2009.
26. Fernando Bobillo and Umberto Straccia. Supporting fuzzy rough sets in fuzzy description logics. In *Proceedings of the 10th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU-09)*, volume 5590 of *Lecture Notes in Artificial Intelligence*, pages 676–687. Springer Verlag, 2009.
27. Fernando Bobillo and Umberto Straccia. Finite fuzzy description logics: A crisp representation for finite fuzzy  $\mathcal{ALCH}$ . In Fernando Bobillo, Rommel Carvalho, Paulo C. G. da Costa, Claudia d’Amato, Nicola Fanizzi, Kathryn B. Laskey, Kenneth J. Laskey, Thomas Lukasiewicz, Trevor Martin, Matthias Nickles, and Michael Pool, editors, *Proceedings of the 6th ISWC Workshop on Uncertainty Reasoning for the Semantic Web (URSW 2010)*, volume 654, pages 61–72. CEUR Workshop Proceedings, November 2010.
28. Fernando Bobillo and Umberto Straccia. Representing fuzzy ontologies in owl 2. In *Proceedings of the 19th IEEE International Conference on Fuzzy Systems (FUZZ-IEEE 2010)*, pages 2695–2700. IEEE Press, July 2010.
29. Fernando Bobillo and Umberto Straccia. Aggregation operators and fuzzy OWL 2. In *Proceedings of the 20th IEEE International Conference on Fuzzy Systems (FUZZ-IEEE 2011)*, pages 1727–1734. IEEE Press, June 2011.
30. Fernando Bobillo and Umberto Straccia. Fuzzy ontologies and fuzzy integrals. In *Proceedings of the 11th International Conference on Intelligent Systems Design and Applications (ISDA 2011)*, pages 1311–1316. IEEE Press, November 2011.
31. Fernando Bobillo and Umberto Straccia. Fuzzy ontology representation using OWL 2. *International Journal of Approximate Reasoning*, 52:1073–1094, 2011.
32. Fernando Bobillo and Umberto Straccia. Reasoning with the finitely many-valued Lukasiewicz fuzzy description logic  $SR\mathcal{OIQ}$ . *Information Sciences*, 181:758–778, 2011.

33. Fernando Bobillo and Umberto Straccia. Generalized fuzzy rough description logics. *Information Sciences*, 189:43–62, 2012.
34. Fernando Bobillo and Umberto Straccia. Aggregation operators for fuzzy ontologies. *Applied Soft Computing*, 13(9):3816–3830, 2013.
35. Fernando Bobillo and Umberto Straccia. Finite fuzzy description logics and crisp representations. In Fernando Bobillo, Paulo C. G. da Costa, Claudia d’Amato, Nicola Fanizzi, Kathryn Laskey, Ken Laskey, Thomas Lukasiewicz, Matthias Nickles, and Michael Pool, editors, *Uncertainty Reasoning for the Semantic Web II*, volume 7123 of *Lecture Notes in Computer Science*, pages 102–121. Springer Verlag, 2013.
36. Fernando Bobillo and Umberto Straccia. General concept inclusion absorptions for fuzzy description logics: A first step. In *Proceedings of the 26th International Workshop on Description Logics (DL-13)*, volume 1014 of *CEUR Workshop Proceedings*, pages 513–525. CEUR-WS.org, 2013.
37. Fernando Bobillo and Umberto Straccia. A MILP-based decision procedure for the (fuzzy) description logic  $\mathcal{ALCB}$ . In *Proceedings of the 27th International Workshop on Description Logics (DL 2014)*, volume 1193, pages 378–390. CEUR Workshop Proceedings, July 2014.
38. Fernando Bobillo and Umberto Straccia. On partitioning-based optimisations in expressive fuzzy description logics. In *Proceedings of the 24th IEEE International Conference on Fuzzy Systems (FUZZ-IEEE-15)*. IEEE Press, August 2015.
39. Fernando Bobillo and Umberto Straccia. The fuzzy ontology reasoner *fuzzyDL*. *Knowledge-Based Systems*, 95:12 – 34, 2016.
40. Fernando Bobillo and Umberto Straccia. Optimising fuzzy description logic reasoners with general concept inclusions absorption. *Fuzzy Sets and Systems*, 292:98–129, 2016.
41. P. Bonatti and A. Tettamanzi. Some complexity results on fuzzy description logics. In A. Petrosino V. Di Gesù, F. Masulli, editor, *WILF 2003 International Workshop on Fuzzy Logic and Applications*, LNCS 2955, Berlin, 2004. Springer Verlag.
42. Stefan Borgwardt, Felix Distel, and Rafael Peñaloza. How fuzzy is my fuzzy description logic? In *Proceedings of the 6th International Joint Conference on Automated Reasoning (IJCAR-12)*, volume 7364 of *Lecture Notes in Artificial Intelligence*, pages 82–96, Manchester, UK, 2012. Springer-Verlag.
43. Stefan Borgwardt, Felix Distel, and Rafael Peñaloza. Non-Gödel negation makes unwitnessed consistency undecidable. In *Proceedings of the 2012 International Workshop on Description Logics (DL-2012)*, volume 846. CEUR-WS.org, 2012.
44. Stefan Borgwardt and Rafael Peñaloza. Description logics over lattices with multi-valued ontologies. In *Proceedings of the Twenty-Second International Joint Conference on Artificial Intelligence (IJCAI-11)*, pages 768–773, 2011.
45. Stefan Borgwardt and Rafael Peñaloza. Finite lattices do not make reasoning in  $\mathcal{ALCI}$  harder. In *Proceedings of the 7th International Workshop on Uncertainty Reasoning for the Semantic Web (URSW-11)*, volume 778, pages 51–62. CEUR-WS.org, 2011.
46. Stefan Borgwardt and Rafael Peñaloza. Fuzzy ontologies over lattices with t-norms. In *Proceedings of the 24th International Workshop on Description Logics (DL-11)*. CEUR Electronic Workshop Proceedings, 2011.
47. Stefan Borgwardt and Rafael Peñaloza. A tableau algorithm for fuzzy description logics over residuated De Morgan lattices. In Markus Krötzsch and Umberto

- Straccia, editors, *Proceedings of the 6th International Conference on Web Reasoning and Rule Systems (RR-12)*, volume 7497 of *Lecture Notes in Computer Science*, pages 9–24. Springer, 2012.
48. Stefan Borgwardt and Rafael Peñaloza. Undecidability of fuzzy description logics. In *Proceedings of the 13th International Conference on Principles of Knowledge Representation and Reasoning (KR-12)*, pages 232–242, Rome, Italy, 2012. AAAI Press.
  49. Félix Bou, Marco Cerami, and Francesc Esteva. Finite-valued Lukasiewicz modal logic is Pspace-complete. In *Proceedings of the 22nd International Joint Conference on Artificial Intelligence (IJCAI-11)*, pages 774–779, 2011.
  50. Dan Brickley and R.V. Guha. RDF Vocabulary Description Language 1.0: RDF Schema. W3C Recommendation, W3C, 2004. <http://www.w3.org/TR/rdf-schema/>.
  51. F. Bueno, D. Cabeza, M. Carro, M. Hermenegildo, P. López-García, and G. Puebla. The Ciao prolog system. Reference manual. Technical Report CLIPS3/97.1, School of Computer Science, Technical University of Madrid (UPM), 1997. Available at <http://www.ciplab.org/Software/Ciao/>.
  52. Peter Buneman and Egor Kostylev. Annotation algebras for rdfls. In *The Second International Workshop on the role of Semantic Web in Provenance Management (SWPM-10)*. CEUR Workshop Proceedings, 2010.
  53. Silvia Calegari and Elie Sanchez. Object-fuzzy concept network: An enrichment of ontologies in semantic information retrieval. *Journal of the American Society for Information Science and Technology*, 59(13):2171–2185, November 2008.
  54. Andrea Cali, Georg Gottlob, and Thomas Lukasiewicz. Datalog&plusmn;: A unified approach to ontologies and integrity constraints. In *Proceedings of the 12th International Conference on Database Theory*, pages 14–30, New York, NY, USA, 2009. ACM.
  55. J. Calmet, J. Lu, M. Rodriguez, and J. Schü. Signed formula logic programming: operational semantics and applications. In Zbigniew W. Rás and Maciek Michalewicz, editors, *Proceedings of the 9th International Symposium on Foundations of Intelligent Systems*, volume 1079 of *Lecture Notes in Artificial Intelligence*, pages 202–211, Berlin, 1996. Springer.
  56. True H. Cao. Annotated fuzzy logic programs. *Fuzzy Sets and Systems*, 113(2):277–298, 2000.
  57. Christer Carlsson, Matteo Brunelli, and József Mezei. Decision making with a fuzzy ontology. *Soft Computing*, 16(7):1143–1152, July 2012.
  58. Marco Cerami, Francesc Esteva, and Félix Bou. Decidability of a description logic over infinite-valued product logic. In *Proceedings of the Twelfth International Conference on Principles of Knowledge Representation and Reasoning (KR-10)*. AAAI Press, 2010.
  59. Marco Cerami and Umberto Straccia. On the undecidability of fuzzy description logics with gcis with lukasiewicz t-norm. Technical report, Computing Research Repository, 2011. Available as CoRR technical report at <http://arxiv.org/abs/1107.4212>.
  60. Marco Cerami and Umberto Straccia. Undecidability of KB satisfiability for  $\mathcal{L}\mathcal{C}$  with GCIs. Unpublished Manuscript, July 2011.
  61. Rung-Ching Chen, Cho Tsan Bau, and Chun-Ju Yeh. Merging domain ontologies based on the WordNet system and fuzzy formal concept analysis techniques. *Applied Soft Computing*, 11(2):1908–1923, 2011.



62. Alexandros Chortaras, Giorgos B. Stamou, and Andreas Stafylopatis. Adaptation of weighted fuzzy programs. In *Artificial Neural Networks - ICANN 2006, 16th International Conference, Part II*, pages 45–54, 2006.
63. Alexandros Chortaras, Giorgos B. Stamou, and Andreas Stafylopatis. Integrated query answering with weighted fuzzy rules. In *9th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU-07)*, volume 4724 of *Lecture Notes in Computer Science*, pages 767–778. Springer Verlag, 2007.
64. Alexandros Chortaras, Giorgos B. Stamou, and Andreas Stafylopatis. Top-down computation of the semantics of weighted fuzzy logic programs. In *Web Reasoning and Rule Systems, First International Conference, (RR-07)*, pages 364–366, 2007.
65. Simona Colucci, Tommaso Di Noia, Azzurra Ragone, Michele Ruta, Umberto Straccia, and Eufemia Tinelli. Informative top-k retrieval for advanced skill management. In *Semantic Web Information Management*, chapter 19, pages 449–476. Springer Verlag, 2010.
66. Paulo C. G. Costa, Kathryn B. Laskey, and Thomas Lukasiewicz. Uncertainty representation and reasoning in the semantic web. In *Semantic Web Engineering in the Knowledge Society*, pages 315–340. IGI Global, 2008.
67. B. Cuenca-Grau, I. Horrocks, B. Motik, B. Parsia, P.F. Patel-Schneider, and U. Sattler. OWL 2: The next step for OWL. *Journal of Web Semantics*, 6(4):309–322, 2008.
68. Carlos Viegas Damásio, J. Medina, and M. Ojeda Aciego. Sorted multi-adjoint logic programs: Termination results and applications. In *Proceedings of the 9th European Conference on Logics in Artificial Intelligence (JELIA-04)*, volume 3229 of *Lecture Notes in Computer Science*, pages 252–265. Springer Verlag, 2004.
69. Carlos Viegas Damásio, J. Medina, and M. Ojeda Aciego. A tabulation proof procedure for residuated logic programming. In *Proceedings of the 6th European Conference on Artificial Intelligence (ECAI-04)*, 2004.
70. Carlos Viegas Damásio, J. Medina, and M. Ojeda Aciego. Termination results for sorted multi-adjoint logic programs. In *Proceedings of the 10th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, pages 1879–1886, 2004.
71. Carlos Viegas Damásio, Jeff Z. Pan, Giorgos Stoilos, and Umberto Straccia. An approach to representing uncertainty rules in ruleml. In *Second International Conference on Rules and Rule Markup Languages for the Semantic Web (RuleML-06)*, pages 97–106. IEEE, 2006.
72. Carlos Viegas Damasio, Jeff Z. Pan, Giorgos Stoilos, and Umberto Straccia. Representing uncertainty rules in ruleml. *Fundamenta Informaticae*, 82(3):265–288, 2008.
73. Carlos Viegas Damásio and Luís Moniz Pereira. A survey of paraconsistent semantics for logic programs. In D. Gabbay and P. Smets, editors, *Handbook of Defeasible Reasoning and Uncertainty Management Systems*, pages 241–320. Kluwer, 1998.
74. Carlos Viegas Damásio and Luís Moniz Pereira. Antitonic logic programs. In *Proceedings of the 6th European Conference on Logic Programming and Non-monotonic Reasoning (LPNMR-01)*, volume 2173 of *Lecture Notes in Computer Science*. Springer-Verlag, 2001.
75. Carlos Viegas Damásio and Luís Moniz Pereira. Monotonic and residuated logic programs. In Salem Benferhat and Philippe Besnard, editors, *Symbolic and Quantitative Approaches to Reasoning with Uncertainty, 6th European Conference*,

- ECSQARU 2001, Toulouse, France, September 19-21, 2001, Proceedings*, volume 2143 of *Lecture Notes in Computer Science*, pages 748–759. Springer, 2001.
76. Carlos Viegas Damásio and Luís Moniz Pereira. Sorted monotonic logic programs and their embeddings. In *Proceedings of the 10th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, pages 807–814, 2004.
  77. C.V. Damásio, J. Medina, and M. Ojeda-Aciego. A tabulation procedure for first-order residuated logic programs. In *Proceedings of the 11th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-06)*, 2006.
  78. C.V. Damásio, J. Medina, and M. Ojeda-Aciego. A tabulation procedure for first-order residuated logic programs. In *Proceedings of the IEEE World Congress on Computational Intelligence (section Fuzzy Systems) (WCCI-06)*, pages 9576–9583, 2006.
  79. C.V. Damásio, J. Medina, and M. Ojeda-Aciego. Termination of logic programs with imperfect information: applications and query procedure. *Journal of Applied Logic*, 7(5):435–458, 2007.
  80. Mathieu d’Aquin, Jean Lieber, and Amedeo Napoli. Towards a semantic portal for oncology using a description logic with fuzzy concrete domains. In Elie Sanchez, editor, *Fuzzy Logic and the Semantic Web, Capturing Intelligence*, pages 379–393. Elsevier, 2006.
  81. Stamatia Dasiopoulou and Ioannis Kompatsiaris. Trends and issues in description logics frameworks for image interpretation. In *Artificial Intelligence: Theories, Models and Applications, 6th Hellenic Conference on AI*, volume 6040 of *Lecture Notes in Computer Science*, pages 61–70, 2010.
  82. Stamatia Dasiopoulou, Ioannis Kompatsiaris, and Michael G. Strintzis. Applying fuzzy dls in the extraction of image semantics. *Journal of Data Semantics*, 14:105–132, 2009.
  83. Stamatia Dasiopoulou, Ioannis Kompatsiaris, and Michael G. Strintzis. Investigating fuzzy dls-based reasoning in semantic image analysis. *Multimedia Tools and Applications*, 49(1):167–194, August 2010.
  84. M. Denecker, V. Marek, and M. Truszczyński. Approximations, stable operators, well-founded fixpoints and applications in nonmonotonic reasoning. In J. Minker, editor, *Logic-Based Artificial Intelligence*, pages 127–144. Kluwer Academic Publishers, 2000.
  85. M. Denecker, N. Pelov, and M. Bruynooghe. Ultimate well-founded and stable semantics for logic programs with aggregates. In Philippe Codognet, editor, *17th International Conference on Logic Programming*, volume 2237 of *Lecture Notes in Computer Science*, pages 212–226. Springer, 2001.
  86. Marc Denecker, Victor W. Marek, and Mirosław Truszczyński. Uniform semantic treatment of default and autoepistemic logics. In A.G. Cohn, F. Giunchiglia, and B. Selman, editors, *Proceedings of the 7th International Conference on Principles of Knowledge Representation and Reasoning*, pages 74–84. Morgan Kaufman, 2000.
  87. Marc Denecker, Victor W. Marek, and Mirosław Truszczyński. Ultimate approximations. Technical Report CW 320, Katholieke Iniversiteit Leuven, September 2001.
  88. Marc Denecker, Victor W. Marek, and Mirosław Truszczyński. Ultimate approximations in nonmonotonic knowledge representation systems. In D. Fensel, F. Giunchiglia, D. McGuinness, and M. Williams, editors, *Principles of Knowledge*

- Representation and Reasoning: Proceedings of the 8th International Conference*, pages 177–188. Morgan Kaufmann, 2002.
89. Natalia Díaz-Rodríguez, Olmo León-Cadahía, Manuel Pegalajar-Cuéllar, Johan Lilius, and Miguel Delgado. Handling real-world context-awareness, uncertainty and vagueness in real-time human activity tracking and recognition with a fuzzy ontology-based hybrid method. *Sensors*, 14(10):18131–18171, 2014.
  90. Natalia Díaz-Rodríguez, Manuel Pegalajar-Cuéllar, Johan Lilius, and Miguel Delgado. A fuzzy ontology for semantic modelling and recognition of human behaviour. *Knowledge-Based Systems*, 66:46–60, 2014.
  91. Dzung Dinh-Khac, Steffen Hölldobler, and Dinh-Khang Tran. The fuzzy linguistic description logic  $\mathcal{ALC}_{FL}$ . In *Proceedings of the 11th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-06)*, pages 2096–2103. E.D.K., Paris, 2006.
  92. Didier Dubois, Jerome Mengin, and Henri Prade. Possibilistic uncertainty and fuzzy features in description logic. A preliminary discussion. In Elie Sanchez, editor, *Capturing Intelligence: Fuzzy Logic and the Semantic Web*. Elsevier, 2006.
  93. Didier Dubois and Henri Prade. *Fuzzy Sets and Systems*. Academic Press, 1980.
  94. Didier Dubois and Henri Prade. Can we enforce full compositionality in uncertainty calculi? In *Proceedings of the 12th National Conference on Artificial Intelligence (AAAI-94)*, pages 149–154, Seattle, Washington, 1994.
  95. Didier Dubois and Henri Prade. Possibility theory, probability theory and multiple-valued logics: A clarification. *Annals of Mathematics and Artificial Intelligence*, 32(1-4):35–66, 2001.
  96. Rafee Ebrahim. Fuzzy logic programming. *Fuzzy Sets and Systems*, 117(2):215–230, 2001.
  97. Markus Eich, Ronny Hartanto, Sebastian Kasperski, Sankaranarayanan Nataraajan, and Johannes Wollenberg. Towards coordinated multirobot missions for lunar sample collection in an unknown environment. *Journal of Field Robotics*, 31(1):35–74, 2014.
  98. Thomas Eich. An application of fuzzy dl-based semantic perception to soil container classification. In *IEEE International Conference on Technologies for Practical Robot Applications (TePRA-13)*, pages 1–6. IEEE Press, 2013.
  99. Carles Fernández. *Understanding image sequences: the role of ontologies in cognitive vision systems*. PhD thesis, Universitat Autònoma de Barcelona, Spain, 2010.
  100. Umberto Straccia Fernando Bobillo. Reducing the size of the optimization problems in fuzzy ontology reasoning. In *Proceedings of the 11th International Workshop on Uncertainty Reasoning for the Semantic Web (URSW-15)*, volume 1479 of *CEUR Workshop Proceedings*, pages 54–59. CEUR-WS.org, 2015.
  101. Fire. <http://www.image.ece.ntua.gr/~nsimou/FiRE/>.
  102. M. C. Fitting. The family of stable models. *Journal of Logic Programming*, 17:197–225, 1993.
  103. M. C. Fitting. Fixpoint semantics for logic programming - a survey. *Theoretical Computer Science*, 21(3):25–51, 2002.
  104. Melvin Fitting. A Kripke-Kleene-semantics for general logic programs. *Journal of Logic Programming*, 2:295–312, 1985.
  105. Melvin Fitting. Pseudo-Boolean valued Prolog. *Studia Logica*, XLVII(2):85–91, 1987.
  106. Melvin Fitting. Bilattices and the semantics of logic programming. *Journal of Logic Programming*, 11:91–116, 1991.

107. Fuzzy OWL 2 Web Ontology Language . <http://www.straccia.info/software/FuzzyOWL/>. ISTI - CNR, 2011.
108. Mingxia Gao and Chunnian Liu. Extending OWL by fuzzy description logic. In *Proceedings of the 17th IEEE International Conference on Tools with Artificial Intelligence (ICTAI-05)*, pages 562–567, Washington, DC, USA, 2005. IEEE Computer Society.
109. Dusan Guller. Procedural semantics for fuzzy disjunctive programs. In Matthias Baaz and Andrei Voronkov, editors, *Logic for Programming, Artificial Intelligence, and Reasoning 9th International Conference, LPAR 2002, Tbilisi, Georgia, October 14-18, 2002, Proceedings*, volume 2514 of *Lecture Notes in Computer Science*, pages 247–261. Springer, 2002.
110. Dusan Guller. Semantics for fuzzy disjunctive programs with weak similarity. In Ajith Abraham and Mario Köppen, editors, *Hybrid Information Systems, First International Workshop on Hybrid Intelligent Systems, Adelaide, Australia, December 11-12, 2001, Proceedings*, Advances in Soft Computing, pages 285–299. Physica-Verlag, 2002.
111. Volker Haarslev, Hsueh-Ieng Pai, and Nematollaah Shiri. Optimizing tableau reasoning in alc extended with uncertainty. In *Proceedings of the 2007 International Workshop on Description Logics (DL-07)*, 2007.
112. Hashim Habiballa. Resolution strategies for fuzzy description logic. In *Proceedings of the 5th Conference of the European Society for Fuzzy Logic and Technology (EUSFLAT-07)*, volume 2, pages 27–36, 2007.
113. Reiner Hähnle. Uniform notation of tableaux rules for multiple-valued logics. In *Proceedings of the International Symposium on Multiple-Valued Logic*, pages 238–245. IEEE Press, Los Alamitos, 1991.
114. Reiner Hähnle. Advanced many-valued logics. In Dov M. Gabbay and F. Guenther, editors, *Handbook of Philosophical Logic, 2nd Edition*, volume 2. Kluwer, Dordrecht, Holland, 2001.
115. Petr Hájek. *Metamathematics of Fuzzy Logic*. Kluwer, 1998.
116. Petr Hájek. Making fuzzy description logics more general. *Fuzzy Sets and Systems*, 154(1):1–15, 2005.
117. Petr Hájek. What does mathematical fuzzy logic offer to description logic? In Elie Sanchez, editor, *Fuzzy Logic and the Semantic Web, Capturing Intelligence*, chapter 5, pages 91–100. Elsevier, 2006.
118. C.J. Hinde. Fuzzy prolog. *International Journal Man.-Machine Studies*, 24:569–595, 1986.
119. Steffen Hölldobler, Tran Dinh Khang, and Hans-Peter Störr. A fuzzy description logic with hedges as concept modifiers. In Nguyen Hoang Phuong, Hung T. Nguyen, Nguyen Cat Ho, and Pratit Santiprabhob, editors, *Proceedings In-Tech/VJFuzzy'2002*, pages 25–34, Hanoi, Vietnam, 2002. Institute of Information Technology, Vietnam Center for Natural Science and Technology, Science and Technics Publishing House, Hanoi, Vietnam.
120. Steffen Hölldobler, Nguyen Hoang Nga, and Tran Dinh Khang. The fuzzy description logic  $\mathcal{ALC}_{FH}$ . In *Proceedings of the International Workshop on Description Logics (DL-05)*, 2005.
121. Steffen Hölldobler, Hans-Peter Störr, and Tran Dinh Khang. The fuzzy description logic  $\mathcal{ALC}_{FH}$  with hedge algebras as concept modifiers. *Journal of Advanced Computational Intelligence*, 2003.
122. Steffen Hölldobler, Hans-Peter Störr, and Tran Dinh Khang. A fuzzy description logic with hedges and concept modifiers. In *Proceedings of the 10th Interna-*

- tional Conference on Information Processing and Managment of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, 2004.
123. Steffen Hölldobler, Hans-Peter Störr, and Tran Dinh Khang. The subsumption problem of the fuzzy description logic  $\mathcal{ALC}_{FH}$ . In *Proceedings of the 10th International Conference on Information Processing and Managment of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, 2004.
  124. <http://ruleml.org/index.html>. The rule markup initiative.
  125. Giovambattista Ianni, Thomas Krennwallner, Alessandra Martello, and Axel Polleres. A rule system for querying persistent RDFS data. In *The Semantic Web: Research and Applications, 6th European Semantic Web Conference (ESWC-2009)*, pages 857–862, 2009.
  126. Josué Iglesias and Jens Lehmann. Towards integrating fuzzy logic capabilities into an ontology-based inductive logic programming framework. In *Proceedings of the 11th International Conference on Intelligent Systems Design and Applications (ISDA 2011)*, pages 1323–1328, 2011.
  127. Mitsuru Ishizuka and Naoki Kanai. Prolog-ELF: incorporating fuzzy logic. In *Proceedings of the 9th International Joint Conference on Artificial Intelligence (IJCAI-85)*, pages 701–703, Los Angeles, CA, 1985.
  128. Yuncheng Jiang, Hai Liu, Yong Tang, and Qimai Chen. Semantic decision making using ontology-based soft sets. *Mathematical and Computer Modelling*, 53(5–6):1140–1149, 2011.
  129. Yuncheng Jiang, Yong Tang, Qimai Chen, Ju Wang, and Suqin Tang. Extending soft sets with description logics. *Computers & Mathematics with Applications*, 59(6):2087–2096, 2010.
  130. Yuncheng Jiang, Yong Tang, Ju Wang, Peimin Deng, and Suqin Tang. Expressive fuzzy description logics over lattices. *Knowledge-Based Systems*, 23:150–161, March 2010.
  131. Yuncheng Jiang, Yong Tang, Ju Wang, and Suqin Tang. Reasoning within intuitionistic fuzzy rough description logics. *Information Sciences*, 179(2362–2378), 2009.
  132. Yuncheng Jiang, Yong Tang, Ju Wang, and Suqin Tang. Representation and reasoning of context-dependant knowledge in distributed fuzzy ontologies. *Expert Systems with Applications*, 37(8):6052–6060, 2010.
  133. Yuncheng Jiang, Ju Wang, Peimin Deng, and Suqin Tang. Reasoning within expressive fuzzy rough description logics. *Fuzzy Sets and Systems*, 2009.
  134. Yuncheng Jiang, Ju Wang, Suqin Tang, and Bao Xiao. Reasoning with rough description logics: An approximate concepts approach. *Information Sciences*, 179(5):600–612, 2009.
  135. Dazhou Kang, Baowen Xu, Jianjiang Lu, and Yanhui Li. Reasoning for a fuzzy description logic with comparison expressions. In *Proceedings of the International Workshop on Description Logics (DL-06)*. CEUR Workshop Proceedings, 2006.
  136. M.A. Khamsi and D. Misane. Disjunctive signed logic programs. *Fundamenta Informaticae*, 32:349–357, 1996.
  137. M.A. Khamsi and D. Misane. Fixed point theorems in logic programming. *Annals of Mathematics and Artificial Intelligence*, 21:231–243, 1997.
  138. M. Kifer and Ai Li. On the semantics of rule-based expert systems with uncertainty. In *Proceedings of the International Conference on Database Theory (ICDT-88)*, volume 326 of *Lecture Notes in Computer Science*, pages 102–117. Springer-Verlag, 1988.

139. Michael Kifer and V.S. Subrahmanian. Theory of generalized annotated logic programming and its applications. *Journal of Logic Programming*, 12:335–367, 1992.
140. Frank Klawonn and Rudolf Kruse. A Lukasiewicz logic based Prolog. *Mathware & Soft Computing*, 1(1):5–29, 1994.
141. Erich Peter Klement, Radko Mesiar, and Endre Pap. *Triangular Norms*. Trends in Logic - Studia Logica Library. Kluwer Academic Publishers, 2000.
142. George J. Klir and Bo Yuan. *Fuzzy sets and fuzzy logic: theory and applications*. Prentice-Hall, Inc., Upper Saddle River, NJ, USA, 1995.
143. Stasinios Konstantopoulos and Georgios Apostolikas. Fuzzy-dl reasoning over unknown fuzzy degrees. In *Proceedings of the 2007 OTM Confederated international conference on On the move to meaningful internet systems - Volume Part II, OTM-07*, pages 1312–1318, Berlin, Heidelberg, 2007. Springer-Verlag.
144. Stasinios Konstantopoulos, Vangelis Karkaletsis, and Dimitris Bilidas. An intelligent authoring environment for abstract semantic representations of cultural object descriptions. In *Proceedings of the EACL 2009 Workshop on Language Technology and Resources for Cultural Heritage, Social Sciences, Humanities, and Education (LaTeCHSHELLT&R 2009)*, pages 10–17, 2009.
145. Peter Kulmann and Sandra Sandri. An annotated logic theorem prover for an extended possibilistic logic. *Fuzzy Sets and Systems*, 144:67–91, 2004.
146. Laks Lakshmanan. An epistemic foundation for logic programming with uncertainty. In *Foundations of Software Technology and Theoretical Computer Science*, volume 880 of *Lecture Notes in Computer Science*, pages 89–100. Springer-Verlag, 1994.
147. Laks V.S. Lakshmanan and Fereidoon Sadri. Uncertain deductive databases: a hybrid approach. *Information Systems*, 22(8):483–508, 1997.
148. Laks V.S. Lakshmanan and Nematollaah Shiri. A parametric approach to deductive databases with uncertainty. *IEEE Transactions on Knowledge and Data Engineering*, 13(4):554–570, 2001.
149. Chang-Shing Lee, Zhi-Wei Jian, and Lin-Kai Huang. A fuzzy ontology and its application to news summarization. *IEEE Transactions on Systems, Man and Cybernetics, Part B*, 35(5):859–880, 2005.
150. Chang-Shing Lee, M. H. Wang, and H. Hagrais. A type-2 fuzzy ontology and its application to personal diabetic-diet recommendation. *IEEE Transactions on Fuzzy Systems*, 18(2):374–395, 2010.
151. Ioan A. Letia and Adrian Groza. Modelling imprecise arguments in description logic. *Advances in Electrical and Computer Engineering*, 9(3):94–99, 2009.
152. Francesca A. Lisi and Umberto Straccia. A logic-based computational method for the automated induction of fuzzy ontology axioms. *Fundamenta Informaticae*, 124(4):503–519, 2013.
153. Francesca A. Lisi and Umberto Straccia. A system for learning GCI axioms in fuzzy description logics. In *Proceedings of the 26th International Workshop on Description Logics (DL-13)*, volume 1014 of *CEUR Workshop Proceedings*, pages 760–778. CEUR-WS.org, 2013.
154. Francesca A. Lisi and Umberto Straccia. Can ilp deal with incomplete and vague structured knowledge? In Stephen H. Muggleton and Hiroaki Watanabe, editors, *Latest Advances in Inductive Logic Programming*, chapter 21, pages 199–206. World Scientific, 2014.
155. Francesca A. Lisi and Umberto Straccia. Learning in description logics with fuzzy concrete domains. *Fundamenta Informaticae*, 140(3-4):373–391, 2015.

156. Francesca Alessandra Lisi and Umberto Straccia. An inductive logic programming approach to learning inclusion axioms in fuzzy description logics. In *26th Italian Conference on Computational Logic (CILC-11)*, volume 810, pages 57–71. CEUR Electronic Workshop Proceedings, 2011.
157. Francesca Alessandra Lisi and Umberto Straccia. Towards learning fuzzy dl inclusion axioms. In *9th International Workshop on Fuzzy Logic and Applications (WILF-11)*, volume 6857 of *Lecture Notes in Computer Science*, pages 58–66, Berlin, 2011. Springer Verlag.
158. Francesca Alessandra Lisi and Umberto Straccia. Dealing with incompleteness and vagueness in inductive logic programming. In *28th Italian Conference on Computational Logic (CILC-13)*, volume 1068, pages 179–193. CEUR Electronic Workshop Proceedings, 2013.
159. Francesca Alessandra Lisi and Umberto Straccia. A foil-like method for learning under incompleteness and vagueness. In *23rd International Conference on Inductive Logic Programming*, volume 8812 of *Lecture Notes in Artificial Intelligence*, pages 123–139, Berlin, 2014. Springer Verlag. Revised Selected Papers.
160. Chunchen Liu, Dayou Liu, and Shengsheng Wang. Situation modeling and identifying under uncertainty. In *Proceedings of the 2nd Pacific-Asia Conference on Circuits, Communications and System (PACCS 2010)*, pages 296–299, 2010.
161. Chunchen Liu, Dayou Liu, and Shengsheng Wang. Fuzzy geospatial information modeling in geospatial semantic retrieval. *Advances in Mathematical and Computational Methods*, 2(4):47–53, 2012.
162. Ou Liu, Qijian Tian, and Jian Ma. A fuzzy description logic approach to model management in R&D project selection. In *Proceedings of the 8th Pacific Asia Conference on Information Systems (PACIS-04)*, 2004.
163. John W. Lloyd. *Foundations of Logic Programming*. Springer, Heidelberg, RG, 1987.
164. Nuno Lopes, Axel Polleres, Umberto Straccia, and Antoine Zimmermann. AnQL: SPARQLing up annotated RDF. In *Proceedings of the International Semantic Web Conference (ISWC-10)*, volume 6496 of *Lecture Notes in Computer Science*, pages 518–533. Springer-Verlag, 2010.
165. Nuno Lopes, Antoine Zimmermann, Aidan Hogan, Gergely Lukacsy, Axel Polleres, Umberto Straccia, and Stefan Decker. Rdf needs annotations. In *Proceedings of W3C Workshop — RDF Next Steps*, <http://www.w3.org/2009/12/rdf-ws/>, 2010.
166. Yann Loyer and Umberto Straccia. Uncertainty and partial non-uniform assumptions in parametric deductive databases. In *Proceedings of the 8th European Conference on Logics in Artificial Intelligence (JELIA-02)*, volume 2424 of *Lecture Notes in Computer Science*, pages 271–282, Cosenza, Italy, 2002. Springer-Verlag.
167. Yann Loyer and Umberto Straccia. The well-founded semantics in normal logic programs with uncertainty. In *Proceedings of the 6th International Symposium on Functional and Logic Programming (FLOPS-2002)*, volume 2441 of *Lecture Notes in Computer Science*, pages 152–166, Aizu, Japan, 2002. Springer-Verlag.
168. Yann Loyer and Umberto Straccia. The approximate well-founded semantics for logic programs with uncertainty. In *28th International Symposium on Mathematical Foundations of Computer Science (MFCS-2003)*, volume 2747 of *Lecture Notes in Computer Science*, pages 541–550, Bratislava, Slovak Republic, 2003. Springer-Verlag.
169. Yann Loyer and Umberto Straccia. Default knowledge in logic programs with uncertainty. In *Proceedings of the 19th International Conference on Logic Pro-*

- gramming (*ICLP-03*), volume 2916 of *Lecture Notes in Computer Science*, pages 466–480, Mumbai, India, 2003. Springer Verlag.
170. Yann Loyer and Umberto Straccia. Epistemic foundation of the well-founded semantics over bilattices. In *29th International Symposium on Mathematical Foundations of Computer Science (MFCS-2004)*, volume 3153 of *Lecture Notes in Computer Science*, pages 513–524, Bratislava, Slovak Republic, 2004. Springer Verlag.
  171. Yann Loyer and Umberto Straccia. Any-world assumptions in logic programming. *Theoretical Computer Science*, 342(2-3):351–381, 2005.
  172. Yann Loyer and Umberto Straccia. Epistemic foundation of stable model semantics. *Journal of Theory and Practice of Logic Programming*, 6:355–393, 2006.
  173. James J. Lu. Logic programming with signs and annotations. *Journal of Logic and Computation*, 6(6):755–778, 1996.
  174. James J. Lu, Jacques Calmet, and Joachim Schü. Computing multiple-valued logic programs. *Mathware & Soft Computing*, 2(4):129–153, 1997.
  175. Thomas Lukasiewicz. Fuzzy description logic programs under the answer set semantics for the semantic web. In *Second International Conference on Rules and Rule Markup Languages for the Semantic Web (RuleML-06)*, pages 89–96. IEEE Computer Society, 2006.
  176. Thomas Lukasiewicz. Fuzzy description logic programs under the answer set semantics for the semantic web. *Fundamenta Informaticae*, 82(3):289–310, 2008.
  177. Thomas Lukasiewicz and Umberto Straccia. Description logic programs under probabilistic uncertainty and fuzzy vagueness. In *Proceedings of the 9th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU-07)*, volume 4724 of *Lecture Notes in Computer Science*, pages 187–198. Springer Verlag, 2007.
  178. Thomas Lukasiewicz and Umberto Straccia. Tightly integrated fuzzy description logic programs under the answer semantics for the semantic web. In *Proceedings of the First International Conference on Web Reasoning and Rule Systems (RR-07)*, volume 4524 of *Lecture Notes in Computer Science*, pages 289–298. Springer Verlag, 2007.
  179. Thomas Lukasiewicz and Umberto Straccia. Tightly integrated fuzzy description logic programs under the answer semantics for the semantic web. INFSYS RESEARCH REPORT 1843-07-03, INSTITUT FÜR INFORMATIONSSYSTEME ARBEITSBEREICH WISSENSBASIERTE SYSTEME, Technische Universität Wien, 2007.
  180. Thomas Lukasiewicz and Umberto Straccia. Top-k retrieval in description logic programs under vagueness for the semantic web. In *Proceedings of the 1st International Conference on Scalable Uncertainty Management (SUM-07)*, volume 4772 of *Lecture Notes in Computer Science*, pages 16–30. Springer Verlag, 2007.
  181. Thomas Lukasiewicz and Umberto Straccia. Managing uncertainty and vagueness in description logics for the semantic web. *Journal of Web Semantics*, 6:291–308, 2008.
  182. Thomas Lukasiewicz and Umberto Straccia. Tightly coupled fuzzy description logic programs under the answer set semantics for the semantic web. *International Journal on Semantic Web and Information Systems*, 4(3):68–89, 2008.
  183. Thomas Lukasiewicz and Umberto Straccia. Description logic programs under probabilistic uncertainty and fuzzy vagueness. *International Journal of Approximate Reasoning*, 50(6):837–853, 2009.



184. Thomas Lukasiewicz and Umberto Straccia. Tightly integrated fuzzy description logic programs under the answer semantics for the semantic web. In Miltiadis Lytras & Amith Sheth, editor, *Progressive Concepts for Semantic Web Evolution: Applications and Developments*, chapter 11, pages 237–256. IGI Global, 2010.
185. Nicolas Madrid and Umberto Straccia. Towards a top-k retrieval for non-monotonic ranking functions. In *In Proceedings of the 10th International Conference on Flexible Query Answering Systems (FQAS-13)*, volume 8132 of *Lecture Notes in Artificial Intelligence*, pages 507–518. Springer Verlag, 2013.
186. P. Magrez and P. Smets. Fuzzy modus ponens: a new model suitable for applications in knowledge-based systems. *International Journal of Intelligent Systems*, 4:181–200, 1989.
187. Theofilos P. Mailis, Giorgos Stoilos, and Giorgos B. Stamou. Expressive reasoning with horn rules and fuzzy description logics. In *Proceedings of the First International Conference on Web Reasoning and Rule Systems (RR-07)*, volume 4524 of *Lecture Notes in Computer Science*, pages 43–57, 2007.
188. Zoran Majkic. Coalgebraic semantics for logic programs. In *18th Workshop on (Constraint) Logic Programming (WCLP-05)*, Ulm, Germany, 2004.
189. Zoran Majkic. Many-valued intuitionistic implication and inference closure in a bilattice-based logic. In *35th International Symposium on Multiple-Valued Logic (ISMVL-05)*, pages 214–220, 2005.
190. Zoran Majkic. Truth and knowledge fixpoint semantics for many-valued logic programming. In *19th Workshop on (Constraint) Logic Programming (WCLP-05)*, pages 76–87, Ulm, Germany, 2005.
191. V. W. Marek and M. Truszczyński. Logic programming with costs. Technical report, University of Kentucky, 2000. Available at <ftp://al.cs.engr.uky.edu/cs/manuscripts/lp-costs.ps>.
192. Draltan Marin. A formalization of rdf. Technical Report TR/DCC-2006-8, Department of Computer Science, Universidad de Chile, <http://www.dcc.uchile.cl/cgutierrez/ftp/draltan.pdf>, 2004.
193. T. P. Martin, J. F. Baldwin, and B. W. Pilsworth. The implementation of FProlog – a fuzzy prolog interpreter. *Fuzzy Sets and Systems*, 23(1):119–129, 1987.
194. Carmen Martínez-Cruz, Albert van der Heide, Daniel Sánchez, and Gracian Triviño. An approximation to the computational theory of perceptions using ontologies. *Expert Systems with Applications*, 39(10), 2012.
195. Cristinel Mateis. Extending disjunctive logic programming by t-norms. In *Proceedings of the 5th International Conference on Logic Programming and Nonmonotonic Reasoning (LPNMR-99)*, volume 1730 of *Lecture Notes in Computer Science*, pages 290–304. Springer-Verlag, 1999.
196. Cristinel Mateis. Quantitative disjunctive logic programming: Semantics and computation. *AI Communications*, 13:225–248, 2000.
197. Jesús Medina and Manuel Ojeda-Aciego. Multi-adjoint logic programming. In *Proceedings of the 10th International Conference on Information Processing and Managment of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, pages 823–830, 2004.
198. Jesús Medina, Manuel Ojeda-Aciego, and Peter Vojtás. Multi-adjoint logic programming with continuous semantics. In *Proceedings of the 6th International Conference on Logic Programming and Nonmonotonic Reasoning (LPNMR-01)*, volume 2173 of *Lecture Notes in Artificial Intelligence*, pages 351–364. Springer Verlag, 2001.

199. Jesús Medina, Manuel Ojeda-Aciego, and Peter Vojtás. A procedural semantics for multi-adjoint logic programming. In *Proceedings of the 10th Portuguese Conference on Artificial Intelligence on Progress in Artificial Intelligence, Knowledge Extraction, Multi-Agent Systems, Logic Programming and Constraint Solving*, pages 290–297. Springer-Verlag, 2001.
200. Jesús Medina, Manuel Ojeda-Aciego, and Peter Vojtás. Similarity-based unification: a multi-adjoint approach. *Fuzzy sets and systems*, 1(146):43–62, 2004.
201. Carlo Meghini, Fabrizio Sebastiani, and Umberto Straccia. A model of multimedia information retrieval. *Journal of the ACM*, 48(5):909–970, 2001.
202. P. S. Mostert and A. L. Shields. On the structure of semigroups on a compact manifold with boundary. *Annals of Mathematics*, 65:117–143, 1957.
203. M. Mukaidono. Foundations of fuzzy logic programming. In *Advances in Fuzzy Systems – Application and Theory*, volume 1. World Scientific, Singapore, 1996.
204. M. Mukaidono, Z. Shen, and L. Ding. Fundamentals of fuzzy prolog. *International Journal of Approximate Reasoning*, 3(2):179–193, 1989.
205. Sergio Muñoz, Jorge Pérez, and Claudio Gutiérrez. Minimal deductive systems for RDF. In *4th European Semantic Web Conference (ESWC-07)*, volume 4519 of *Lecture Notes in Computer Science*, pages 53–67. Springer Verlag, 2007.
206. OWL Web Ontology Language overview. <http://www.w3.org/TR/owl-features/>. W3C, 2004.
207. OWL 2 Web Ontology Language Document Overview. <http://www.w3.org/TR/2009/REC-owl2-overview-20091027/>. W3C, 2009.
208. Jeff Z. Pan, Giorgos Stamou, Giorgos Stoilos, and Edward Thomas. Expressive querying over fuzzy DL-Lite ontologies. In *Twentieth International Workshop on Description Logics*, 2007.
209. Leonard Paulik. Best possible answer is computable for fuzzy SLD-resolution. In Petr Hajék, editor, *Gödel 96: Logical Foundations of Mathematics, Computer Science, and Physics*, volume 6 of *Lecture Notes in Logic*, pages 257–266. Springer Verlag, 1996.
210. Ignacio J. Pérez, Robin Wikström, József Mezei, Christer Carlsson, and Enrique Herrera-Viedma. A new consensus model for group decision making using fuzzy ontology. *Soft Computing*, 17(9):1617–1627, 2013.
211. Thanh Tho Quan, Siu Cheung Hui, and Alvis Cheuk M. Fong. Automatic fuzzy ontology generation for semantic help-desk support. *IEEE Transactions on Industrial Informatics*, 2(3):155–164, 2006.
212. Thanh Tho Quan, Siu Cheung Hui, Alvis Cheuk M. Fong, and Tru Hoang Cao. Automatic fuzzy ontology generation for semantic web. *IEEE Transactions on Knowledge and Data Engineering*, 18(6):842–856, 2006.
213. Azzurra Ragone, Umberto Straccia, Fernando Bobillo, Tommaso Di Noia, and Eugenio Di Sciascio. Fuzzy bilateral matchmaking in e-marketplaces. In *12th International Conference on Knowledge-Based & Intelligent Information & Engineering Systems - KES2008*, volume 5179 of *Lecture Notes in Artificial Intelligence*, pages 293–301. Springer, 2008.
214. Azzurra Ragone, Umberto Straccia, Tommaso Di Noia, Eugenio Di Sciascio, and Francesco M. Donini. Extending datalog for matchmaking in p2p e-marketplaces. In Michelangelo Ceci, Donato Malerba, and Letizia Tanca, editors, *15th Italian Symposium on Advanced Database Systems (SEBD-07)*, pages 463–470, 2007.
215. Azzurra Ragone, Umberto Straccia, Tommaso Di Noia, Eugenio Di Sciascio, and Francesco M. Donini. Vague knowledge bases for matchmaking in p2p e-marketplaces. In *4th European Semantic Web Conference (ESWC-07)*, volume 4519 of *Lecture Notes in Computer Science*, pages 414–428. Springer Verlag, 2007.

216. Azzurra Ragone, Umberto Straccia, Tommaso Di Noia, Eugenio Di Sciascio, and Francesco M. Donini. Towards a fuzzy logic for automated multi-issue negotiation. In *Proceedings of the 5th International Symposium on Foundations of Information and Knowledge Systems (FoIKS-08)*, volume 4932 of *Lecture Notes in Computer Science*, pages 381–396. Springer Verlag, 2008.
217. Azzurra Ragone, Umberto Straccia, Tommaso Di Noia, Eugenio Di Sciascio, and Francesco M. Donini. Fuzzy matchmaking in e-marketplaces of peer entities using Datalog. *Fuzzy Sets and Systems*, 160(2):251–268, 2009.
218. RDF Semantics. <http://www.w3.org/TR/rdf-mt/>. W3C, 2004.
219. Paul C. Rhodes and Sabah Merad Menani. Towards a fuzzy logic programming system: a clausal form fuzzy logic. *Knowledge-Based Systems*, 8(4):174–182, 1995.
220. James A. Rodger. A fuzzy linguistic ontology payoff method for aerospace real options valuation. *Expert Systems with Applications*, 40(8), 2013.
221. Natalia Díaz Rodríguez, M. P. Cuéllar, Johan Lilius, and Miguel Delgado Calvo-Flores. A survey on ontologies for human behavior recognition. *ACM Computing Surveys*, 46(4):43:1–43:33, March 2014.
222. William C. Rounds and Guo-Qiang Zhang. Clausal logic and logic programming in algebraic domains. *Information and Computation*, 171:183–200, 2001.
223. Rule Interchange Format (RIF). <http://www.w3.org/2001/sw/wiki/RIF>. W3C, 2011.
224. Daniel Sanchez and Andrea G.B. Tettamanzi. Generalizing quantification in fuzzy description logics. In *Proceedings 8th Fuzzy Days in Dortmund*, 2004.
225. Daniel Sanchez and Andrea G.B. Tettamanzi. Reasoning and quantification in fuzzy description logics. In *International Workshop on Fuzzy Logic and Applications (WILF-05)*, volume 3849 of *Lecture Notes in Artificial Intelligence*, pages 81–88, 2005.
226. Daniel Sanchez and Andrea G.B. Tettamanzi. Fuzzy quantification in fuzzy description logics. In Elie Sanchez, editor, *Capturing Intelligence: Fuzzy Logic and the Semantic Web*. Elsevier, 2006.
227. Elie Sanchez, editor. *Fuzzy Logic and the Semantic Web*, volume 1 of *Capturing Intelligence*. Elsevier Science, 2006.
228. Michael Schroeder and Ralf Schweimeier. Fuzzy argumentation and extended logic programming. In *Proceedings of ECSQARU Workshop Adventures in Argumentation*, 2001.
229. Michael Schroeder and Ralf Schweimeier. Arguments and misunderstandings: Fuzzy unification for negotiating agents. In *Proceedings of the ICLP Workshop CLIMA02*. Elsevier, 2002.
230. Michael Schroeder and Ralf Schweimeier. Fuzzy unification and argumentation for well-founded semantics. In *Proceedings of the Conference on Current Trends in Theory and Practice of Informatics (SOFSEM-04)*, volume 2932 of *Lecture Notes in Computer Science*, pages 102–121. Springer Verlag, 2004.
231. Maria I. Sessa. Approximate reasoning by similarity-based sld resolution. *Theoretical Computer Science*, 275:389–426, 2002.
232. Ehud Y. Shapiro. Logic programs with uncertainties: A tool for implementing rule-based systems. In *Proceedings of the 8th International Joint Conference on Artificial Intelligence (IJCAI-83)*, pages 529–532, 1983.
233. Zuliang Shen, Liya Ding, and Masao Mukaidono. *Fuzzy Computing*, chapter A Theoretical Framework of Fuzzy Prolog Machine, pages 89–100. Elsevier Science Publishers B.V., 1988.

234. Václav Slavíček. An ontology-driven fuzzy workflow system. In *Proceedings of the 39th International Conference on Current Trends in Theory and Practice of Computer Science (SOFSEM 2013)*, volume 7741 of *Lecture Notes in Computer Science*, pages 515–527. Springer, 2013.
235. G. Stoilos, G. Stamou, and J. Z. Pan. Fuzzy extensions of OWL: Logical properties and reduction to fuzzy description logics. *International Journal of Approximate Reasoning*, 51(6):656–679, July 2010.
236. George Stoilos and Giorgos Stamou. Extending fuzzy description logics for the semantic web. In *3rd International Workshop of OWL: Experiences and Directions*, 2007.
237. George Stoilos, Giorgos Stamou, Jeff Pan, Vassilis Tzouvaras, and Ian Horrocks. The fuzzy description logic f-SHIN. In *International Workshop on Uncertainty Reasoning For the Semantic Web*, 2005.
238. Giorgos Stoilos, Nikolaos Simou, Giorgos Stamou, and Stefanos Kollias. Uncertainty and the semantic web. *IEEE Intelligent Systems*, 21(5):84–87, 2006.
239. Giorgos Stoilos, Giorgos Stamou, Vassilis Tzouvaras, Jeff Z. Pan, and Ian Horrocks. A Fuzzy Description Logic for Multimedia Knowledge Representation. In *Proceedings of the International Workshop on Multimedia and the Semantic Web*, 2005.
240. Giorgos Stoilos, Giorgos B. Stamou, Jeff Z. Pan, Vassilis Tzouvaras, and Ian Horrocks. Reasoning with very expressive fuzzy description logics. *Journal of Artificial Intelligence Research*, 30:273–320, 2007.
241. Giorgos Stoilos, Umberto Straccia, Giorgos Stamou, and Jeff Z. Pan. General concept inclusions in fuzzy description logics. In *Proceedings of the 17th European Conference on Artificial Intelligence (ECAI-06)*, pages 457–461. IOS Press, 2006.
242. Umberto Straccia. A fuzzy description logic. In *Proceedings of the 15th National Conference on Artificial Intelligence (AAAI-98)*, pages 594–599, Madison, USA, 1998.
243. Umberto Straccia. *Foundations of a Logic Based Approach to Multimedia Document Retrieval*. PhD thesis, Department of Computer Science, University of Dortmund, Dortmund, Germany, June 1999.
244. Umberto Straccia. A framework for the retrieval of multimedia objects based on four-valued fuzzy description logics. In F. Crestani and Gabriella Pasi, editors, *Soft Computing in Information Retrieval: Techniques and Applications*, pages 332–357. Physica Verlag (Springer Verlag), Heidelberg, Germany, 2000.
245. Umberto Straccia. Reasoning within fuzzy description logics. *Journal of Artificial Intelligence Research*, 14:137–166, 2001.
246. Umberto Straccia. Transforming fuzzy description logics into classical description logics. In *Proceedings of the 9th European Conference on Logics in Artificial Intelligence (JELIA-04)*, volume 3229 of *Lecture Notes in Computer Science*, pages 385–399, Lisbon, Portugal, 2004. Springer Verlag.
247. Umberto Straccia. Uncertainty in description logics: a lattice-based approach. In *Proceedings of the 10th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, pages 251–258, 2004.
248. Umberto Straccia. Description logics with fuzzy concrete domains. In Fahiem Bachus and Tommi Jaakkola, editors, *21st Conference on Uncertainty in Artificial Intelligence (UAI-05)*, pages 559–567, Edinburgh, Scotland, 2005. AUAI Press.
249. Umberto Straccia. Fuzzy ALC with fuzzy concrete domains. In *Proceedings of the International Workshop on Description Logics (DL-05)*, pages 96–103, Edinburgh, Scotland, 2005. CEUR.

250. Umberto Straccia. Query answering in normal logic programs under uncertainty. In *8th European Conferences on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU-05)*, volume 3571 of *Lecture Notes in Computer Science*, pages 687–700, Barcelona, Spain, 2005. Springer Verlag.
251. Umberto Straccia. Uncertainty management in logic programming: Simple and effective top-down query answering. In Rajiv Khosla, Robert J. Howlett, and Lakhmi C. Jain, editors, *9th International Conference on Knowledge-Based & Intelligent Information & Engineering Systems (KES-05), Part II*, volume 3682 of *Lecture Notes in Computer Science*, pages 753–760, Melbourne, Australia, 2005. Springer Verlag.
252. Umberto Straccia. Annotated answer set programming. In *Proceedings of the 11th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-06)*, pages 1212–1219. E.D.K., Paris, 2006.
253. Umberto Straccia. Answering vague queries in fuzzy DL-Lite. In *Proceedings of the 11th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-06)*, pages 2238–2245. E.D.K., Paris, 2006.
254. Umberto Straccia. Description logics over lattices. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 14(1):1–16, 2006.
255. Umberto Straccia. Fuzzy description logic programs. In *Proceedings of the 11th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-06)*, pages 1818–1825. E.D.K., Paris, 2006.
256. Umberto Straccia. Query answering under the any-world assumption for normal logic programs. In *Proceedings of the 10th International Conference on Principles of Knowledge Representation (KR-06)*, pages 329–339. AAAI Press, 2006.
257. Umberto Straccia. Towards top-k query answering in deductive databases. In *Proceedings of the 2006 IEEE International Conference on Systems, Man and Cybernetics (SMC-06)*, pages 4873–4879. IEEE, 2006.
258. Umberto Straccia. Towards top-k query answering in description logics: the case of DL-Lite. In *Proceedings of the 10th European Conference on Logics in Artificial Intelligence (JELIA-06)*, volume 4160 of *Lecture Notes in Computer Science*, pages 439–451, Liverpool, UK, 2006. Springer Verlag.
259. Umberto Straccia. Uncertainty and description logic programs over lattices. In Elie Sanchez, editor, *Fuzzy Logic and the Semantic Web, Capturing Intelligence*, chapter 7, pages 115–133. Elsevier, 2006.
260. Umberto Straccia. Reasoning in  $\mathcal{L}\text{-SHLIF}$ : an expressive fuzzy description logic under Łukasiewicz semantics. Technical Report TR-2007-10-18, Istituto di Scienza e Tecnologie dell’Informazione, Consiglio Nazionale delle Ricerche, Pisa, Italy, 2007.
261. Umberto Straccia. A top-down query answering procedure for normal logic programs under the any-world assumption. In *Proceedings of the 9th European Conference on Symbolic and Quantitative Approaches to Reasoning with Uncertainty (ECSQARU-07)*, volume 4724 of *Lecture Notes in Computer Science*, pages 115–127. Springer Verlag, 2007.
262. Umberto Straccia. Towards vague query answering in logic programming for logic-based information retrieval. In *World Congress of the International Fuzzy Systems Association (IFSA-07)*, volume 4529 of *Lecture Notes in Computer Science*, pages 125–134, Cancun, Mexico, 2007. Springer Verlag.

263. Umberto Straccia. Fuzzy description logic programs. In C. Marsala B. Bouchon-Meunier, R.R. Yager and M. Rifqi, editors, *Uncertainty and Intelligent Information Systems*, chapter 29, pages 405–418. World Scientific, 2008.
264. Umberto Straccia. Managing uncertainty and vagueness in description logics, logic programs and description logic programs. In *Reasoning Web, 4th International Summer School, Tutorial Lectures*, volume 5224 of *Lecture Notes in Computer Science*, pages 54–103. Springer Verlag, 2008.
265. Umberto Straccia. A minimal deductive system for general fuzzy RDF. In *Proceedings of the 3rd International Conference on Web Reasoning and Rule Systems (RR-09)*, volume 5837 of *Lecture Notes in Computer Science*, pages 166–181. Springer-Verlag, 2009.
266. Umberto Straccia. Multi-criteria decision making in fuzzy description logics: A first step. In *13th International Conference on Knowledge-Based & Intelligent Information & Engineering Systems - KES-09*, volume 5711 of *Lecture Notes in Artificial Intelligence*, pages 79–87. Springer, 2009.
267. Umberto Straccia. Towards spatial reasoning in fuzzy description logics. In *2009 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE-09)*, pages 512–517. IEEE Computer Society, 2009.
268. Umberto Straccia. An ontology mediated multimedia information retrieval system. In *Proceedings of the the 40th International Symposium on Multiple-Valued Logic (ISMVL-10)*, pages 319–324. IEEE Computer Society, 2010.
269. Umberto Straccia. Softfacts: A top-k retrieval engine for ontology mediated access to relational databases. In *Proceedings of the 2010 IEEE International Conference on Systems, Man and Cybernetics (SMC-10)*, pages 4115–4122. IEEE Press, 2010.
270. Umberto Straccia. *Foundations of Fuzzy Logic and Semantic Web Languages*. CRC Studies in Informatics Series. Chapman & Hall, 2013.
271. Umberto Straccia. On the top-k retrieval problem for ontology-based access to databases. In Sławomir Pivert, Olivier; Zadrożny, editor, *Flexible Approaches in Data, Information and Knowledge Management*, volume 497 of *Studies in Computational Intelligence*, chapter 5, pages 95–114. Springer Verlag, 2014.
272. Umberto Straccia and Fernando Bobillo. Mixed integer programming, general concept inclusions and fuzzy description logics. In *Proceedings of the 5th Conference of the European Society for Fuzzy Logic and Technology (EUSFLAT-07)*, volume 2, pages 213–220, Ostrava, Czech Republic, 2007. University of Ostrava.
273. Umberto Straccia and Fernando Bobillo. Mixed integer programming, general concept inclusions and fuzzy description logics. *Mathware & Soft Computing*, 14(3):247–259, 2007.
274. Umberto Straccia, Nuno Lopes, Gergely Lukacsy, and Axel Polleres. A general framework for representing and reasoning with annotated semantic web data. In *Proceedings of the 24th AAAI Conference on Artificial Intelligence (AAAI-10)*, pages 1437–1442. AAAI Press, 2010.
275. Umberto Straccia and Nicolas Madrid. A top-k query answering procedure for fuzzy logic programming. *Fuzzy Sets and Systems*, 205:1–29, 2012.
276. Umberto Straccia and Matteo Mucci. pFOIL-DL: Learning (fuzzy)  $\mathcal{EL}$  concept descriptions from crisp owl data using a probabilistic ensemble estimation. In *Proceedings of the 30th Annual ACM Symposium on Applied Computing (SAC-15)*, pages 345–352, Salamanca, Spain, 2015. ACM.
277. Umberto Straccia, Manuel Ojeda-Aciego, and Carlos V. Damásio. On fixed-points of multi-valued functions on complete lattices and their application to generalized logic programs. *SIAM Journal on Computing*, 8(5):1881–1911, 2009.

278. Umberto Straccia, Eufemia Tinelli, Tommaso Di Noia, Eugenio Di Sciascio, and Simona Colucci. Semantic-based top-k retrieval for competence management. In J. Rauch et al., editor, *Proceedings of the 18th International Symposium on Methodologies for Intelligent Systems (ISMIS-09)*, volume 5722 of *Lecture Notes in Artificial Intelligence*, pages 473–482. Springer Verlag, 2009.
279. Umberto Straccia, Eufemia Tinelli, Tommaso Di Noia, Eugenio Di Sciascio, and Simona Colucci. Top-k retrieval for automated human resource management. In *Proceedings of the 17th Italian Symposium on Advanced Database Systems (SEBD-09)*, pages 161–168, 2009.
280. Umberto Straccia and Giulio Visco. DL-Media: an ontology mediated multimedia information retrieval system. In *Proceedings of the International Workshop on Description Logics (DL-07)*, volume 250, Innsbruck, Austria, 2007. CEUR.
281. Umberto Straccia and Giulio Visco. DLMedia: an ontology mediated multimedia information retrieval system. In *Proceedings of the Fourth International Workshop on Uncertainty Reasoning for the Semantic Web, Karlsruhe, Germany, October 26, (URSW-08)*, volume 423 of *CEUR Workshop Proceedings*. CEUR-WS.org, 2008.
282. V.S. Subramanian. On the semantics of quantitative logic programs. In *Proc. 4th IEEE Symp. on Logic Programming*, pages 173–182. Computer Society Press, 1987.
283. Konstantin Todorov, Céline Hudelot, Adrian Popescu, and Peter Geibel. Fuzzy ontology alignment using background knowledge. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 22(1):75–112, 2014.
284. C. Tresp and R. Molitor. A description logic for vague knowledge. In *Proceedings of the 13th European Conference on Artificial Intelligence (ECAI-98)*, Brighton (England), August 1998.
285. Hudson Turner. Signed logic programs. In Maurice Bruynooghe, editor, *Logic Programming: Proc. of the 1994 International Symposium*, pages 61–75. The MIT Press, 1994.
286. J. D. Ullman. *Principles of Database and Knowledge Base Systems*, volume 1,2. Computer Science Press, Potomac, Maryland, 1989.
287. M.H. van Emden. Quantitative deduction and its fixpoint theory. *Journal of Logic Programming*, 4(1):37–53, 1986.
288. T. Venetis, G. Stoilos, G. Stamou, and S. Kollias. f-DLPs: Extending description logic programs with fuzzy sets and fuzzy logic. In *IEEE International Conference on Fuzzy Systems (Fuzz-IEEE 2007)*, 2007.
289. Peter Vojtás. Fuzzy logic programming. *Fuzzy Sets and Systems*, 124:361–370, 2001.
290. Peter Vojtás and Leonard Paulík. Soundness and completeness of non-classical extended SLD-resolution. In *5th International Workshop on Extensions of Logic Programming (ELP'96)*, volume 1050 of *Lecture Notes in Artificial Intelligence*, pages 289–301, Leipzig, Germany, 1996.
291. Peter Vojtás and Marta Vomlelová. Transformation of deductive and inductive tasks between models of logic programming with imperfect information. In *Proceedings of the 10th International Conference on Information Processing and Management of Uncertainty in Knowledge-Based Systems, (IPMU-04)*, pages 839–846, 2004.
292. Gerd Wagner. Negation in fuzzy and possibilistic logic programs. In T. Martin and F. Arcelli, editors, *Logic programming and Soft Computing*. Research Studies Press, 1998.

293. Manolis Wallace. Ontologies and soft computing in flexible querying. *Control and Cybernetics*, 38(2):481–507, 2009.
294. Hailong Wang, Z. M. Ma, and Junfu Yin. Fresg: A kind of fuzzy description logic reasoner. In *Proceedings of the 20th International Conference on Database and Expert Systems Applications*, DEXA '09, pages 443–450, Berlin, Heidelberg, 2009. Springer-Verlag.
295. XML. <http://www.w3.org/XML/>. W3C.
296. Cristiane A. Yaguinuma, Marilde T. P. Santos, Heloisa A. Camargo, and Marek Reformat. A fml-based hybrid reasoner combining fuzzy ontology and mamdani inference. In *Proceedings of the 22nd IEEE International Conference on Fuzzy Systems (FUZZ-IEEE 2013)*, 2013.
297. Jianjiang Lu Yanhui Li, Baowen Xu and Dazhou Kang. Discrete tableau algorithms for *SHL*. In *Proceedings of the International Workshop on Description Logics (DL-06)*. CEUR, 2006.
298. H. Yasui, Y. Hamada, and M. Mukaidono. Fuzzy prolog based on lukasiewicz implication and bounded product. *IEEE Transactions on Fuzzy Systems*, 2:949–954, 1995.
299. John Yen. Generalizing term subsumption languages to fuzzy logic. In *Proceedings of the 12th International Joint Conference on Artificial Intelligence (IJCAI-91)*, pages 472–477, Sydney, Australia, 1991.
300. L. A. Zadeh. Fuzzy sets. *Information and Control*, 8(3):338–353, 1965.
301. Lei Zhang, Yong Yu, Jian Zhou, ChenXi Lin, and Yin Yang. An enhanced model for searching in semantic portals. In *WWW '05: Proceedings of the 14th international conference on World Wide Web*, pages 453–462, New York, NY, USA, 2005. ACM Press.
302. Zhangquan Zhou, Guilin Qi, Chang Liu, Pascal Hitzler, and Raghava Mutharaju. Reasoning with fuzzy- $\mathcal{EL}^+$  ontologies using mapreduce. In *20th European Conference on Artificial Intelligence (ECAI-12)*, pages 933–934. IOS Press, 2012.
303. Antoine Zimmermann, Nuno Lopes, Axel Polleres, and Umberto Straccia. A general framework for representing, reasoning and querying with annotated semantic web data. *Journal of Web Semantics*, 11:72–95, March 2012.