

The Role of Complexity for Digital Twins of Cities

G. Caldarelli^{*1,2,3,4}, E. Arcaute^{5,6}, M. Barthelemy^{7,8}, M. Batty^{5,6}, C. Gershenson^{9,10}, D. Helbing^{11,12}, S. Mancuso^{4,13}, Y. Moreno^{14,15,16,12}, J.J. Ramasco¹⁷, C. Rozenblat¹⁸, A. Sánchez^{14,19} and J.L. Fernández-Villacañas²⁰

¹DSMN University of Venice Ca'Foscari, Via Torino 155, 30171 Venezia Mestre, Italy.

²ISC-CNR, Dipartimento di Fisica Univ. Sapienza, Rome, Italy.

³London Institute for Mathematical Sciences, London, UK.

⁴Fondazione per il futuro delle città Florence, Italy.

⁵CASA, The Bartlett Centre for Advanced Spatial Analysis, UCL, 90 Tottenham Court Road, London W1T 4TJ, UK.

⁶The Alan Turing Institute, The British Library, 96 Euston Road. London N1A 2DB, UK.

⁷Université Paris-Saclay, CNRS, CEA, Institut de Physique Théorique, 91191 Gif-sur-Yvette, France.

⁸Centre d'Analyse et de Mathématique Sociales CAMS, UMR 8557 CNRS-EHESS, Ecole des Hautes Etudes en Sciences Sociales, 54 bd. Raspail, 75006 Paris, France.

⁹Universidad Nacional Autónoma de México, Mexico City, Mexico.

¹⁰Santa Fe Institute, 1399 Hyde Park Rd., Santa Fe, NM 87501, USA.

¹¹ETH Zurich, Computational Social Science, Switzerland.

¹²Complexity Science Hub, Vienna, Austria.

¹³LINV, Department of Plant, Soil and Environmental Science, University of Florence, Italy.

¹⁴Institute for Biocomputation and Physics of Complex Systems (BIFI), University of Zaragoza, Zaragoza, Spain.

¹⁵Department of Theoretical Physics, Faculty of Sciences, University of Zaragoza, Zaragoza, Spain.

¹⁶CENTAI Institute, Turin, 10138 Italy.

¹⁷Instituto de Física Interdisciplinar y Sistemas Complejos IFISC (CSIC-UIB), Palma de Mallorca, Spain.

¹⁸Institute of Geography and sustainability, UNIL, Lausanne, Switzerland.

¹⁹Grupo Interdisciplinar de Sistemas Complejos (GISC), Departamento de Matematicas, Universidad Carlos III de Madrid, Spain.

²⁰Technologies for Smart Communities, DG CNECT, European Commission .

*Guido.Caldarelli@unive.it.

Abstract

We argue that theories and methods drawn from complexity science are urgently needed to guide the development and use of digital twins for cities. The theoretical framework from complexity science takes into account both the short and long term dynamics of cities and their interactions. This is the foundation for a new approach that treats cities not as large machines or logistic systems, but as mutually-interwoven self-organizing phenomena, which evolve, to an extent, like living systems.

1 Introduction

A digital twin is a model that is as close as possible to a physical system such that it can be used for all practical purposes. The twin shares information with the counterpart system in terms of its inputs and outputs. The system and its twin work in concert, where the twin can inform, control, assist, and enhance the original system [1]. Digital twins are being used, in particular, to represent the physical (infra)structure of complex systems, such as cities, (but also products and persons etc.), in an increasingly detailed and realistic way [2–4]. Current digital twins typically employ data analytics, as well as physical modelling approaches [5] associated with the Internet of Things (IoT) [6], machine learning and artificial intelligence, as well as a variety of modelling styles and types that have recently emerged [7].

Digital twins of cities have recently attracted the attention of scientists, engineers, and policy makers. In this context, digital twins of cities are largely concerned with real-time operations of cities, such as their physical flows. They are increasingly being used as new design and management tools for both short and medium term planning [8]. This approach is based on large amounts of data from human and physical systems, where automated sensors are increasingly available to deliver such data in near real time.

Although some digital twins have been proposed as models for the long-term evolution and planning of cities, they are often focused on the management of shorter term dynamics, such as the 24-hour city, rather than changes over years or decades[2]. In addition, cities grow as the result of a multitude of mutual interactions or bottom-up decisions, which is very different from most digital twins that have been proposed for cities as top-down created constructs[9]; such constructs resemble more machines than organisms. Because everyone perceives and experiences a city differently, there are individually different behaviours, expectations and representations, which are hard—if not impossible—to capture in a single digital twin. Finally, for a city to work well, it must embrace this great variety of behaviours, which reflect important differences that are revealed, for example, in the intricate patterns of polarization or segregation. Cities provide a multitude of opportunities well beyond the manipulation and design of the physical domain, catalyzing social and economic activities that provide the basis for our quality of life.

Overall, cities are the outcome of multiple interactions between their components [10–13]. This is a property that can be well explained by means of complexity science—meaning, the science of complex systems— which embraces different scales. Complex systems are often defined as systems that are “more than the sum of their parts”. This cannot be fully explained from the properties of the system components [14], but requires the consideration of their non-linear or network interactions. In fact, complex (dynamical) systems are systems in which the constituent elements interact with and adapt to each other in a non-linear way, self-organizing often across multiple networks and scales, which typically results in the emergence of new system properties.

In the case of urban areas, citizens interact directly and indirectly with each other. Such a combination of patterns is typically quantified in the form of a network[15]. Citizen interplay determines traffic jams, segregation phenomena, and other spatial distortions, as well as supply-side problems such as unexpected shortages of services and sometimes their oversupply. In all these cases, a suitable network representation often allows one to quantitatively compute relevant properties of such systems, thereby providing useful representations of their fragility or resilience.

In this Perspective, we argue that combining the digital twin approach with a complexity science approach can have huge benefits for cities. On the one hand, the reproduction of all relevant city features in a digital twin is a necessary condition for better calibrated and validated, hence, more realistic models. On the other hand, the recognition of systemic effects arising from ‘individual behaviours’ is expected to deliver more explicable and trustworthy models and results. In particular, for the latter, it is helpful to use mathematical instruments such as graphs to describe the system elements and their interactions. Network science is, thus, a key method for articulating how interactions between the elements of a system and the processes driving it can be modelled.

2 Why digital twins are not enough

There are many theories as to how cities are structured and how they evolve, and most of them relate at some juncture, their socio-economic functioning primarily to their physical aspects[16]. This also applies to digital twins, which tend to ignore the extensive complexity of a world, where psycho-social, economic, physical, and environmental features are deeply entangled and cannot be easily separated out. In fact, contemporary approaches to creating digital twins are often surprisingly “materialistic” or “physicalistic”, typically based on measurement data about the functioning of buildings, streets and natural environments, whereas human, social, and cultural activities which drive the socio-dynamics of cities are often barely featured[9].

We acknowledge that data-driven methods based on measurement sensors, IoT, big data analytics and machine learning have become quite powerful. However, they tend to bias digital twins towards reflecting our physical world, while it is widely accepted among urban policy makers, planners and even the wider public at large that there are many things in cities that cannot be easily captured in physical terms. Moreover, these methods have some further limitations due to:

- measurement limits (involving sample bias and uncertainty);
- computational limits (such as NP-hard computational problems [17]);
- mathematical constraints (such as undecidability or incompleteness [18] or halting problems [19, 20]);
- common issues of data analytics (such as “overfitting” [21]; parameter sensitivity; ambiguities, uncertainties, and relevance of context);
- limits of the machine learning approaches e.g. the use of “black box algorithms” [22].

As a result, more and more data does not necessarily results in a deeper understanding, but can instead result in the emergence of further problems with digital twins as well as in the social systems, which are being managed using such twins [23].

2.1 Immaterial Relations

Today’s digital twin approach is often based on data-driven and machine-learning-based massive agent-based simulations, which may produce highly detailed look-alikes. But many digital twins do not consider immaterial, invisible and barely measurable interactions well. Complexity science, in contrast, typically pursues a hypothesis-driven agent-based simulation approach based on explanatory models that involve the study or parameter dependencies and phase diagrams, sensitivity and robustness, as well as a rigorous validation procedure (on top of calibration), namely for the sake of verification or falsification, which typically results in models with higher predictive power.

The latter approach allows one to consider immaterial interactions. To illustrate the importance of this, let us discuss some well-known phenomena

in societies [24]. For instance, conscious populations give words and patterns a meaning. These meanings matter for human intentions, decisions, behaviours, and interactions, but they may change among groups and over time. Moreover, people spontaneously *form* groups. These have diverse identities, which influence the intentions, behaviours, characteristics, and interactions of their members. Social processes further produce social capital such as reputation or trust [25]. They also create culture and values, which influence individual consciousness and collective behaviour [26]. A mere representation of the structure and population of a city, fails to reproduce those social phenomena, at least without proper consideration of evolutionary features connecting the individual with the meso- and macro-scale.

In short, *the traditional digital twin approach tends to overemphasize the physical components of a city, thereby massively oversimplifying human interactions*. This can cause data-driven governance and planning to fall short. When used to control a system, it may eliminate serendipity and chance, diversity, and pluralism. This may affect creativity, innovation, and (co-)evolution, hence, properties that are important for a system to flexibly adapt, improve, and thrive. As a consequence, one might get “trapped in the matrix”. That is, using digital twins for control could ‘freeze’ certain organizational patterns, thereby preventing the successful adaptation to a changing environment and context [27].

2.2 Systemic Failure or Collapse

As a result of social interactions, systemic failures might result. A classical example, is given by the financial system [28, 29]. Here, the system is defined by financial institutions. One way to measure the mutual network dependencies is the credit network amongst banks. Institutions that regulate the liquidity market, such as Central Banks, are regularly running stress tests to quantify the robustness of the system versus the risk of bankruptcies, assuming some external shock (such as the recent war in Ukraine, which triggered large fluctuations in the price of oil and gas). However, such stress tests can lead to wrong results if you just consider that banks are either functional or bankrupt. For example a bank may still operate while being on the edge of bankruptcy. Only its network of debts allows one to evaluate the degree of the distress of the financial institution [30]. Such underestimation of the risk can trigger further disruption. Furthermore, if Central Banks were to control the transactions of consumers, the effects would be even bigger. Hence, traditional reductionist approaches that attempt to understand cities from the properties of their parts often fail, mainly due to their lack of considering multi-level interactions and complexity [31].

2.3 Scalability Features

A further important problem of digital twins that needs to be addressed concerns their scalability, which in some sense pertains to the real cities as well. In

general, as a city gets bigger, its representation typically does not scale linearly with densities, areas, and size [32, 33]. Bigger cities are qualitatively different from smaller cities and, in general, the bigger a city the greater the agglomeration or clustering effects that increase their inventiveness, innovation, and wealth. When defining a city in terms of its physical or functional boundaries, these often extend far beyond the administrative boundaries, thereby representing the interacting natural and human elements of a city's system better [34]. This is important as it can make an enormous difference to the scaling and actual properties of a city [35–37].

Cities should be represented at the scale of their whole extended urban region [38]. When considering the city in this wider context, the current concept of local digital twins might be too limited. In fact, many implications of the complexity of cities, need to be analysed in a global context, for example those that are relevant for scenario forecasting associated with pandemics [39, 40]. In short, the boundaries of a city are uncertain and therefore, seeing a city in anything less than its global context is a problematic simplification.

3 How Complexity Science Can Help

New technology will continue to help unleash the power of digital twins through various kinds of sensing associated with, for example, IoT, which is already producing a previously unimaginable amount of data quickly and cheaply. The interpretation of these data, however, and the quality of analysis is still problematic (see the list of items presented before Section 2.1). In many cases, it is also necessary to reduce the size of data and filter them, to handle issues such as sustainability and societal resilience[41, 42].

Complexity science has the potential to address these issues by combining the data-based and the hypothesis-based approach. For example, networks models are being used to represent different interests of people, their skills, behaviours and habits. Complexity through network modelling also allows for a shift in perspective. In fact, most models of cities still treat cities as systems built from the top-down. Complexity science changes this perspective and allows one to consider cities as multi-level systems [43, 44], which involve many bottom-up processes. This makes it possible to explain highly significant signatures such as power laws and scaling [45], as well as long-range correlations across the various networks [46]. The fact that such systems evolve from the bottom-up introduces a degree of uncertainty and unpredictability that needs to be factored into the use of digital twins, when generating, testing, evaluating, and implementing simulation scenarios for future cities.

Urban policymakers [47], analysts, regulators, and planners need to be made continually aware of the many interconnected facets of the planning problem. Therefore, to ensure future sustainability, fairness, and adaptability [48], different modelling frameworks need to be considered. In short, urban policy calls for models that capture the co-evolutionary nature of cities, so that future

emergent developments can be best anticipated and adapted to. Rather than just being formal representations of the problem at hand, models help one to focus the analysis on relevant questions, thereby informing one about the kind or part of data to use.

We shall see in the following that in order to deal with the points raised in the above section, we need to consider the multiple intertwined interactions between networks, which develop at different levels and dimensions, and mutually influence their functioning trajectories of development or failure. The great strength of complex systems is their ability to self-organize efficiently, resiliently, and favorably, if suitable interactions are in place. This may be supported by federated learning approaches.

3.1 Quantifying Immaterial Relations

Some of the quantities that may not be measurable directly (and, therefore, are often neglected by digital twins) result from interactions in social communities, which may be considered by network analysis. Social groups are a significant example to illustrate the coarse graining of data. Their relationships can be described at different scales (where a module at the lower scale becomes a node at a higher scale)[49]. Multi-layer networks are the mathematical representations of such structures, as shown in the left part of Figure 1, our schematic that illustrates a city system.

Such structures appear as the natural topological blueprint [43, 50] of complex transport [51, 52], information [53], and energy flows [54]. Social networks in cities are multi-layered also, because they comprise professional, friendship, institutional, religious, and other channels that overlap and sometimes have very strong mutual effects. In addition, these networks interact with the infrastructural networks [49], as depicted in Figure 1. Parts of the local networks also depend on bigger networks that extend beyond the boundaries of the city [55]: at the regional scale, commuters coming from outside of the city often have impacts that reach beyond the units of political governance associated with their commute. At the global scale, each city is embedded in multiple national and global exchange networks for products and services, firms, migrants, cultures, and ideas. These create channels of collaboration for innovation, imitation, and concurrence, which are relevant for planning future cities.

Public urban mobility systems are composed of several transportation modes connected together. Many studies in urban mobility still ignore the multi-layer nature of transportation systems, considering only aggregated versions of these networks. This often treats layers as if they were isolated from each other, leading potentially to misplaced conclusions [56].

3.2 Complexity and Resilience

As open, “non-equilibrium” systems, urban areas can be considered to resemble living organisms; such a feature can be considered by (co-)evolutionary

approaches and by defining a ‘city’s metabolism’ [54]. Such a perspective is also suited to study the resilience of cities with respect to external shocks. Since the above-mentioned layers are interdependent, the information about any specific layer and the dynamics of the cascading effects between them is often lost when aggregating network data. This is particularly relevant for the issue of **resilience**, which is strongly affected by couplings between layers [57]. Current research into multiplex networks considers new ways, in which different locations in the city are connected, based on a wide variety of material and electronic flows.

Evolving layers may include the physical (natural and artefactual) environment, as well as social structures, networks, movements, and the immaterial properties of their interactions. For example, some new infrastructures such as rail or road systems could be beneficial for the whole city’s accessibility, but at the same time create new local issues of segregation, pollution, or risk of accidents. This is why the variety of scales and dimensions of the city is crucial for articulating the way a city functions. The systems developing at different interdependent scales are far-from-equilibrium, potentially changing environmental and societal systems even globally [58]. The technical features of multilayer networks (communities, bottlenecks, centrality, fragility) allow one to describe these evolving multi-level socio-ecological landscapes. In general, the framework of complex networks allows one to follow the evolution of interactions between social and natural dimensions at different scales. Such features are in strong agreement with Elinor Ostrom’s work on “managing the commons” [59, 60]. Cities are a true example of socio-ecological systems in the sense of Elinor Ostrom. These are capable of an effective and sustainable management of the commons, based on institutions that may arise in a self-organized manner from the interactions between individuals. Such institutions can successfully (self-)govern the commons.

To deal with these problems, measures of centrality (which define the part of the network nearest to all the other parts) can represent intangible quantities such as the importance of areas in order to protect the system from collapsing. Networks also offer new ways to understand coordination and cooperation [61].

3.3 Multiscale Approach

Networks allow one to focus on quantitative measurements such as the flow of energy in a specific area (see, e.g., Ref. [62]), where the author considers that the sustainability of a city is reflected by a complex, dissipative system [63] which must be assessed considering energy, material, and information flows. These exist at scales that offer an overall view, while at the same time giving detailed insights into processes that determine how the city functions, i.e., how flows are transformed and efficiently used, at a smaller scale. This is essential information since it may guide the world towards fairer, healthier, and more liveable cities.

~~Digital twins in~~ Complex systems can play an essential role in figuring out and illustrating how these diverse and widespread goals are interconnected

at different scales and how they may be realized [64]. In such a way it will also be possible to take bottom-up phenomena into account. This is particularly important in our rapidly changing world, which is determined by random noise, interactions, positive feedbacks, and network cascades. Decentralized control can perform better in complex systems with heterogeneous elements, large degrees of fluctuation, and short-term predictability, because of greater flexibility to local conditions and greater robustness to perturbations.

4 Challenges for Integrating Complexity Science into Digital Twins

As implied throughout this paper, the data-driven approach represents a major leap forward as compared to previous frameworks. It is however insufficient to create an accurate model of our complex world, which is characterized by limits to what is measurable, predictable and controllable [65, 66]. However, integrating complexity with digital twins, while absolutely necessary, is not without challenges, as we will discuss in the following. A first challenge is to decide the right amount of data and to select the best data to address each issue. Attempts to produce an exact digital copy of the world are obstructed by many factors—not only necessarily by a lack of data, but also by some laws of mathematics and of nature (see Section 2). Surprisingly, less data or even noisy data can sometimes generate better models — and simpler models often have more predictive power [67].

Another difficulty arises from the fact that working with one big data set that attempts to cover every known feature of the city and, then, filtering out the data needed for a particular application, may not always be effective. The bigger the data, the less efficient is the filtering, and sometimes one does not see the forest for the trees. Also the well-known problem of over-fitting often plagues approaches that seek to extract patterns from big data using various kinds of machine learning techniques [68]. The focus is typically put on a detailed representation of the system’s components, while their interactions are often a lot more important for understanding the behaviour of complex systems [69]. It is then clear that much care is needed to properly deal with data in order to benefit from the ‘complexity toolbox’.

Not unrelated with the previous issue, another challenge is how to get exact data on the interactions of the system components. Indeed, one often lacks exact data about interactions. This inherently limits reproducibility, no matter how much data about the system’s elements are available.

Hence, it is very important to consider the interactions between the elementary system components, in order to include the fundamental interactions that allow one to understand and model cities better. Unfortunately, they may be probabilistic or appear with delayed effects, such that they are often hard to determine from available data. They may also vary across different scales, ranging at least from human-human interactions to interactions between humans and the environment. It is thus necessary to study cities as ecosystems. Plant

species, for example, find ways to discover mutual convenience through the slow and continuous adjustment of their relationships, which is guided, generation after generation, by evolution. It is thanks to the process of co-evolution (by which human environments, buildings, networks, plants, animals, ecosystems, and cultures advance in interactive ways) that cities can develop and thrive, particularly when interactions are synergistic and symbiotic. Consequently, planning as top-down intervention is never enough to understand and enable thriving cities. The key challenge here is integrating bottom-up interactions, which are central for a proper, generative understanding of urban dynamics [70]. Similarly to living systems, cities evolve to generate morphology, networks, information, fabric, and functionality, which define the essence of their complex nature [71, 72].

Beyond dealing with data and having a precise picture of the interactions of the city components, a further challenge arises as the complexity picture must reflect the behaviours and interactions of their actors, since cities are designed, built and planned by the people, for the people. This in turns involves mapping many layers of complexity defining the city system [73–75]. This occurs, as we have noted, because the interaction networks between people in cities are multi-layered, corresponding to different arenas in which city life takes place. But this is not the only challenging issue of complexity, as human interactions lead to second and higher order phenomena [76], when people themselves detect the presence of emergent features and act accordingly. In addition, it is important to incorporate the many time scales that can be involved in these processes. This is crucial for the complex systems perspective to improve the implementation of digital twins.

Examples of second order emergent phenomena abound, beginning with social norms [77]. Such second order emergence arises [78], e.g., when a norm promotes cooperation or collective action [79, 80]. The dynamics of the underlying feedback loops depend on both external and idiosyncratic factors, leading to a very complex dynamics, taking place over very different time scales [80]. A paradigmatic example is that of pedestrian route choice, a process involving information perception, information integration, and obstacle avoidance, where decision-making responds to information in individual context-dependent settings [81], which include where decision-making responds to information in individual context-dependent settings. It thus becomes apparent that an accurate and useful description of these multi-time and multi-scale feedback processes taking place on multi-layer networks is a key challenge in defining proper digital twins for cities, where complex structures, functionalities, and dynamics are vital.

Another important issue is related to the ethical norms and quality standards required by digital twins. To properly design cities for humans in harmony with nature, the concept of a digital twin needs to be extended to the social and ecological domain in a value-sensitive way, respecting privacy and human rights [68]. The fact that a city is composed of physical, biological, and social entities, should be addressed by digital twins that take the various

known challenges into account [24] (see also Fig. 2). Even more importantly, one needs to consider that many of the qualities, which matter for human and city life, such as freedom, creativity, well-being, friendship, trust, and dignity are hardly quantifiable, but should not be just neglected or treated like noise. Setting up a thorough framework including all possible ethical factors involved in digital twins constitutes a very important complexity challenge, given the difficulties to predict collective outcomes from individual circumstances.

Last but not least, we want to mention two further hurdles of integrating complexity science into digital twins. First, there is currently a lack of complexity scientists in many areas of science and engineering, and hence a lack of knowledge regarding what is special about complex systems and their behaviour, and what this means for the design and use of digital twins. Accordingly, education in complexity science should become an integral part of education in all areas, where digital twins for complex systems are being developed and used. Second, many digital twins are based on proprietary software solutions, and hence it is not knowable to many scientists how they work exactly. Neither can these scientists easily improve such digital twins and develop them further. Therefore, one should explore open source arrangements. Here, the experiences made with OpenAI may guide the way.

5 Embracing Complexity For Smarter Cities

So far, big data has not removed the need for theory, and it has not made the scientific method obsolete, thus questioning Chris Anderson's polemic more than a decade ago [82]. Indeed, exactly the opposite has occurred. When it comes to dealing with bottom-up emergent behaviour, which one likes to understand, explain, predict, and design for, multi-scale complexity-based approaches are urgently needed. A key problem of current digital twins is that they fall short in representing the complete set of relevant interactions between physical assets, processes, and systems. For the reasons explained above, complexity science can be a potential solution to this problem. A list of features characterizing digital twins and complexity science is presented in Table 1. As it turns out, they are largely complementary, which suggests the need to combine both approaches.

Despite pervasive measurements at all scales, from satellites down to nano-scale sensors, building a fully-fledged and realistic model of a complex system incorporating problem-solving capacity remains a grand challenge. Actors and stakeholders interact through economic channels, through emergent phenomena such as social norms and through their individual emotions and personal history. This gives rise to a highly nonlinear co-evolution in response to environmental changes and governance inputs or related forms of decision-making [83]. It also implies ethical challenges [68]. At the same time, however, it opens up a way for digital twins to take bottom-up emergent processes into account. Human thinking, behaviours, and the material world impact each other in complex ways that may be conceptualized through multi-layer systems of interaction networks.

Evolutionary algorithms can serve as inspiration to develop adaptive approaches to search for novel solutions. Nature adapts at multiple timescales. One can learn to apply its success principles to urban contexts [62, 63]. Using the fastest (quantum) supercomputers, artificial evolution can, to some extent, be simulated, thereby allowing one to accelerate evolutionary time scales beyond the speed of cultural evolution.

This may reveal, how to use local feedbacks in a way that empowers self-organizing, co-evolving systems.

Hence, the way to achieve better planning of urban areas is not by working solely with digital twins, but by combining them with complexity science. This can help to more successfully bridge science and engineering on the one hand with policy making, governance, and participatory approaches on the other hand, when exploring various “what if scenarios”. Among the various objectives of such an approach, we list here some particularly important ones:

- Enhance knowledge (co-)creation, exchange and management at all levels of government, civil society, the private sector and other relevant stakeholders.
- Help increase the capacity (human, financial, and institutional) of policy makers and civil society at all levels to develop and progressively implement urban policies, offering participatory platforms for capacity-building.
- Provide networking platforms where all levels of government, civil society, the private sector and other relevant stakeholders can engage in the development process. To this end, the proposal for the ‘city of opportunity’ concept, with a city planning based on a network of ‘neighbor microcosms’ [84] is a possible way forward.

We need digital twins that are able to embrace the potential of complex systems, in order to empower citizens and stakeholders, facilitating a participatory dialogue. However, we need to go beyond digital twins to provide a public “cyber”-space for community interaction, where citizens can voice their opinions about considered interventions, propose changes, point to problems, and suggest solutions. In this context, the combination with complex systems could promote participatory, collaborative exploration. This would be based on interactive “what if scenarios”, engaging citizens and local authorities, thus enabling policy-makers to make well-informed and better fitting decisions [85]. Simulations are an essential tool for studying complex systems [86].

Advances in traditional digital twins could certainly benefit the scientific study of complex systems, because they will offer data to calibrate and validate models, but also accelerate problem identification and solution. This lies at the hearth of our argument for the urgent consideration of complexity science while building and using urban digital twins.

In conclusion, as the processes of networking and urbanization in our globalized world evolve [87], one will increasingly face the key features, problems and opportunities of an increasingly complex world. When designed or operated without proper scientific validation and explanation, or without good insight and human oversight, digital twins may generate serious issues for the

affected citizenry, also with regard to privacy and transparency [24]. However, if properly used and combined with complexity science and citizen participation, instruments like digital twins would allow one to come up with adaptive, efficient, resilient, and sustainable solutions that are compatible with democracy, human rights, and innovation. The idea is not to push the reproduction of the system to the limit of a 1:1 scale, thereby profiling every single participant, but rather to extract trends and laws from the digital representation as shown in Figure 2. Hence, when designed and operated well, digital models of the world (or certain aspects of it) can offer formidable policy instruments. This does not only apply to the management of cities, but also to the co-evolution of many evidence and data-based information ecosystems, which can foster a new collaborative relationship between citizens and policy makers.

6 Acknowledgements

Regarding J.L. Fernández-Villacañas, the views set out in this article are his own and do not necessarily reflect the official opinion of the European Commission.

We thank M. Clarin from COSNET Lab/BIFI for designing Figures 1 and 2. GC acknowledges support from EU Project "HumanE-AI-Net", no. 952026. CG acknowledges support from UNAM-PAPIIT projects (IN107919, IV100120, IN105122) and from the PASPA program from UNAM-DGAPA. DH acknowledges support through the project "CoCi: Co-Evolving City Life", which has received funding from the European Research Council (ERC) under the European Union Horizon 2020 research and innovation programme under grant agreement No. 833168. YM acknowledges support by the Government of Aragon through grant E36-20R (FENOL), and by MCIN/AEI/10.13039/501100011033 through grant PID2020-115800GB-I00. EA and M Batty acknowledge support from the Alan Turing Institute under QUANT2-Contract-CID-3815811 and from the UK Regions Digital Research Facility (UKRDRF) EP/M023583/1 through EPSRC. JJR acknowledges funding from MCIN/AEI/10.13039/501100011033 and Fondo Europeo de Desarrollo Regional (FEDER, UE) under Project PACSS (RTI2018-093732-B-C22), and the María de Maeztu Program for units of Excellence in R&D MDM-2017-0711 by MCIN/AEI/10.13039/501100011033. AS acknowledges support from project BASIC (PGC2018-098186-B-I00) funded by MCIN/AEI/10.13039/501100011033 and by "ERDF A way of making Europe". The funders had no role in study design, data collection, and analysis, decision to publish, or preparation of the manuscript.

7 Author Contribution

All the authors participated in the discussion and writing of this paper.

8 Ethics Declaration

Authors declare not to have any conflict of interest in the issues discussed. This article does not contain any ethical issue involved with research on patients or animals performed by any of the authors.

References

- [1] Grieves, M.W.: Product lifecycle management: the new paradigm for enterprises. *International Journal of Product Development* **2**(1-2), 71–84 (2005). <https://doi.org/10.1504/ijpd.2005.006669>
- [2] Batty, M.: Digital twins. *Environment and Planning B: Urban Analytics and City Science* **45**(5), 817–820 (2018). <https://doi.org/10.1177/2399808318796416>
- [3] Bassolas, A., Ramasco, J.J., Herranz, R., Cantú-Ros, O.G.: Mobile phone records to feed activity-based travel demand models: Matsim for studying a cordon toll policy in Barcelona. *Transportation Research Part A: Policy and Practice* **121**, 56–74 (2019)
- [4] Deng, T., Zhang, K., Shen, Z.J.M.: A systematic review of a digital twin city: A new pattern of urban governance toward smart cities. *Journal of Management Science and Engineering* **6**(2), 125–134 (2021). <https://doi.org/10.1016/j.jmse.2021.03.003>
- [5] Niederer, S.A., Sacks, M.S., Girolami, M., Willcox, K.: Scaling digital twins from the artisanal to the industrial. *Nature Computational Science* **1**(5), 313–320 (2021). <https://doi.org/10.1038/s43588-021-00072-5>
- [6] Hudson-Smith, A., Wilson, D., Gray, S., Dawkins, O.: *Urban IoT: Advances, Challenges, and Opportunities for Mass Data Collection, Analysis, and Visualization*, pp. 701–719. Springer, Berlin, Germany (2021). https://doi.org/10.1007/978-981-15-8983-6_38
- [7] Mohammadi, M., Al-Fuqaha, A.: Enabling Cognitive Smart Cities Using Big Data and Machine Learning: Approaches and Challenges. *IEEE Communications Magazine* **56**(2), 94–101 (2018) [arXiv:1810.04107](https://arxiv.org/abs/1810.04107). <https://doi.org/10.1109/MCOM.2018.1700298>
- [8] Sánchez-Vaquerizo, J.A.: Getting Real: The Challenge of Building and Validating a Large-Scale Digital Twin of Barcelona’s Traffic with Empirical Data. *ISPRS International Journal of Geo-Information* **11**(1) (2022). <https://doi.org/10.3390/ijgi11010024>
- [9] Schrotter, G., Hürzeler, C.: The digital twin of the city of zurich for urban planning. *PFG–Journal of Photogrammetry, Remote Sensing and*

Geoinformation Science **88**(1), 99–112 (2020)

- [10] Castells, M.: *The Rise of the Network Society*. John Wiley & Sons, New York, USA (2011)
- [11] Pflieger, G., Rozenblat, C.: *Introduction. Urban networks and network theory: the city as the connector of multiple networks*. SAGE Publications Sage UK: London, England (2010)
- [12] Louail, T., Lenormand, M., Picornell, M., Garcia Cantu, O., Herranz, R., Frias-Martinez, E., Ramasco, J.J., Barthelemy, M.: *Uncovering the spatial structure of mobility networks*. *Nature Communications* **6**, 6007 (2015)
- [13] Bassolas, A., Barbosa-Filho, H., Dickinson, B., Dotiwalla, X., Eastham, P., Gallotti, R., Ghoshal, G., Gipson, B., Hazarie, S.A., Kautz, H., *et al.*: *Hierarchical organization of urban mobility and its connection with city livability*. *Nature communications* **10**(1), 4817 (2019)
- [14] Anderson, P.W.: *More is different*. *Science* **177**(4047), 393–6 (1972). <https://doi.org/10.1126/science.177.4047.393>
- [15] Caldarelli, G.: *Scale-Free Networks: Complex Webs in Nature and Technology*. Oxford University Press, Oxford, UK (2007). <https://doi.org/10.1093/acprof:oso/9780199211517.001.0001>
- [16] Gabaix, X., Ioannides, Y.M.: Chapter 53 - the evolution of city size distributions. In: Henderson, J.V., Thisse, J.-F. (eds.) *Cities and Geography. Handbook of Regional and Urban Economics*, vol. 4, pp. 2341–2378. Elsevier, (2004). [https://doi.org/10.1016/S1574-0080\(04\)80010-5](https://doi.org/10.1016/S1574-0080(04)80010-5). <https://www.sciencedirect.com/science/article/pii/S1574008004800105>
- [17] van Leeuwen, J., Leeuwen, J.: *Handbook of Theoretical Computer Science. Handbook of Theoretical Computer Science*, vol. v. 1. Elsevier, (1994). <https://books.google.it/books?id=6XJCxgEACAAJ>
- [18] Gödel, K.: *Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme, i*. *Monatshefte für Mathematik und Physik* **38**, 173–198 (1931)
- [19] Turing, A.M.: *On Computable Numbers, with an Application to the Entscheidungsproblem*. *Proceedings of the London Mathematical Society* **s2-42**(1), 230–265 (1937). <https://doi.org/10.1112/plms/s2-42.1.230>
- [20] Turing, A.M.: *On computable numbers, with an application to the entscheidungsproblem. a correction*. *Proceedings of the London Mathematical Society* **2**(1), 544–546 (1938)

- [21] Everitt, B.S., Skrondal, A.: Cambridge Dictionary of Statistics. Cambridge University Press, Cambridge, UK (2010)
- [22] Waldrop, M.M.: What are the limits of deep learning? Proceedings of the National Academy of Sciences **116**(4), 1074–1077 (2019)
- [23] Hofman, J.M., Sharma, A., Watts, D.J.: Prediction and explanation in social systems. Science **355**(6324), 486–488 (2017) <https://www.science.org/doi/pdf/10.1126/science.aal3856>. <https://doi.org/10.1126/science.aal3856>
- [24] Helbing, D., Argota Sánchez-Vaquerizo, J.: Digital Twins: Potentials, Limitations, and Ethical Issues In: A. Zwitter and O. Gstrein, Handbook on the Politics and Governance of Big Data and Artificial Intelligence Edward Elgar https://www.researchgate.net/publication/358571489_Digital_Twins_Potentials_Limitations_and_Ethical_Issues (Forthcoming).
- [25] Edelenbos, J., Klijn, E.-H.: Trust in complex decision-making networks: A theoretical and empirical exploration. Administration & Society **39**(1), 25–50 (2007). <https://doi.org/10.1177/0095399706294460>
- [26] Lane, D., Maxfield, R., Read, D., Leeuw, S.v.d.: From population to organization thinking. In: Complexity Perspectives in Innovation and Social Change, pp. 11–42. Springer, Berlin, Germany (2009)
- [27] Domaradzka, A., Urban social movements and the right to the city: An introduction to the special issue on urban mobilization VOLUNTAS: International Journal of Voluntary and Nonprofit Organizations, **29**, 607–620, 2018
- [28] Bardoscia, M., Barucca, P., Battiston, S., Caccioli, F., Cimini, G., Garlaschelli, D., Saracco, F., Squartini, T., Caldarelli, G.: The physics of financial networks. Nature Reviews Physics **3**, 490–507 (2021). <https://doi.org/10.1038/s42254-021-00322-5>
- [29] Haldane, A., May, R.: Systemic risk in banking ecosystems. Nature **469**, 351–355 (2011)
- [30] Battiston, S., Puliga, M., Kaushik, R., Tasca, P., Caldarelli, G.: Debtrank: Too central to fail? financial networks, the Fed and systemic risk. Scientific Reports **2**, 541 (2012)
- [31] Aleta, A., Meloni, S., Moreno, Y.: A Multilayer perspective for the analysis of urban transportation systems. Scientific Reports **7**(1), 44359 (2017) [arXiv:1607.00072](https://arxiv.org/abs/1607.00072). <https://doi.org/10.1038/srep44359>

- [32] Lämmer, S., Gehlsen, B., Helbing, D.: Scaling laws in the spatial structure of urban road networks. *Physica A: Statistical Mechanics and its Applications* **363**(1), 89–95 (2006). <https://doi.org/10.1016/j.physa.2006.01.051>. Information and Material Flows in Complex Networks
- [33] Bettencourt, L.M.A., Lobo, J., Helbing, D., Kühnert, C., West, G.B.: Growth, innovation, scaling, and the pace of life in cities. *Proceedings of the National Academy of Sciences* **104**(17), 7301–7306 (2007) <https://www.pnas.org/doi/pdf/10.1073/pnas.0610172104>. <https://doi.org/10.1073/pnas.0610172104>
- [34] Arcaute, E., Hatna, E., Ferguson, P., Youn, H., Johansson, A., Batty, M.: Constructing cities, deconstructing scaling laws. *Journal of The Royal Society Interface* **12**(102), 20140745 (2015). <https://doi.org/10.1098/rsif.2014.0745>. Accessed 2019-04-26
- [35] Banavar, J.R., Maritan, A., Andrea, R.: Size and form in efficient transportation networks. *Nature* **399**, 130–132 (1999)
- [36] Batty, M.: *Inventing Future Cities*. The MIT Press, Boston, USA (2018)
- [37] Rozenblat, C.: Extending the concept of city for delineating large urban regions (LUR) for the cities of the world. *Cybergeog* (2020). <https://doi.org/10.4000/cybergeog.35411>
- [38] Argota Sánchez-Vaquerizo, J.: Getting real: The challenge of building and validating a large-scale digital twin of barcelona’s traffic with empirical data. *ISPRS International Journal of Geo-Information* **11**(1) (2022). <https://doi.org/10.3390/ijgi11010024>
- [39] Tizzoni, M., Bajardi, P., Poletto, C., Ramasco, J.J., Balcan, D., Alves, B.G., Perra, N., Colizza, V., Vespignani, A.: Real-time numerical forecast of global epidemic spreading: case study of 2009 A/H1N1pdm. *BMC Medicine* **10**, 165 (2012)
- [40] Cimini, G., Squartini, T., Saracco, F., Garlaschelli, D., Gabrielli, A., Caldarelli, G.: The statistical physics of real-world networks. *Nature Physics Reviews* **1**, 58–71 (2019)
- [41] Ahsan, U., Bais, A., A review on big data analysis and internet of things, 2016 IEEE 13th International conference on mobile Ad Hoc and sensor systems (MASS), 325–330, 2016, IEEE
- [42] Hong, L., Page, S.E.: Groups of diverse problem solvers can outperform groups of high-ability problem solvers. *Proceedings of the National Academy of Sciences* **101**(46), 16385–16389 (2004)

- [43] Battiston, S., Caldarelli, G., Garas, A.: Multiplex and Multilevel Networks. Oxford University Press, Oxford, UK (2018). <https://doi.org/10.1093/oso/9780198809456.001.0001>
- [44] Pumain, D.: Co-evolution as the secret of urban complexity. Handbook on Cities and Complexity (2021). Accessed 2021-09-29
- [45] Barthelemy, M.: The statistical physics of cities. *Nature Reviews Physics* **1**(6), 406–415 (2019) [arXiv:1905.01953](https://arxiv.org/abs/1905.01953). <https://doi.org/10.1038/s42254-019-0054-2>
- [46] Serafino, M., Cimini, G., Maritan, A., Rinaldo, A., Suweis, S., Banavar, J.R., Caldarelli, G.: True scale-free networks hidden by finite size effects. *Proceedings of the National Academy of Sciences of the United States of America* **118**(2) (2021). <https://doi.org/10.1073/pnas.2013825118>
- [47] Angelidou, M.: The Role of Smart City Characteristics in the Plans of Fifteen Cities. *Journal of Urban Technology* **24**(4), 3–28 (2017). <https://doi.org/10.1080/10630732.2017.1348880>
- [48] Vojnovic, I.: Urban sustainability: Research, politics, policy and practice. *Cities* **41**, 30–44 (2014). <https://doi.org/10.1016/j.cities.2014.06.002>
- [49] Iacopini, I., Schäfer, B., Arcaute, E., Beck, C., Latora, V.: Multilayer modeling of adoption dynamics in energy demand management. *Chaos: An Interdisciplinary Journal of Nonlinear Science* **30**(1), 013153 (2020)
- [50] Bianconi, G.: *Multilayer Networks vol. 1*. Oxford University Press, Oxford, UK (2018). <https://doi.org/10.1093/oso/9780198753919.001.0001>
- [51] Gallotti, R., Barthelemy, M.: The multilayer temporal network of public transport in Great Britain. *Scientific Data* **2**(1), 140056 (2015) [arXiv:1501.02159](https://arxiv.org/abs/1501.02159). <https://doi.org/10.1038/sdata.2014.56>
- [52] Bassolas, A., Gallotti, R., Lamanna, F., Lenormand, M., Ramasco, J.J.: Scaling in the recovery of urban transportation systems from massive events. *Scientific Reports* **10**, 2746 (2020)
- [53] De Domenico, M., Solé-Ribalta, A., Gómez, S., Arenas, A.: Navigability of interconnected networks under random failures. *Proceedings of the National Academy of Sciences of the United States of America* **111**(23), 8351–8356 (2014). <https://doi.org/10.1073/pnas.1318469111>
- [54] Facchini, A., Mele, R., Caldarelli, G.: The Urban Metabolism of Lima: Perspectives and Policy Indications for GHG Emission Reductions. *Frontiers in Sustainable Cities* **2**, 40 (2021). <https://doi.org/10.3389/frsc.2020.00040>

- [55] Neal, Z., Rozenblat, C.: Handbook of Cities and Networks, p. 672. Edward Elgar, Cheltenham Glos UK (2021). <https://doi.org/10.4337/9781788114714>. <https://www.e-elgar.com/shop/gbp/handbook-of-cities-and-networks-9781788114707.html>
- [56] Strano, E., Shai, S., Dobson, S., Barthelemy, M.: Multiplex networks in metropolitan areas: Generic features and local effects. *Journal of the Royal Society Interface* **12**(111), 20150651 (2015) [arXiv:1508.07265](https://arxiv.org/abs/1508.07265). <https://doi.org/10.1098/rsif.2015.0651>
- [57] Buldyrev, S.V., Parshani, R., Paul, G., Stanley, H.E., Havlin, S.: Catastrophic cascade of failures in interdependent networks. *Nature* **464**(7291), 1025–1028 (2010) [arXiv:0907.1182](https://arxiv.org/abs/0907.1182). <https://doi.org/10.1038/nature08932>
- [58] Laboy, M., Fannon, D.: Resilience Theory and Praxis: a Critical Framework for Architecture. *Enquiry The ARCC Journal for Architectural Research* **13**(1) (2016). <https://doi.org/10.17831/enq:arcc.v13i2.405>
- [59] Ostrom, E.: *Governing the Commons: The Evolution of Institutions for Collective Action*. Cambridge university press, Cambridge,UK (1990)
- [60] Anderies, J.M., Janssen, M.A.: *Sustaining the Commons*. Arizona State University, (2016)
- [61] Youn, H., Gastner, M.T., Jeong, H.: Price of anarchy in transportation networks: Efficiency and optimality control. *Phys. Rev. Lett.* **101**, 128701 (2008). <https://doi.org/10.1103/PhysRevLett.101.128701>
- [62] Maranghi, S., Parisi, M.L., Facchini, A., Rubino, A., Kordas, O., Basosi, R.: Integrating urban metabolism and life cycle assessment to analyse urban sustainability. *Ecological Indicators* **112**, 106074 (2020). <https://doi.org/10.1016/j.ecolind.2020.106074>
- [63] Prigogine, I., Stengers, I.: *The End of Certainty*. Simon and Schuster, (1997)
- [64] Ospina-Forero, L., Castañeda, G., Guerrero, O.A.: Estimating networks of sustainable development goals. *Information & Management*, 103342 (2020)
- [65] Gershenson, C.: Facing complexity: Prediction vs. adaptation. In: Massip, A., Bastardas, A. (eds.) *Complexity Perspectives on Language, Communication and Society*, pp. 3–14. Springer, Berlin Heidelberg (2013). <https://doi.org/10.1007/978-3-642-32817-6>. <http://arxiv.org/abs/1112.3843>
- [66] White, R., Engelen, G., Uljee, I.: *Modeling Cities and Regions as Complex Systems: From Theory to Planning Applications*. MIT Press, Boston, USA

(2015)

- [67] Helbing, D.: *Thinking Ahead – Essays on Big Data, Digital Revolution, and Participatory Market Society* vol. 10. Springer, Berlin, Germany (2015)
- [68] Helbing, D., Fanitabasi, F., Giannotti, F., Hänggli, R., Hausladen, C.I., van den Hoven, J., Mahajan, S., Pedreschi, D., Pournaras, E.: Ethics of smart cities: Towards value-sensitive design and co-evolving city life. *Sustainability (Switzerland)* **13**(20), 11162 (2021). <https://doi.org/10.3390/su132011162>
- [69] Gershenson, C.: The implications of interactions for science and philosophy. *Foundations of Science* **18**(4), 781–790 (2013). <https://doi.org/10.1007/s10699-012-9305-8>
- [70] Gershenson, C.: Guiding the self-organization of cyber-physical systems. *Frontiers in Robotics and AI* **7**, 41 (2020). <https://doi.org/10.3389/frobt.2020.00041>
- [71] Geddes, P.: *Chapters in Modern Botany*. John Murray, London, UK (1911)
- [72] Geddes, P.: On the coalescence of amoeboid cells into plasmodia, and on the so-called coagulation of invertebrate fluids. *Proceedings of the Royal Society of London* **30**, 252–255 (1880)
- [73] Ostrom, E.: Collective action and the evolution of social norms. *Journal of economic perspectives* **14**(3), 137–158 (2000)
- [74] Susskind, L.: Complexity science and collaborative decision making. *Negot. J.* **26**, 367 (2010)
- [75] Mosleh, W.S., Larsen, H.: Exploring the complexity of participation. *CoDesign* **17**(4), 454–472 (2021)
- [76] Gilbert, N.: Emergence in Social Simulation. In: Gilbert, N., Conte, R. (eds.) *Artificial Societies: The Computer Simulation of Social Life*, pp. 144–156. UCL Press, London, UK (1995)
- [77] Bicchieri, C.: *The Grammar of Society*. Cambridge University Press, Cambridge, UK (2005)
- [78] Kinzig, A.P., Ehrlich, P.R., Alston, L.J., Arrow, K., Barrett, S., Buchman, T.G., Daily, G.C., Levin, B., Levin, S., Oppenheimer, M., Ostrom, E., Saari, D.: Evidence from a long term experiment that collective risk change social norms and promotes cooperation. *Bioscience* **63**, 164–175

(2013)

- [79] Paluck, E.L.: What's in a norm? Sources and processes of norm change. *J. Pers. Soc. Psychol.* **96**, 594–600 (2009)
- [80] Szekely, A., Lipari, F., Antonioni, A., Paolucci, M., Sánchez, A., Tumolini, L., Andrighetto, G.: Evidence from a long term experiment that collective risk change social norms and promotes cooperation. *Nature Communications* **12**, 5452 (2021)
- [81] Tong, Y., Bode, N.W.F.: The principles of pedestrian route choice. *J. R. Soc. Interface* **19**, 20220061 (2022)
- [82] Anderson, C.: The end of theory: The data deluge makes the scientific method obsolete. *Wired magazine* **16**(7), 16–07 (2008)
- [83] Caldarelli, G., Wolf, S., Moreno, Y.: Physics of humans, physics for society. *Nature Physics* **14**(9), 870 (2018). <https://doi.org/10.1038/s41567-018-0266-x>
- [84] Kourtit, K., Nijkamp, P., Haas, T.: The city of opportunity: designing cities4people. In: *Handbook of Cities and Networks*. Edward Elgar Publishing, London, UK (2021)
- [85] Gershenson, C.: Living in Living Cities. *Artificial Life* **19**(3/4), 119–140 (2013). <https://doi.org/10.1162/ARTL>
- [86] Pagels, H.R.: *The Dreams of Reason: The Computer and the Rise of the Sciences of Complexity*. Bantam Books, New York City, NY, USA (1989)
- [87] Hansen, G., Macedo, J.: The Science of Cities:. *Urban Ecology for Citizens and Planners*, 1–10 (2021). <https://doi.org/10.2307/j.ctv21r3pgn.7>

Fig. 1 Features of Complexity: Schematic illustration of a city as a complex system generating emergent phenomena, something that is not captured by a digital twin alone. A city may be represented in terms of its different interacting layers (left), which give rise to emergent properties such as clusters of communities and traffic patterns (right). The properties and features of these types of systems are described in the adjacent box.

Fig. 2 Complexity and Digital Twins: Left: The complex systems approach extracts selected information from a system’s components and their relationships in order to simulate essential aspects of the system based on suitable simplifications, allowing one to understand collective dynamics resulting from bottom-up interactions. Bottom left: Using big data and machine learning, the digital twin approach constructs a detailed copy of the city (right), which is used to manage the real city and develop it further.

Table 1 Strengths and challenges of digital twins and complexity science. Combining both approaches promises great benefits.

Digital Twins	
Strengths	Challenges
data-driven	intangibles (e.g. norms & values; human, social & cultural issues)
real-time analytics	errors in measurements
parameter fitting	overfitting & lack of validation
optimization	self-organized phenomena
design & planning	participation & co-creation
machine learning of system characteristics	explainability (“black box algorithms”)
Complexity Science	
Strengths	Challenges
focus on interactions	data availability
consideration of (multi-level) networks	data availability
self-organized dynamics	computational power for large-scale computer simulations
understanding of “tipping points”	determination of their exact values
cascading effects	fixing systemic instabilities
ethical issues can be considered	value-based engineering