

Bounded Pushdown dimension vs Lempel Ziv information density

Pilar Albert*, Elvira Mayordomo*, and Philippe Moser [†]

Abstract

In this paper we introduce a variant of pushdown dimension called bounded pushdown (BPD) dimension, that measures the density of information contained in a sequence, relative to a BPD automata, i.e. a finite state machine equipped with an extra infinite memory stack, with the additional requirement that every input symbol only allows a bounded number of stack movements. BPD automata are a natural real-time restriction of pushdown automata. We show that BPD dimension is a robust notion by giving an equivalent characterization of BPD dimension in terms of BPD compressors. We then study the relationships between BPD compression, and the standard Lempel-Ziv (LZ) compression algorithm, and show that in contrast to the finite-state compressor case, LZ is not universal for bounded pushdown compressors in a strong sense: we construct a sequence that LZ fails to compress significantly, but that is compressed by at least a factor 2 by a BPD compressor. As a corollary we obtain a strong separation between finite-state and BPD dimension.

Keywords

Information lossless compressors, finite state (bounded pushdown) dimension, Lempel-Ziv compression algorithm.

1 Introduction

I first learned of Rod Downey through his papers with Mike Fellows on Parameterized Complexity. Their idea that the computational complexity of a problem should take into account the importance of different parameters of the input affected deeply our understanding of inherent difficulty. Their 1999 book, Parameterized Complexity, is still the reference book on the subject (later improved by their 2013 book). In 2000 Rod started

*Departamento de Informática e Ingeniería de Sistemas, Instituto de Investigación en Ingeniería de Aragón, Universidad de Zaragoza, 50018 Zaragoza, SPAIN. elvira@unizar.es

[†]Department of Computer Science, National University of Ireland Maynooth, Co Kildare, Ireland. pmoser@cs.nuim.ie

taking an interest in Algorithmic Randomness which quickly made him one of the main researchers in the field, he has written hundreds of papers and the main book on the topic with Denis Hirschfeldt. He is now the driving force in the Algorithmic Randomness community and his work encouraging students and young researchers is simply amazing. This paper is dedicated to his 60th birthday, for many years to come Rod!

Effective versions of fractal dimension have been developed since 2000 [11, 12] and used for the quantitative study of complexity classes, information theory and data compression, and back in fractal geometry (see [13, 8, 14]). Here we are interested in information theory and data compression, where it is known that for several different bounds on the computing power, effective dimensions capture what can be considered the inherent information content of a sequence in the corresponding setting [14]. In the today realistic context of massive data streams we need to consider very low resource-bounds, such as finite memory or finite-time per input symbol.

The finite state dimension of an infinite sequence [3], is a measure of the amount of randomness contained in the sequence within a finite-memory setting. It is a robust quantity, that has been shown to admit several characterizations in terms of finite-state information lossless compressors (introduced by Huffman [9], [3]), finite-state decompressors [4, 16], finite-state predictors in the logloss model [1], and block entropy rates [2]. It is an effectivization of the general notion of Hausdorff dimension at the level of finite-state machines. Informally, the finite state dimension assigns every sequence a number $s \in [0, 1]$, that characterizes the randomness density in the sequence (or equivalently its compression ratio), where the larger the dimension the more randomness is contained in the sequence.

Doty and Nichols [5] investigated a variant of finite-state dimension, where the finite state machine comes equipped with an infinite memory stack and is called a pushdown automata, yielding the notion of pushdown dimension. Hence the pushdown dimension of a sequence, is a measure of the density of randomness in the sequence as viewed by a pushdown automata. Since a finite-state automata is a special case of a pushdown automata, the pushdown dimension of a sequence is a lower bound for its finite state dimension. It was shown in [5], that there are sequences for which the pushdown dimension is at most half its finite state dimension, hence yielding a strong separation between the two notions. Unfortunately the notion of pushdown dimension is not known to enjoy any of the equivalent characterizations that finite state dimension does. Moreover, the computation time per input symbol can be unbounded, which rules out this model for many real-time applications.

In this paper we introduce a variant of pushdown dimension called bounded pushdown (BPD) dimension: Whereas pushdown automata can choose not to read their input and only work with their stack for as many steps as they wish (each such step is called a lambda transition), we add the additional real-time constraint that the sequences of lambda transitions are bounded, i.e. we only allow a bounded number of stack movements per each input symbol.

We define the notion of bounded pushdown dimension as the natural effectivization of Hausdorff dimension via Lutz's gale characterization [11]. We provide evidence that bounded pushdown dimension is a robust notion by giving a compression characterization;

i.e. we introduce BPD information-lossless compressors and show that the best compression ratio achievable on a sequence by BPD compressors is exactly its BPD dimension. This BPD information-lossless compressors include all that have been used for instance in XML compression [7, 10].

In the context of compression, we study the relationship between BPD compression and the standard Lempel-Ziv (LZ) compression algorithm [17]. It is well known that the LZ compression ratio of any sequence is a lower bound for its finite state compressibility [17], i.e. LZ compresses every sequence at least as well as any finite-state information lossless compressor. We show that this fails dramatically in the context of BPD compressors, by constructing a sequence that LZ fails to compress significantly, but is compressed by at least a factor 2 by a BPD compressor, thus yielding a strong separation between LZ and BPD dimension. This separation improves that achieved in [15] for (unbounded) pushdown dimension versus LZ and that of [5] between finite state dimension [3] and pushdown dimension.

Section 2 contains the preliminaries, section 3 presents BPD dimension and its basic properties, section 4 proves the equivalence of BPD compression and dimension and section 5 contains the separation of BPD compression from Lempel Ziv compression.

2 Preliminaries

We write \mathbb{Z} for the set of all integers, \mathbb{N} for the set of all nonnegative integers and \mathbb{Z}^+ for the set of all positive integers. Let Σ be a finite alphabet, with $|\Sigma| \geq 2$. Σ^* denotes the set of finite strings, and Σ^∞ the set of infinite sequences. We write $|w|$ for the length of a string w in Σ^* . The empty string is denoted λ . For $S \in \Sigma^\infty$ and $i, j \in \mathbb{N}$, we write $S[i..j]$ for the string consisting of the i^{th} through j^{th} symbols of S , with the convention that $S[i..j] = \lambda$ if $i > j$, and $S[0]$ is the leftmost symbol of S . We write $S[i]$ for $S[i..i]$ (the i^{th} symbol of S). For $n \geq 0$, we write $S \upharpoonright n$ for $S[0..n-1]$. We use $S \upharpoonright 0$ for the empty string. For $w \in \Sigma^*$ and $S \in \Sigma^\infty$, we write $w \sqsubseteq S$ if w is a prefix of S , i.e., if $w = S[0..|w|-1]$. All logarithms are taken in base $|\Sigma|$.

For a string x , x^{-1} denotes x written in reverse order.

3 Bounded Pushdown Dimension

In this section we first recall Lutz's characterization of Hasudorff dimension in terms of gales that can be used to effectivize dimension. Then we introduce Bounded Pushdown dimension based on the concept of BPD gamblers and give its basic properties.

Definition. [11] Let $s \in [0, \infty)$.

1. An s -gale is a function $d : \Sigma^* \rightarrow [0, \infty)$ that satisfies the condition

$$d(w) = \frac{\sum_{a \in \Sigma} d(wa)}{|\Sigma|^s} \quad (1)$$

for all $w \in \Sigma^*$.

2. A *martingale* is a 1-gale.

Intuitively, an s -gale is a strategy for betting on the successive symbols of a sequence $S \in \Sigma^\infty$. For each prefix w of S , $d(w)$ is the capital (amount of money) that d has after having bet on $S \upharpoonright |w|$. When betting on the next symbol b of a prefix wb of S , assuming symbol b is equally likely to be any value in Σ , equation (1) guarantees that the expected value of $d(wb)$ is $|\Sigma|^{-1} \sum_{a \in \Sigma} d(wa) = |\Sigma|^{s-1} d(w)$. If $s = 1$, this expected value is exactly $d(w)$, so the payoffs are “fair”.

Definition. Let d be an s -gale, where $s \in [0, \infty)$.

1. We say that d *succeeds* on a sequence $S \in \Sigma^\infty$ if

$$\limsup_{n \rightarrow \infty} d(S \upharpoonright n) = \infty.$$

2. The *success set* of d is

$$S^\infty[d] = \{S \in \Sigma^\infty \mid d \text{ succeeds on } S\}.$$

Observation 3.1 Let $s, s' \in [0, \infty)$. For every s -gale d , the function $d' : \Sigma^* \rightarrow [0, \infty)$ defined by $d'(w) = |\Sigma|^{(s'-s)|w|} d(w)$ is an s' -gale. Moreover, if $s \leq s'$, then $S^\infty[d] \subseteq S^\infty[d']$.

Lutz characterized Hausdorff dimension using gales as follows.

Theorem 3.2 [11] Given a set $X \subseteq \Sigma^\infty$, if $\dim_H(X)$ is the Hausdorff dimension of X [6], then

$$\dim_H(X) = \inf\{s \mid \text{there is an } s\text{-gale } d \text{ such that } X \subseteq S^\infty[d]\}$$

The idea for a Bounded Pushdown dimension is to consider only s -gales that are computable by a Bounded Pushdown (BPD) gambler. Bounded Pushdown gamblers are finite-state gamblers [3] with an extra memory stack, that is used both by the transition and betting functions. Additionally, BPDGs are allowed to delay reading the next character of the input—they read λ from the input—in order to alter the content of their stack, but they cannot do this more than a constant number of times per each input symbol. During such λ -transitions, the gambler’s capital remains unchanged.

The betting function returns a probability measure over the input alphabet.

Definition. Let Σ be a finite alphabet. $\Delta_{\mathbb{Q}}(\Sigma)$ is the set of all rational-valued probability measures over Σ , i.e., all functions $\pi : \Sigma \rightarrow [0, 1] \cap \mathbb{Q}$ such that $\sum_{a \in \Sigma} \pi(a) = 1$.

We are ready to define BPD gamblers.

Definition. A *bounded pushdown gambler* (BPDG) is an 8-tuple $G = (Q, \Sigma, \Gamma, \delta, \beta, q_0, z_0, c)$ where

- Q is a finite set of *states*,
- Σ is the finite input alphabet,
- Γ is the finite *stack alphabet*,
- $\delta : Q \times (\Sigma \cup \{\lambda\}) \times \Gamma \rightarrow Q \times \Gamma^*$ is the *transition function* (for simplicity we use the notation $\delta(q, b, a) = \perp$ when undefined; and we write $\delta(q, b, a) = (\delta_Q(q, b, a), \delta_{\Gamma^*}(q, b, a))$),
- $\beta : Q \times \Gamma \rightarrow \Delta_{\mathbb{Q}}(\Sigma)$ is the *betting function*,
- $q_0 \in Q$ is the *start state*,
- $z_0 \in \Gamma$ is the *start stack symbol*,
- $c \in \mathbb{N}$ is a constant such that the number of λ -transitions per input symbol is at most c ,

with the two additional restrictions:

1. for each $q \in Q$ and $a \in \Gamma$ at least one of the following holds
 - $\delta(q, \lambda, a) = \perp$
 - $\delta(q, b, a) = \perp$ for all $b \in \Sigma$
2. for every $q \in Q$, $b \in \Sigma \cup \{\lambda\}$, either $\delta(q, b, z_0) = \perp$, or $\delta(q, b, z_0) = (q', vz_0)$, where $q' \in Q$ and $v \in \Gamma^*$.

We denote with $BPDG$ the set of all bounded pushdown gamblers.

The transition function δ outputs a new state and a string $z' \in \Gamma^*$. Informally, $\delta(q, w, a) = (q', z')$ means that in state q , reading input w , and popping symbol a from the stack, δ enters state q' and pushes z' to the stack.

Note that w can be λ (ie, a λ -transition: the input is ignored and δ only computes with the stack) but this only happens at most c times per input symbol. Any pair (state, stack symbol) can either be a λ -transition pair or a non λ -transition pair exclusively, because the first additional restriction enforces determinism.

Moreover, since z_0 represents the bottom of the stack, we restrict δ so that z_0 cannot be removed from the bottom by the second additional restriction.

We can extend δ in the usual way to

$$\delta^* : Q \times (\Sigma \cup \{\lambda\}) \times \Gamma^+ \rightarrow Q \times \Gamma^*,$$

where for all $q \in Q$, $a \in \Gamma$, $v \in \Gamma^*$, and $b \in \Sigma \cup \{\lambda\}$

$$\delta^*(q, b, av) = \begin{cases} (\delta_Q(q, b, a), \delta_{\Gamma^*}(q, b, a)v) & \text{if } \delta(q, b, a) \neq \perp, \\ \perp & \text{otherwise.} \end{cases}$$

We denote δ^* by δ .

For each $i \geq 2$, we will use the notation

$$\delta^i(q, \lambda, v) = \delta(\delta_Q^{i-1}(q, \lambda, v), \lambda, \delta_{\Gamma^*}^{i-1}(q, \lambda, v))$$

where

$$\delta^1(q, \lambda, v) = \delta(q, \lambda, v).$$

Since δ is c -bounded we have that for any $q \in Q$, $v \in \Gamma^*$,

$$\delta^{c+1}(q, \lambda, v) = \perp$$

We also consider the extended transition function

$$\delta^{**} : Q \times \Sigma^* \times \Gamma^+ \rightarrow Q \times \Gamma^*,$$

defined for all $q \in Q$, $a \in \Gamma$, $v \in \Gamma^*$, $w \in \Sigma^*$, and $b \in \Sigma$ by

$$\delta^{**}(q, \lambda, av) = \delta^i(q, av)$$

if $\delta^i(q, \lambda, av) \neq \perp$ and $\delta^{i+1}(q, \lambda, av) = \perp$

$$\delta^{**}(q, wb, av) = \delta^i(\delta_Q(\tilde{q}, b, \tilde{a}\tilde{v}), \lambda, \delta_{\Gamma^*}(\tilde{q}, b, \tilde{a}\tilde{v}))$$

if $\delta^{**}(q, w, av) = (\tilde{q}, \tilde{a}\tilde{v})$, $\delta^i(\delta_Q(\tilde{q}, b, \tilde{a}\tilde{v}), \lambda, \delta_{\Gamma^*}(\tilde{q}, b, \tilde{a}\tilde{v})) \neq \perp$ and $\delta^{i+1}(\delta_Q(\tilde{q}, b, \tilde{a}\tilde{v}), \lambda, \delta_{\Gamma^*}(\tilde{q}, b, \tilde{a}\tilde{v})) = \perp$, $i \leq c$.

That is, λ -transitions are inside the definition of $\delta^{**}(q, b, av)$, for $b \in \Sigma$. Notice that δ^{**} is not defined on an empty stack string, therefore av needs to be long enough in order that $\delta^{**}(q, b, av) \neq \perp$.

We denote δ^{**} by δ , and $\delta(q_0, w, z_0)$ by $\delta(w)$. We write $\delta = (\delta_Q, \delta_{\Gamma^*})$ for simplicity.

We also consider the usual extension of β

$$\beta^* : Q \times \Gamma^+ \rightarrow \Delta_{\mathbb{Q}}(\Sigma),$$

defined for all $q \in Q$, $a \in \Gamma$, and $v \in \Gamma^*$ by

$$\beta^*(q, av) = \beta(q, a),$$

and denote β^* by β .

We use BPDG to compute martingales. Intuitively, suppose a BPDG G is to bet on sequence S , has already bet on $w \sqsubset S$, with current capital $x \in \mathbb{Q}$, current state $q \in Q$ and current top stack symbol a . Then for $b \in \Sigma$, G bets the quantity $x\beta(q, a)(b)$ of its capital that the next symbol of S is b . If the bet is correct (that is, if $wb \sqsubset S$) and since payoffs are fair, G has capital $|\Sigma|x\beta(q, a)(b)$. Formally,

Definition. Let $G = (Q, \Sigma, \Gamma, \delta, \beta, q_0, z_0, c)$ be a bounded pushdown gambler. The *martingale* of G is the function

$$d_G : \Sigma^* \rightarrow [0, \infty)$$

defined by the recursion

$$\begin{aligned} d_G(\lambda) &= 1 \\ d_G(wb) &= |\Sigma| d_G(w) \beta(\delta(w))(b) \end{aligned}$$

for all $w \in \Sigma^*$ and $b \in \Sigma$.

By Observation 3.1, a BPDG G actually yields an s -gale for every $s \in [0, \infty)$. We call it the s -gale of G , and denote it by

$$d_G^s(w) = |\Sigma|^{(s-1)|w|} d_G(w).$$

A bounded pushdown s -gale is an s -gale d for which there exists a BPDG such that $d_G^s = d$.

Let us define bounded pushdown dimension. Intuitively, the BPD dimension of a sequence is the smallest s such that there is a BPD- s -gale that succeeds on the sequence.

Definition. The *bounded pushdown dimension* of a set $X \subseteq \Sigma^\infty$ is

$$\dim_{\text{BPD}}(X) = \inf\{s \mid \text{there is a bounded pushdown } s\text{-gale } d \text{ such that } X \subseteq S^\infty[d]\}.$$

4 Dimension and compression

In this section we characterize the bounded pushdown dimension of individual sequences in terms of bounded pushdown compressibility, therefore BPD dimension is a natural and robust definition.

Definition. A *bounded pushdown compressor (BPDC)* is an 8-tuple

$$C = (Q, \Sigma, \Gamma, \delta, \nu, q_0, z_0, c)$$

where

- Q is a finite set of states,
- Σ is the finite input and output alphabet,
- Γ is the finite stack alphabet,
- $\delta : Q \times (\Sigma \cup \{\lambda\}) \times \Gamma \rightarrow Q \times \Gamma^*$ is the transition function,
- $\nu : Q \times \Sigma \times \Gamma \rightarrow \Sigma^*$ is the output function,
- $q_0 \in Q$ is the initial state,
- $z_0 \in \Gamma$ is the start stack symbol,
- $c \in \mathbb{N}$ is a constant such that the number of λ -transitions per input symbol is at most c ,

with the two additional restrictions:

1. for each $q \in Q$ and $a \in \Gamma$ at least one of the following holds
 - $\delta(q, \lambda, a) = \perp$
 - $\delta(q, b, a) = \perp$ for all $b \in \Sigma$
2. for every $q \in Q$, $b \in \Sigma \cup \{\lambda\}$, either $\delta(q, b, z_0) = \perp$, or $\delta(q, b, z_0) = (q', vz_0)$, where $q' \in Q$ and $v \in \Gamma^*$.

We extend δ to $\delta^{**} : Q \times \Sigma^* \times \Gamma^+ \rightarrow Q \times \Gamma^*$ as in section 3 for the case of BPDGs, and denote δ^{**} by δ and $\delta(q_0, w, z_0)$ by $\delta(w)$.

For $q \in Q$, $w \in \Sigma^*$ and $z \in \Gamma^+$, we define the *output* from state q on input w reading z on the top of the stack to be the string $\nu(q, w, z)$ with

$$\nu(q, \lambda, z) = \lambda$$

$$\nu(q, wb, z) = \nu(q, w, z)\nu(\delta_Q(q, w, z), b, \delta_{\Gamma^*}(q, w, z))$$

for $w \in \Sigma^*$ and $b \in \Sigma$. We then define the *output* of C on input $w \in \Sigma^*$ to be the string

$$C(w) = \nu(q_0, w, z_0).$$

We are interested in *information lossless* compressors, that is, w must be recoverable from $C(w)$ and the final state.

Definition. A BPDC $C = (Q, \Sigma, \Gamma, \delta, \nu, q_0, z_0)$ is *information-lossless* (*IL*) if the function

$$\Sigma^* \rightarrow \Sigma^* \times Q$$

$$w \rightarrow (C(w), \delta_Q(w))$$

is one-to-one. An *information-lossless bounded pushdown compressor* (*ILBPDC*) is a BPDC that is IL.

Intuitively, a BPDC *compresses* a string w if $|C(w)|$ is significantly less than $|w|$. Of course, if C is *IL*, then not all strings can be compressed. Our interest here is in the degree (if any) to which the prefixes of a given sequence $S \in \Sigma^\infty$ can be compressed by an ILBPDC.

Definition. If C is a BPDC and $S \in \Sigma^\infty$, then the *compression ratio* of C on S is

$$\rho_C(S) = \liminf_{n \rightarrow \infty} \frac{|C(S[0..n-1])|}{n}.$$

The BPD compression ratio of a sequence is the best compression ratio achievable by an ILBPDC, that is

Definition. The *bounded pushdown (i.o.) compression ratio* of a sequence $S \in \Sigma^\infty$ is

$$\rho_{\text{BPD}}(S) = \inf\{\rho_C(S) \mid C \text{ is a ILBPDC}\}.$$

The main result in this section states that the BPD dimension of a sequence and its ILBPD compression ratio are the same, therefore BPD dimension is the natural concept of density of information in the BPD setting.

Theorem 4.1 *For all $S \in \Sigma^\infty$,*

$$\dim_{\text{BPD}}(S) = \rho_{\text{BPD}}(S).$$

The rest of this section is devoted to proving Theorem 4.1.

Definition. A BPDG $G = (Q, \Sigma, \Gamma, \delta, \beta, q_0, z_0)$ is *nonvanishing* if $0 < \beta(q, z)(b) < 1$ for all $q \in Q$, $b \in \Sigma$ and $z \in \Gamma$.

Lemma 4.2 *For every BPDG G and each $\varepsilon > 0$, there is a nonvanishing BPDG G' such that for all $w \in \Sigma^*$, $d_{G'}(w) \geq |\Sigma|^{-\varepsilon|w|}d_G(w)$.*

Proof of Lemma 4.2 . Let $G = (Q, \Sigma, \delta, \beta, q_0, \Gamma, z_0)$ be a BPDG, and let $\varepsilon > 0$. For each $q \in Q$, $z \in \Gamma$, $b \in \Sigma$,

$$1 - |\Sigma|^{-\varepsilon} \sum_{b \in \Sigma} \beta(q, z)(b) = 1 - |\Sigma|^{-\varepsilon} > 0,$$

so we can choose $\beta'(q, z)(b) > 0$ rational such that

$$|\Sigma|^{-\varepsilon} \beta(q, z)(b) < \beta'(q, z)(b) < 1 - |\Sigma|^{-\varepsilon} \sum_{a \in \Sigma, a \neq b} \beta(q, z)(a)$$

and

$$\sum_{b \in \Sigma} \beta'(q, z)(b) = 1.$$

Then, $0 < \beta'(q, z)(b) < 1$ for each $q \in Q$, $b \in \Sigma$ and $z \in \Gamma$, therefore the BPDG $G' = (Q, \Sigma, \delta, \beta', q_0, \Gamma, z_0)$ is nonvanishing.

Also, for all $q \in Q$, $b \in \Sigma$, $z \in \Gamma$,

$$\beta'(q, z)(b) \geq |\Sigma|^{-\varepsilon} \beta(q, z)(b)$$

so for all $w \in \Sigma^*$, $d_{G'}(w) \geq |\Sigma|^{-\varepsilon|w|}d_G(w)$.

□

Proof of Theorem 4.1 Let $S \in \Sigma^\infty$, $n \in \mathbb{N}$.

To see that $\dim_{\text{BPD}}(S) \leq \rho_{\text{BPD}}(S)$, let $s > s' > \rho_{\text{BPD}}(S)$. It suffices to show that $\dim_{\text{BPD}}(S) \leq s$. By our choice of s' , there is an ILBPDG $C = (Q, \Sigma, \Gamma, \delta, \nu, q_0, z_0)$ for which the set

$$I = \{n \in \mathbb{N} \mid |C(S \upharpoonright n)| < s'n\}$$

is infinite.

CONSTRUCTION 4.1 *Given a bounded pushdown compressor (BPDC)*

$C = (Q, \Sigma, \Gamma, \delta, \nu, q_0, z_0)$, and $k \in \mathbb{Z}^+$, we construct the bounded pushdown gambler (BPDG) $G = G(C, k) = (Q', \Sigma, \Gamma', \delta', \beta', q'_0, z'_0)$ as follows:

$$i) \ Q' = Q \times \{0, 1, \dots, k-1\}$$

$$ii) \ q'_0 = (q_0, 0)$$

$$iii) \ \Gamma' = \bigcup_{i=1}^{(c+1)k} \Gamma^i$$

$$iv) \ z'_0 = z_0^{2k}$$

$$v) \ \forall (q, i) \in Q', b \in \Sigma, a \in \Gamma',$$

$$\delta'((q, i), b, a) = \left(\left(\delta_Q(q, b, \bar{a}), (i+1) \bmod k \right), \delta_{\Gamma^*}(\widehat{q, b, \bar{a}}) \right)$$

where for each $z \in (\Gamma')^+$, $\bar{z} \in \Gamma^+$ is the Γ -string obtained by concatenating the symbols of z , and for each $y \in \Gamma^+$, if $y = y_1 y_2 \dots y_{2kl+n}$ with $n < 2k$, then $\hat{y} \in (\Gamma')^+$ is such that $\hat{y}_1 = y_1 \dots y_{2k+n}$, $\hat{y}_2 = y_{2k+n+1} \dots y_{4k+n}$, \dots , $\hat{y}_l = y_{2k(l-1)+n+1} \dots y_{2kl+n}$.

$$vi) \ \forall (q, i) \in Q', a \in \Gamma',$$

$$\delta'((q, i), \lambda, a) = \left(\left(\delta_Q(q, \lambda, \bar{a}), i \right), \delta_{\Gamma^*}(\widehat{q, \lambda, \bar{a}}) \right).$$

$$vii) \ \forall (q, i) \in Q', a \in \Gamma', b \in \Sigma$$

$$\beta'((q, i), a)(b) = \frac{\sigma(q, b \Sigma^{k-i-1}, a)}{\sigma(q, \Sigma^{k-i}, a)}$$

$$\text{where } \sigma(q, A, a) = \sum_{x \in A} |\Sigma|^{-|\nu(q, x, \bar{a})|}.$$

Notice that the fact that C is a BPDC is needed for the construction 4.1 to be possible, since in order to define β' we need ν on inputs of length k to depend on a bounded number of stacks symbols. For a general PDC the computation of $\nu(q, x,)$ for $|x| \leq k$ could depend on an unbounded number of stack symbols.

Lemma 4.3 *In Construction 4.1, if $|w|$ is a multiple of k and $u \in \Sigma^{\leq k}$, then*

$$d_G(wu) = |\Sigma|^{|u| - |\nu(\delta_Q(w), u, \delta_{\Gamma^*}(w))|} \frac{\sigma(\delta_Q(wu), \Sigma^{k-|u|}, \widehat{\delta_{\Gamma^*}(wu)})}{\sigma(\delta_Q(w), \Sigma^k, \widehat{\delta_{\Gamma^*}(w)})} d_G(w).$$

Proof of Lemma 4.3. We use induction on the string u . If $u = \lambda$, the lemma is clear. Assume that it holds for u , where $u \in \Sigma^{<k}$, and let $b \in \Sigma$. Then

$$\begin{aligned} d_G(wub) &= |\Sigma| \frac{\sigma(\delta_Q(wu), b\Sigma^{k-|u|-1}, \widehat{\delta_{\Gamma^*}(wu)})}{\sigma(\delta_Q(wu), \Sigma^{k-|u|}, \widehat{\delta_{\Gamma^*}(wu)})} d_G(wu) \\ &= |\Sigma|^{1-|\nu(\delta_Q(wu), b, \delta_{\Gamma^*}(wu))|} \frac{\sigma(\delta_Q(wub), \Sigma^{k-|u|-1}, \widehat{\delta_{\Gamma^*}(wub)})}{\sigma(\delta_Q(wu), \Sigma^{k-|u|}, \widehat{\delta_{\Gamma^*}(wu)})} d_G(wu) \end{aligned}$$

so by the induction hypothesis the lemma holds for ub . □

Lemma 4.4 *In Construction 4.1, if $w = w_0w_1 \cdots w_{n-1}$, where each $w_i \in \Sigma^k$, then*

$$d_G(w) = \frac{|\Sigma|^{|w|-|C(w)|}}{\prod_{i=0}^{n-1} \sigma(\delta_Q(w_0 \cdots w_{i-1}), \Sigma^k, \widehat{\delta_{\Gamma^*}(w_0 \cdots w_{i-1})})}.$$

Proof of Lemma 4.4. We use induction on n . For $n = 0$, the identity is clear. Assume that it holds for $w = w_0w_1 \cdots w_{n-1}$, with each $w_i \in \Sigma^k$, and let $w' = w_0w_1 \cdots w_n$. Then Lemma 4.3 with $u = w_n$ tells us that

$$d_G(w') = \frac{|\Sigma|^{k-|\nu(\delta_Q(w), w_n, \delta_{\Gamma^*}(w))|}}{\sigma(\delta_Q(w), \Sigma^k, \widehat{\delta_{\Gamma^*}(w)})} d_G(w)$$

whence the identity holds for w' by the induction hypothesis. □

Lemma 4.5 *In Construction 4.1, if C is IL and $|w|$ is a multiple of k , then*

$$d_G(w) \geq |\Sigma|^{|w|-|C(w)|-\frac{|w|}{k}(l+\log m+\log k+1)},$$

where $l = \lceil \log |Q| \rceil$ and $m = \max\{|\nu(q, b, a)| \mid q \in Q, b \in \Sigma, a \in \Gamma^2\}$.

Proof of Lemma 4.5. We prove that for each $z \in \Sigma^*$,

$$\sigma(\delta_Q(z), \Sigma^k, \widehat{\delta_{\Gamma^*}(z)}) \leq |\Sigma|^{l+\log m+\log k+1}.$$

To see this, fix $z \in \Sigma^*$ and observe that at most $|Q|$ strings $w \in \Sigma^k$ can have the same output from state $\delta_Q(z)$ with stack content $\delta_{\Gamma^*}(z)$. Therefore, the number of $w \in \Sigma^k$ for which $|\nu(\delta_Q(z), w, \delta_{\Gamma^*}(z))| = j$ does not exceed $|Q||\Sigma|^j$. Hence

$$\begin{aligned} \sigma(\delta_Q(z), \Sigma^k, \widehat{\delta_{\Gamma^*}(z)}) &= \sum_{w \in \Sigma^k} |\Sigma|^{-|\nu(\delta_Q(z), w, \delta_{\Gamma^*}(z))|} \leq \sum_{j=0}^{mk} |Q||\Sigma|^j |\Sigma|^{-j} = |Q|(mk+1) \\ &\leq |\Sigma|^{l+\log m+\log k+1}. \end{aligned}$$

It follows by Lemma 4.4 that

$$d_G(w) = |\Sigma|^{|w|-|C(w)|-\frac{|w|}{k}(l+\log m+\log k+1)}.$$

□

Lemma 4.6 *In Construction 4.1, if C is IL, then for all $w \in \Sigma^*$,*

$$d_G(w) \geq |\Sigma|^{|w|-|C(w)|-\frac{|w|}{k}(l+\log m+\log k+1)-(km+l+\log m+\log k+1)},$$

where $l = \lceil \log |Q| \rceil$ and $m = \max \{|\nu(q, b, a)| \mid q \in Q, b \in \Sigma, a \in \Gamma^2\}$.

Proof of Lemma 4.6. Assume the hypothesis, let l and m be as given, and let $w \in \Sigma^*$. Fix $0 \leq j < k$ such that $|w| + j$ is divisible by k . By Lemma 4.5 we have

$$\begin{aligned} d_G(w) &\geq |\Sigma|^{-j} d_G(w0^j) \\ &\geq |\Sigma|^{-j+|w0^j|-|C(w0^j)|-\frac{|w0^j|}{k}(l+\log m+\log k+1)} \\ &= |\Sigma|^{|w|-|C(w0^j)|-\frac{|w|}{k}(l+\log m+\log k+1)-\frac{j}{k}(l+\log m+\log k+1)} \\ &\geq |\Sigma|^{|w|-|C(w)|-\frac{|w|}{k}(l+\log m+\log k+1)-(km+l+\log m+\log k+1)} \end{aligned}$$

□

Let $l = \lceil \log |Q| \rceil$ and $m = \max\{|\nu(q, b, a)| \mid q \in Q, b \in \Sigma, a \in \Gamma^2\}$, and fix $k \in \mathbb{Z}^+$ such that $\frac{l+\log m+\log k+1}{k} < s - s'$. Let $G = G(C, k)$ be as in Construction 4.1. Then, by Lemma 4.6, for all $n \in I$ we have

$$\begin{aligned} d_G^{(s)}(w_n) &\geq |\Sigma|^{sn-|C(w_n)|-\frac{n}{k}(l+\log m+\log k+1)-(km+l+\log m+\log k+1)} \\ &\geq |\Sigma|^{(s-s'-\frac{l+\log m+\log k+1}{k})n-(km+l+\log m+\log k+1)} \end{aligned}$$

Since $s - s' - \frac{l+\log m+\log k+1}{k} > 0$, this implies that $S \in S^\infty[d_G^{(s)}]$.

Thus, $\dim_{\text{BPD}}(S) \leq s$.

To see that $\rho_{\text{BPD}}(S) \leq \dim_{\text{BPD}}(S)$, let $s > s' > s'' > \dim_{\text{BPD}}(S)$. It suffices to show that $\rho_{\text{BPD}}(S) \leq s$. By our choice of s'' , there is a BPDG G such that the set

$$J = \{n \in \mathbb{N} \mid d_G^{s''}(w_n) \geq 1\}$$

is infinite. By Lemma 4.2 there is a nonvanishing BPDG \tilde{G} such that $d_{\tilde{G}}(w) \geq |\Sigma|^{(s''-s')|w|} d_G(w)$ for all $w \in \Sigma^*$.

CONSTRUCTION 4.2 *Let $G = (Q, \Sigma, \Gamma, \delta, \beta, q_0, z_0)$ be a nonvanishing BPDG, and let $k \in \mathbb{Z}^+$. For each $z \in \Gamma^*$ (long enough for $d_{G_{q,z}}(w)$ to be defined for all $w \in \Sigma^k$) and $q \in Q$, let $G_{q,z} = (Q, \Sigma, \Gamma, \delta, \beta, q, z)$, and define $p_{q,z} : \Sigma^k \rightarrow [0, 1]$ by $p_{q,z}(w) = |\Sigma|^{-k} d_{G_{q,z}}(w)$. Since G is nonvanishing and each $d_{G_{q,z}}$ is a martingale with $d_{G_{q,z}}(\lambda) = 1$, each of the functions $p_{q,z}$ is a positive probability measure on Σ^k . For each $z \in \Gamma^*$, $q \in Q$, let $\Theta_{q,z} : \Sigma^k \rightarrow \Sigma^*$ be the Shannon-Fano-Elias code given by the probability measure $p_{q,z}$. Then*

$$|\Theta_{q,z}(w)| = l_{q,z}(w)$$

$$l_{q,z}(w) = 1 + \lceil \log \frac{1}{p_{q,z}(w)} \rceil$$

for all $q \in Q$ and $w \in \Sigma^k$, and each of the sets $\text{range}(\Theta_{q,z})$ is an instantaneous code. We define the BPDC $C = C(G, k) = (Q', \Sigma, \Gamma', \delta', \nu', q'_0, z'_0)$ whose components are as follows:

$$i) \ Q' = Q \times \Sigma^{<k}$$

$$ii) \ q'_0 = (q_0, \lambda)$$

$$iii) \ \Gamma' = \bigcup_{i=1}^{(c+1)k} \Gamma^i$$

$$iv) \ z'_0 = z_0^{2k}$$

$$v) \ \forall (q, w) \in Q', \ b \in \Sigma, \ a \in \Gamma',$$

$$\delta'((q, w), b, a) = \begin{cases} ((q, wb), a) & \text{if } |w| < k-1, \\ ((\delta_Q(q, wb, \bar{a}), \lambda), \delta_{\Gamma^*}(\widehat{(q, wb, \bar{a})})) & \text{if } |w| = k-1. \end{cases}$$

$$vi) \ \forall (q, w) \in Q', \ a \in \Gamma',$$

$$\delta'((q, w), \lambda, a) = ((q, w), a).$$

$$vii) \ \forall (q, w) \in Q', \ b \in \Sigma, \ a \in \Gamma',$$

$$\nu'((q, w), b, a) = \begin{cases} \lambda & \text{if } |w| < k-1, \\ \Theta_{q, \bar{a}}(wb) & \text{if } |w| = k-1. \end{cases}$$

Since each $\text{range}(\Theta_{q,z})$ is an instantaneous code, it is easy to see that the BPDC $C = C(G, k)$ is IL.

Notice that the fact that G is a BPDG is needed for the construction 4.1 to be possible, since in order to define ν' we need d_G on inputs of length k to depend on a bounded number of stacks symbols. For a general PDG the computation of $d_G(q, w,)$ for $|w| = k$ could depend on an unbounded number of stack symbols.

Lemma 4.7 *In Construction 4.2, if $|w|$ is a multiple of k , then*

$$|C(w)| \leq \left(1 + \frac{2}{k}\right)|w| - \log d_G(w).$$

Proof of Lemma 4.7. Let $w = w_0 w_1 \cdots w_{n-1}$, where each $w_i \in \Sigma^k$. For each $0 \leq i < n$, let $q_i = \delta_Q(w_0 \cdots w_{i-1})$ and $z_i = \delta_{\Gamma^*}(w_0 \cdots w_{i-1})$. Then,

$$\begin{aligned}
|C(w)| &= \sum_{i=0}^{n-1} l_{q_i, z_i}(w_i) \\
&= \sum_{i=0}^{n-1} \left(1 + \lceil \log \frac{1}{p_{q_i, z_i}(w_i)} \rceil \right) \leq \sum_{i=0}^{n-1} \left(2 + \log \frac{1}{p_{q_i, z_i}(w_i)} \right) \\
&= \sum_{i=0}^{n-1} \left(2 + \log \frac{|\Sigma|^k}{d_{G_{q_i, z_i}}(w_i)} \right) = (k+2)n - \log \prod_{i=0}^{n-1} d_{G_{q_i, z_i}}(w_i) \\
&= (k+2)n - \log d_G(w) = \left(1 + \frac{2}{k}\right)|w| - \log d_G(w)
\end{aligned}$$

□

Lemma 4.8 *In Construction 4.2, for all $w \in \Sigma^*$,*

$$|C(w)| \leq \left(1 + \frac{2}{k}\right)|w| - \log d_G(w).$$

Proof of Lemma 4.8. If $|w|$ is multiple of k , then we apply the Lemma 4.7. Otherwise, let $w = w'z$, where $|w'|$ is a multiple of k and $|z| = j$, $0 < j < k$.

Then, Lemma 4.7 tell us that

$$\begin{aligned}
|C(w)| &= |C(w')| \\
&\leq \left(1 + \frac{2}{k}\right)|w'| - \log d_G(w') \\
&\leq \left(1 + \frac{2}{k}\right)|w'| - \log(|\Sigma|^{-j} d_G(w)) \\
&= \left(1 + \frac{2}{k}\right)|w| - \log d_G(w) - \frac{2j}{k} \\
&\leq \left(1 + \frac{2}{k}\right)|w| - \log d_G(w).
\end{aligned}$$

□

Fix $k > \frac{2}{s-s'}$, and let $C = C(\tilde{G}, k)$ be as in Construction 4.2. Then Lemma 4.8 tell us that for all $n \in J$,

$$\begin{aligned}
|C(w_n)| &\leq \left(1 + \frac{2}{k}\right)n - \log d_{\tilde{G}}(w_n) \\
&\leq \left(1 + \frac{2}{k} + s' - s''\right)n - \log d_G(w_n) \\
&\leq \left(\frac{2}{k} + s'\right)n - \log d_G^{s''}(w_n) \\
&\leq \left(\frac{2}{k} + s'\right)n \\
&< sn.
\end{aligned}$$

Thus, $\rho_{\text{BPD}}(S) \leq s$.

□

The corresponding result for strong (packing) dimension and a.e. compression ratio holds by a proof similar to that of Theorem 4.1.

Theorem 4.9 *For all $S \in \Sigma^\infty$,*

$$\text{Dim}_{\text{BPD}}(S) = R_{\text{BPD}}(S).$$

5 Separating LZ from BPD

In this section we prove that BPD compression can be much better than the compression attained with the celebrated Lempel-Ziv algorithm.

We start with a brief description of the LZ algorithm [17].

We finish relating BPD dimension (and compression) with the Lempel-Ziv algorithm. Given an input $x \in \Sigma^*$, LZ parses x in different phrases x_i , i.e., $x = x_1x_2 \dots x_n$ ($x_i \in \Sigma^*$) such that every prefix $y \sqsubset x_i$, appears before x_i in the parsing (i.e. there exists $j < i$ s.t. $x_j = y$). Therefore for every i , $x_i = x_{l(i)}b_i$ for $l(i) < i$ and $b_i \in \Sigma$. We denote the *number of phrases* of x as $C(x) = n$.

LZ encodes x_i by a prefix free encoding of $l(i)$ and the symbol b_i , that is, if $x = x_1x_2 \dots x_n$ as before, the output of LZ on input x is

$$\text{LZ}(x) = c_{l(1)}b_1c_{l(2)}b_2 \dots c_{l(n)}b_n$$

where c_i is a prefix-free coding of i (and $x_0 = \lambda$).

LZ is usually restricted to the binary alphabet, but the description above is valid for any Σ .

For a sequence $S \in \Sigma^\infty$, the LZ compression ratio is given by

$$\rho_{\text{LZ}}(S) = \liminf_{n \rightarrow \infty} \frac{|\text{LZ}(S \upharpoonright n)|}{n}.$$

It is well known that LZ [17] yields a lower bound on the finite-state dimension (or finite-state compressibility) of a sequence [17], ie, LZ is universal for finite-state compressors.

The following result shows that this is not true for BPD (hence PD) dimension, in a strong sense: we construct a sequence S that cannot be compressed by LZ, but that has BPD compression ratio less than $\frac{1}{2}$.

Theorem 5.1 *For every $m \in \mathbb{N}$, there is a sequence $S \in \{0, 1\}^\infty$ such that*

$$\rho_{\text{LZ}}(S) > 1 - \frac{1}{m}$$

and

$$\dim_{\text{BPD}}(S) \leq \frac{1}{2}.$$

Proof of Theorem 5.1 Let $m \in \mathbb{N}$, and let $k = k(m)$ be an integer to be determined later. For any integer n , let T_n denote the set of strings x of size n such that 1^j does not appear in x , for every $j \geq k$. Since T_n contains $\{0, 1\}^{k-1} \times \{0\} \times \{0, 1\}^{k-1} \times \{0\} \dots$ (i.e. the set of strings whose every k th bit is zero), it follows that $|T_n| \geq 2^{an}$, where $a = 1 - 1/k$.

Remark 5.2 For every string $x \in T_n$ there is a string $y \in T_{n-1}$ and a bit b such that $yb = x$.

Let $A_n = \{a_1, \dots, a_u\}$ be the set of palindromes in T_n . Since fixing the $n/2$ first bits of a palindrome (wlog n is even) completely determines it, it follows that $|A_n| \leq 2^{\frac{n}{2}}$. Let us separate the remaining strings in $T_n - A_n$ into two sets $X_n = \{x_1, \dots, x_t\}$ and $Y_n = \{y_1, \dots, y_t\}$ with $(x_i)^{-1} = y_i$ for every $1 \leq i \leq t$. Let us choose X, Y such that x_1 and y_t start with a zero. We construct S in stages. For $n \leq k - 1$, S_n is an enumeration of all strings of size n in lexicographical order. For $n \geq k$,

$$S_n = a_1 \dots a_u \ 1^{2n} \ x_1 \dots x_t \ 1^{2n+1} \ y_t \dots y_1$$

i.e. a concatenation of all strings in A_n (the A zone of S_n) followed by a flag of $2n$ ones, followed by the concatenations of all strings in X (the X -zone) and Y (the Y zone) separated by a flag of $2n + 1$ ones. Let

$$S = S_1 S_2 \dots S_{k-1} \ 1^k \ 1^{k+1} \ \dots 1^{2k-1} \ S_k S_{k+1} \dots$$

i.e. the concatenation of the S_j 's with some extra flags between S_{k-1} and S_k . We claim that the parsing of S_n ($n \geq k$) by LZ, is as follows:

$$S_n = a_1, \dots, a_u, \ 1^{2n}, \ x_1, \dots, x_t, \ 1^{2n+1}, \ y_t, \dots, y_1.$$

Indeed after $S_1, \dots, S_{k-1} \ 1^k \ 1^{k+1} \ \dots 1^{2k-1}$, LZ has parsed every string of size $\leq k - 1$ and the flags $1^k \ 1^{k+1} \ \dots 1^{2k-1}$. Together with Remark 5.2, this guarantees that LZ parses S_n into phrases that are exactly all the strings in T_n and the two flags $1^{2n}, 1^{2n+1}$.

Let us compute the compression ratio $\rho_{LZ}(S)$. Let n, i be integers. By construction of S , LZ encodes every phrase in S_i (except the two flags), by a phrase in S_{i-1} (plus a bit). Indexing a phrase in S_{i-1} requires a codeword of length at least logarithmic in the number of phrase parsed before, i.e. $\log(C(S_1 S_2 \dots S_{i-2}))$. Since $C(S_i) \geq |T_i| \geq 2^{ai}$, it follows

$$C(S_1 \dots S_{i-2}) \geq \sum_{j=1}^{i-2} 2^{aj} = \frac{2^{a(i-1)} - 2^a}{2^a - 1} \geq b 2^{a(i-1)}$$

where $b = b(a)$ is arbitrarily close to 1. Letting $t_i = |T_i|$, the number of bits output by LZ on S_i is at least

$$\begin{aligned} C(S_i) \log C(S_1 \dots S_{i-2}) &\geq t_i \log b 2^{a(i-1)} \\ &\geq ct_i(i-1) \end{aligned}$$

where $c = c(b)$ is arbitrarily close to 1. Therefore

$$|LZ(S_1 \dots S_n)| \geq \sum_{j=1}^n ct_j(j-1)$$

Since $|S_1 \dots S_n| \leq 2k^2 + \sum_{j=1}^n (jt_j + 4j)$, (the two flags plus the extra flags between S_{k-1} and S_k) the compression ratio is given by

$$\rho_{LZ}(S_1 \dots S_n) \geq c \frac{\sum_{j=1}^n t_j(j-1)}{2k^2 + \sum_{j=1}^n j(t_j + 4)} \quad (2)$$

$$= c - c \frac{2k^2 + \sum_{j=1}^n (t_j + 4j)}{2k^2 + \sum_{j=1}^n j(t_j + 4)} \quad (3)$$

The second term in Equation 3 can be made arbitrarily small for n large enough: Let $M \leq n$, we have

$$\begin{aligned} 2k^2 + \sum_{j=1}^n j(t_j + 4) &\geq 2k^2 + \sum_{j=1}^M jt_j + (M+1) \sum_{j=M+1}^n t_j \\ &= 2k^2 + \sum_{j=1}^M jt_j + M \sum_{j=M+1}^n t_j + \sum_{j=M+1}^n t_j \\ &\geq 2k^2 + \sum_{j=1}^M jt_j + M \sum_{j=M+1}^n t_j + \sum_{j=M+1}^n 2^{aj} \\ &\geq 2k^2 + \sum_{j=1}^M jt_j + M \sum_{j=M+1}^n t_j + 2^{an} \\ &\geq M \sum_{j=M+1}^n t_j + M(2k^2 + 2n(n+1)) + \sum_{j=1}^M t_j \quad \text{for } n \text{ big enough} \\ &= M(2k^2 + \sum_{j=1}^n t_j + 4 \sum_{j=1}^n j) \end{aligned}$$

Hence

$$\rho_{LZ}(S_1 \dots S_n) \geq c - \frac{c}{M}$$

which by definition of c , M can be made arbitrarily close to 1 by choosing k accordingly, i.e

$$\rho_{LZ}(S_1 \dots S_n) \geq 1 - \frac{1}{m}.$$

Let us show that $\dim_{\text{BPD}}(S) \leq \frac{1}{2}$. Consider the following BPD martingale d . Informally, d on S_n goes through the A_n zone until the first flag, then starts pushing the whole X

zone onto its stack until it hits the second flag. It then uses the stack to bet correctly on the whole Y zone. Since the Y zone is exactly the X zone written in reverse order, d is able to double its capital on every bit of the Y zone. On the other zones, d does not bet. Before giving a detailed construction of d , let us compute the upper bound it yields on $\dim_{\text{BPD}}(S)$.

$$\begin{aligned}
\dim_{\text{BPD}}(S) &\leq 1 - \limsup_{n \rightarrow \infty} \frac{\log d(S_1 \dots S_n)}{|S_1 \dots S_n|} \\
&\leq 1 - \limsup_{n \rightarrow \infty} \frac{\sum_{j=1}^n |Y_j|}{2k^2 + \sum_{j=1}^n (j|T_j| + 4j)} \\
&\leq 1 - \limsup_{n \rightarrow \infty} \frac{\sum_{j=1}^n j \frac{|T_j| - |A_j|}{2}}{2k^2 + \sum_{j=1}^n (j|T_j| + 4j)} \\
&\leq \frac{1}{2} + \frac{1}{2} \limsup_{n \rightarrow \infty} \frac{2k^2 + \sum_{j=1}^n (j|A_j| + 4j)}{2k^2 + \sum_{j=1}^n (j|T_j| + 4j)}.
\end{aligned}$$

Since

$$\begin{aligned}
\limsup_{n \rightarrow \infty} \frac{2k^2 + \sum_{j=1}^n (j|A_j| + 4j)}{2k^2 + \sum_{j=1}^n (j|T_j| + 4j)} &\leq \limsup_{n \rightarrow \infty} \frac{\sum_{j=1}^n j(|A_j| + 4 + 2k^2)}{\sum_{j=1}^n |T_j|} \\
&\leq \limsup_{n \rightarrow \infty} \frac{\sum_{j=1}^n j(2^{\frac{j}{2}} + 2^{\frac{j}{4}})}{\sum_{j=1}^n 2^{aj}} \\
&\leq \limsup_{n \rightarrow \infty} \frac{n 2^{\frac{3n}{4}}}{2^{an}} \\
&= 0.
\end{aligned}$$

It follows that

$$\dim_{\text{BPD}}(S) \leq \frac{1}{2}.$$

Let us give a detailed description of d . Let Q be the following set of states:

- The start state q_0 , and q_1, \dots, q_v the “early” states that will count up to

$$v = |S_1 S_2 \dots S_{k-1} 1^k 1^{k+1} \dots 1^{2k-1}|.$$

- q_0^a, \dots, q_k^a the A zone states that cruise through the A zone until the first flag.
- q^{1f} the first flag state.
- q_0^X, \dots, q_k^X the X zone states that cruise through the X zone, pushing every bit on the stack, until the second flag is met.
- q_0^r, \dots, q_k^r which after the second flag is detected, pop k symbols from the stack that were erroneously pushed while reading the second flag.

- q^{2f} the second flag state.
- q^b the betting on zone Y state.

Let us describe the transition function $\delta : Q \times \{0, 1\} \times \{0, 1\} \rightarrow Q \times \{0, 1\}$. First δ counts until v i.e. for $i = 0, \dots, v - 1$

$$\delta(q_i, x, y) = (q_{i+1}, y) \quad \text{for any } x, y$$

and after reading v bits, it enters in the first A zone state, i.e. for any x, y

$$\delta(q_v, x, y) = (q_0^a, y).$$

Then δ skips through A until the string 1^k is met, i.e. for $i = 0, \dots, k - 1$ and any x, y

$$\delta(q_i^a, x, y) = \begin{cases} (q_{i+1}^a, y) & \text{if } x = 1 \\ (q_0^a, y) & \text{if } x = 0 \end{cases}$$

and

$$\delta(q_k^a, x, y) = (q^{1f}, y).$$

Once 1^k has been seen, δ knows the first flag has started, so it skips through the flag until a zero is met, i.e. for every x, y

$$\delta(q^{1f}, x, y) = \begin{cases} (q^{1f}, y) & \text{if } x = 1 \\ (q_0^X, 0y) & \text{if } x = 0 \end{cases}$$

where state q_0^X means that the first bit of the X zone (a zero bit) has been read, therefore δ pushes a zero. In the X zone, delta pushes every bit it sees until it reads a sequence of k ones, i.e until the start of the second flag, i.e for $i = 0, \dots, k - 1$ and any x, y

$$\delta(q_i^X, x, y) = \begin{cases} (q_{i+1}^X, xy) & \text{if } x = 1 \\ (q_0^X, xy) & \text{if } x = 0 \end{cases}$$

and

$$\delta(q_k^X, x, y) = (q_0^r, y).$$

At this point, δ has pushed all the X zone on the stack, followed by k ones. The next step is to pop k ones, i.e for $i = 0, \dots, k - 1$ and any x, y

$$\delta(q_i^r, x, y) = (q_{i+1}^r, \lambda)$$

and

$$\delta(q_k^r, x, y) = (q_0^{2f}, y).$$

At this stage, δ is still in the second flag (the second flag is always bigger than $2k$) therefore it keeps on reading ones until a zero (the first bit of the Y zone) is met. For any x, y

$$\delta(q^{2f}, x, y) = \begin{cases} (q^{2f}, y) & \text{if } x = 1 \\ (q^b, \lambda) & \text{if } x = 0. \end{cases}$$

On the last step δ has read the first bit of the Y zone, therefore it pops it. At this stage, the stack exactly contains the Y zone (i.e. the X zone written in reverse order) except the first bit; δ thus uses its stack to bet and double its capital on every bit in the Y zone. Once the stack is empty, a new A zone begins. Thus, for any x, y

$$\delta(q^b, x, y) = (q^b, \lambda).$$

and

$$\delta(q^b, x, z_0) = \begin{cases} (q_1^a, z_0) & \text{if } x = 1 \\ (q_0^a, z_0) & \text{if } x = 0. \end{cases}$$

The betting function is equal to $1/2$ everywhere (i.e no bet) except on state q^b , where

$$\beta(q^b, y)(z) = \begin{cases} 1 & \text{if } y = z \\ 0 & \text{if } y \neq z. \end{cases}$$

and β stops betting once start stack symbol is met, i.e.

$$\beta(q^b, z_0) = \frac{1}{2}.$$

□

As a corollary we obtain a separation of finite-state dimension and bounded pushdown dimension. A similar result between finite-state dimension and pushdown dimension was proven in [5].

Corollary 5.3 *For any $m \in \mathbb{N}$, there exists a sequence $S \in \{0, 1\}^\infty$ such that*

$$\dim_{\text{FS}}(S) > 1 - \frac{1}{m}$$

and

$$\dim_{\text{BPD}}(S) \leq \frac{1}{2}.$$

Conclusion

We have introduced Bounded Pushdown dimension, characterized it with compression and compared it with Lempel-Ziv compression. It is open whether BPD compression is universal for Finite-State compression, which is true for the Lempel-Ziv algorithm.

References

- [1] K. B. Athreya, J. M. Hitchcock, J. H. Lutz, and E. Mayordomo. Effective strong dimension in algorithmic information and computational complexity. *SIAM Journal on Computing*, 37:671–705, 2007.
- [2] Chris Bourke, John M. Hitchcock, and N. V. Vinodchandran. Entropy rates and finite-state dimension. *Theor. Comput. Sci.*, 349(3):392–406, 2005.
- [3] J. J. Dai, J. I. Lathrop, J. H. Lutz, and E. Mayordomo. Finite-state dimension. *Theoretical Computer Science*, 310:1–33, 2004.
- [4] D. Doty and P. Moser. Finite-state dimension and lossy decompressors. Technical report, Technical Report cs.CC/0609096, arXiv, 2006.
- [5] David Doty and Jared Nichols. Pushdown dimension. *Theoretical Computer Science*, 381:105–123, 2007.
- [6] K. Falconer. *The Geometry of Fractal Sets*. Cambridge University Press, 1985.
- [7] S. Hariharan and P. Shankar. Evaluating the role of context in syntax directed compression of xml documents. In *Proceedings of the 2006 IEEE Data Compression Conference (DCC 2006)*, page 453, 2006.
- [8] J. M. Hitchcock, J. H. Lutz, and E. Mayordomo. The fractal geometry of complexity classes. *SIGACT News Complexity Theory Column*, 36:24–38, 2005.
- [9] D. A. Huffman. Canonical forms for information-lossless finite-state logical machines. *Trans. Circuit Theory*, pages 41–59, 1959.
- [10] C. League and K. Eng. Type-based compression of xml data. In *Proceedings of the 2007 IEEE Data Compression Conference (DCC 2007)*, pages 272–282, 2007.
- [11] J. H. Lutz. Dimension in complexity classes. *SIAM Journal on Computing*, 32:1236–1259, 2003.
- [12] J. H. Lutz. The dimensions of individual strings and sequences. *Information and Computation*, 187:49–79, 2003.
- [13] J. H. Lutz. Effective fractal dimensions. *Mathematical Logic Quarterly*, 51:62–72, 2005.
- [14] E. Mayordomo. Effective fractal dimension in algorithmic information theory. In *New Computational Paradigms: Changing Conceptions of What is Computable*, pages 259–285. Springer-Verlag, 2008.

- [15] E. Mayordomo, P. Moser, and S. Perifel. Polylog space compression, pushdown compression, and lempel-ziv are incomparable. *Theory of Computing Systems*, 48:731–766, 2011.
- [16] D. Sheinwald, A. Lempel, and J. Ziv. On compression with two-way head machines. In *Data Compression Conference*, pages 218–227, 1991.
- [17] Jacob Ziv and Abraham Lempel. Compression of individual sequences via variable-rate coding. *IEEE Transactions on Information Theory*, 24(5):530–536, 1978.